



U.S. DEPARTMENT OF COMMERCE

Frederick B. Dent, Secretary

NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION

Robert M. White, Administrator

ENVIRONMENTAL RESEARCH LABORATORIES

Wilmot N. Hess, Director

NOAA TECHNICAL REPORT ERL 271-POL 19

STD Observations in the Northeast Pacific, September - October 1972

**RONALD K. REED
DAVID HALPERN**

BOULDER, COLO.

May 1973

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington, D. C. 20402

NOTICE

The NOAA Environmental Research Laboratories does not approve, recommend or endorse any proprietary product or proprietary material mentioned in this publication. No reference shall be made to the NOAA Environmental Research Laboratories, or to this publication furnished by the NOAA Environmental Research Laboratories, in any advertising or sales promotion which would indicate or imply that the NOAA Environmental Research Laboratories approves, recommends or endorses any proprietary product or proprietary material mentioned herein, or which has as its purpose an intent to cause directly or indirectly the advertised product to be used or purchased because of this NOAA Environmental Research Laboratories publication.

TABLE OF CONTENTS

| | Page |
|---|------|
| LIST OF FIGURES | iv |
| ABSTRACT | 1 |
| 1. INTRODUCTION | 1 |
| 2. CALIBRATION | 3 |
| 3. DATA REDUCTION | 3 |
| 4. DATA PRESENTATION | 4 |
| 5. PRELIMINARY REMARKS | 5 |
| 5.1 Hydrography, October 1972 | 5 |
| 5.2 STD Time Series, September and October 1972 | 9 |
| 5.3 Comparison of Anomalies and Flow - September and October 1972 | 14 |
| 6. STD STATION DATA SUMMARIES | 21 |
| 7. ACKNOWLEDGMENTS | 58 |
| 8. REFERENCES | 58 |

LIST OF FIGURES

| | <i>Page</i> |
|--|-------------|
| Figure | |
| 1. Location of STD stations, 16-19 September 1972. The 100 and 500-fathom (uncorrected; 1 fm = 1.829 m) depth contours are also shown. (Cobb Seamount rises to within 34 m of the surface.) | 2 |
| 2. Location of STD stations, 17-21 October 1972. | 2 |
| 3. Vertical sections of (a) temperature ($^{\circ}$ C), (b) salinity ($^{0}/oo$), and (c) sigma-t along the Strait of Juan de Fuca-Cobb Seamount Line, 17-18 October 1972. | 6 |
| 4. Vertical sections of (a) temperature ($^{\circ}$ C), (b) salinity ($^{0}/oo$), and (c) sigma-t along $130.7^{\circ}W$, 18-19 October 1972. | 7 |
| 5. Vertical sections of (a) temperature ($^{\circ}$ C), (b) salinity ($^{0}/oo$), and (c) sigma-t along $49^{\circ}N$, 19-21 October 1972. | 8 |
| 6. Dynamic topography (dyn m) of the 1000-db surface, referred to 1500 db, 17-20 October 1972. | 10 |
| 7. Dynamic topography (dyn m) of the sea surface, referred to 1000 db, 17-21 October 1972. | 10 |
| 8. Dynamic topography (dyn m) of the 100-db surface, referred to 1000 db, 17-21 October 1972. | 11 |
| 9. Dynamic topography (dyn m) of the 300-db surface, referred to 1000 db, 17-21 October 1972. | 11 |
| 10. Dynamic height anomalies (dyn m) at $47^{\circ}02'N$, $128^{\circ}14'W$, 16-17 September 1972. | 15 |
| 11. Dynamic height anomalies at (a) $49^{\circ}00'N$, $128^{\circ}00'W$, 19-20 Oct- ober 1972 and at (b) $49^{\circ}00'N$, $127^{\circ}20'W$, 20 October 1972. | 16 |
| 12. Depth of the $8 - ^{\circ}C$ and $32.6 - ^{0}/oo$ surfaces at (a) $49^{\circ}00'N$, $128^{\circ}00'W$, 19-20 October 1972 and at (b) $49^{\circ}00'N$, $127^{\circ}20'W$, 20 October 1972. | 16 |
| 13. Dynamic height anomalies (dyn m) along the Strait of Juan de Fuca - Cobb Seamount Line, 17-19 September 1972 and 17-18 October 1972. | 17 |

STD Observations in the Northeast Pacific,

September - October 1972

Ronald K. Reed and David Halpern

Summaries of STD measurements in the northeast Pacific during September and October 1972 are presented as computer-generated plots and as listings of temperature, salinity, sigma-t, and dynamic height anomaly. Distributions of physical properties and flow during October are presented and discussed. The variation of dynamic height anomaly at three time series stations is evaluated; results at all sites suggest the existence of semidiurnal internal tidal waves. Deviations at the same sites occupied a month apart were only slightly greater than those that occurred during a 12-hr period.

1. INTRODUCTION

During 16-19 September 1972 and 17-21 October 1972, vertical profiles of temperature and salinity from the surface to 1500 m were obtained in a region of the northeast Pacific (see figures 1 and 2) from the NOAA Ship OCEANOGRAPHER. Station positions were determined by satellite navigation and by LORAN A.

The measurements were made with a Plessey model 9006 salinity/temperature/depth (STD) system. The STD sensor was lowered at 15 m/min in the upper 200 m, and the speed was increased to 30 m/min below that depth. Data were recorded in analog format on an X₁-X₂-Y recorder (Leeds-Northrup) and were also recorded in digital format, at a rate of 0.2 sec/scan, on a Plessey model 8114A Digital Data Logger. Except for calibration purposes, data were recorded only during descent; when bottles were tripped on ascent, only the analog recorder was used.




Figure 1. Location of STD stations, September 16-19, 1972. The 100 and 500 fathom (uncorrected; 1 fm = 1.829 m) depth contours are also shown. (Cobb Seamount rises to within 34 m of the surface)




Figure 2. Location of STD stations, October 17-21, 1972.

2. CALIBRATION

On each cast a Nansen bottle was placed 4 m above the STD sensors, and the bottle was tripped at nominal depths of 1500 m, 1000 m, 500 m, or near the surface. At 1500 m, the bottle was tripped during descent; otherwise bottles were tripped during ascent while operating the analog recorder. The reversing thermometers used were calibrated by the National Oceanographic Instrumentation Center, and salinity was determined on a laboratory inductive salinometer. Temperature and salinity values obtained from the Nansen bottle were compared with values recorded in analog form at the time the bottle tripped. The temperature and salinity comparisons obtained in this manner (i.e., based on time) did not depend on thermometric depth, but the accuracy of the depth sensor was checked against the thermometric depths. (Deviations from the above procedure did occur for the September cruise; bottles were tripped only at the bottom of the casts, and the values obtained from the bottle were compared with those recorded digitally at the same depth as the thermometric depth.) Temperature and salinity corrections for the October cruise were applied during the initial processing of the digital data. Table 1 summarizes the temperature and salinity corrections obtained during the two cruises; corrections to depth were not necessary. Changes in corrections during a cruise were not detected.

3. DATA REDUCTION

Reduction of the digital data consisted of the following steps. First, an entire digitizer scan was removed from the data when its depth value was less than the preceding one. Second, temperature and salinity values

Table 1. Mean values of the temperature ($^{\circ}\text{C}$) and salinity ($^{\circ}/\text{oo}$) corrections applied to the STD data recorded during September and October 1972. (Standard deviations of the mean values = s.d.)

| Period | Temperature Correction | | | Salinity Correction | | |
|------------|------------------------|-------|-------|---------------------|-------|-------|
| | Depth (m) | Mean | s.d. | Depth (m) | Mean | s.d. |
| 16-19 Sept | All depths | +0.01 | 0.003 | All depths | -0.04 | 0.003 |
| 17-21 Oct | All depths | +0.02 | 0.018 | 0 | -0.02 | 0.019 |
| | | | | 500 | -0.04 | 0.010 |
| | | | | 1000 | -0.05 | 0.009 |
| | | | | 1500 | -0.06 | 0.006 |

recorded at the same depth were averaged together. Third, temperature and salinity were computed at 1-m intervals; e.g., the temperature at 90 m was equal to the arithmetic mean of the measurements between 89.5 and 90.5 m. Fourth, scans with anomalous temperature or salinity values were removed from the 1-m averaged data when the temperature or salinity gradient on both sides of the scan changed sign and exceeded a critical value. The critical gradients were $0.05^{\circ}\text{C}/\text{m}$ and $0.025^{\circ}/\text{oo}/\text{m}$ for depths between 0 and 200 m and $0.01^{\circ}\text{C}/\text{m}$ and $0.01^{\circ}/\text{oo}/\text{m}$ below 200 m.

4. DATA PRESENTATION

The reduced corrected data from each STD cast are summarized by a computer generated plot of the vertical profiles of temperature, salinity, and sigma-t and by a listing of selected values of temperature, salinity, sigma-t, and dynamic height anomaly. When the depth of the uppermost measurements was not equal to 0 m, surface values of temperature and salinity

were computed from a least squares fit of the data recorded above 7 m depth. Methods given by LaFond (1951) were used in computing sigma-t and specific volume anomaly at 1-m intervals. Using the trapezoidal method of integration, these latter values were used to determine the dynamic height anomaly.

Depth in meters was defined as equivalent to pressure in decibars. Tables 4-9 contain the abbreviations, units, and codes used with the STD data listings.

5. PRELIMINARY REMARKS

Data obtained during these cruises allow one to examine properties and flow and their areal and temporal variations.

5.1 Hydrography, October 1972

Representative vertical sections of temperature, salinity, and sigma-t in October are shown in figures 3-5. An interesting feature is the relatively steep temperature and salinity slopes which are frequently not correlated and do not result in significant horizontal gradients of sigma-t. At intermediate depths at stations 31-32, for example, the isolines of temperature slope downward toward shore whereas those of salinity slope upward; the resulting sigma-t isolines are essentially flat in agreement with the very weak geostrophic flow at these levels. A similar situation is present between stations 44 and 45. Thus over much of the area one cannot reliably infer flow from only the temperature or salinity gradients. During this cruise, however, the northerly geostrophic flow near the continental slope was accompanied by downward-sloping isolines (toward shore) of both temperature and salinity.





Figure 3. Vertical sections of (a) temperature ($^{\circ}\text{C}$), (b) salinity ($\sigma/00$), and (c) sigma-t along the Strait of Juan de Fuca-Cobb Seamount Line, October 17-18, 1972.





Figure 4. Vertical sections of (a) temperature ($^{\circ}\text{C}$), (b) salinity ($\sigma/\text{‰}$), and (c) sigma-t along 130.7°W , October 18-19, 1972.





Figure 5. Vertical sections of (a) temperature ($^{\circ}\text{C}$), (b) salinity ($\sigma/00$), (c) sigma-t along 49°N , October 19-21, 1972.

The dynamic topography during 17-21 October 1972 is shown in figures 6-9. Although one cannot conclusively state that the 1000-db surface is level in this region, figure 6 shows that the relief, referred to 1500 db, is slight (1-2 dyn cm); in addition, direction of flow is similar to that in the upper layers. Since a number of casts failed to reach 1500 db, anomalies of the 0, 100, and 300-db surfaces were referred to 1000 db, and the topographies are presented in figures 7-9. At all three levels, a northerly flow is evident at the base of the continental slope. Total relief over this feature is 7 dyn cm at the surface, 8 dyn cm at 100 db, and 7 dyn cm at 300 db. At the surface, the most intense northerly flow is between stations 61 and 54-60, but at 100 and 300 db it is between stations 29 and 30. Between these latter two stations, flow at the surface is only about 5 cm/sec, increases to about 15 cm/sec at 100 db, and remains almost this strong at 300 db. (As will be discussed later, an even more extreme situation was present near stations 29 and 30 in September 1972 when the surface flow was southerly with a northerly flow beneath.) The only other well-developed flow in the area was a southerly flow at the surface in the central part of the area; at 100 m its magnitude was appreciably reduced, however.

5.2 STD Time Series, September and October 1972

As a part of this investigation, STD casts were repeated approximately every two hours at stations 1-18 in September and 47-53 and 54-60 in October 1972. The dynamic height anomaly at each of these sites was then examined for temporal variation. As a measure of the variation inherent in the results of a single cast, one may use the standard deviation from




Figure 6. Dynamic topography (dyn m) of the 1000 lb surface, referred to 1500 db, October 17-21, 1972.




Figure 7. Dynamic topography (dyn m) of the sea surface, referred to 1000 db, October 17-21, 1972.




Figure 8. Dynamic topography (dyn m) of the 100 db surface, referred to 1000 db, October 17-21, 1972.




Figure 9. Dynamic topography (dyn m) of the 300 db surface, referred to 1000 db, October 17-21, 1972.

the mean anomaly. Results from the time series are summarized in Table 2. Although deviations at the various sites (and during the various periods) differ, certain features occur in each series. First, variations over a 12-hr period are relatively large. Second, variations in the 100/1000-db and 300/1000-db anomalies are appreciably less than those in the 0/1000-db or 0/1500-db anomalies. Finally, variations in the 1000/1500-db anomalies are small but are still present. It should be stressed that all these variations are greater than those due to random measurement error, which was estimated to be less than 0.001 dyn m by the method used by Wooster and Taft (1958).

The time series data allow us to conclude that in this region the 0/1000-db anomaly is reliable to about 0.016 dyn m (two standard deviations assuming a normal distribution) if obtained from a single cast without regard to time or location. The reliability of other anomalies may be approximated by twice the standard deviations shown in Table 2. From the estimate of reliability for the 0/1000-db anomaly, one may estimate the reliability of anomaly difference between two stations as $(0.016 \text{ dyn m})(2)/\sqrt{2}$ or 0.023 dyn m. Thus to be reliable indicators of even flow direction, differences between two stations should exceed this amount. During the October cruise, anomaly differences at eight station pairs were greater than 0.023 dyn m; especially over the southwest part of the area shown in figure 7, however, the gradients are too weak to provide useful information about flow. One may increase the reliability of flow estimates by using anomalies on deeper surfaces (such as 100/1000 db); as noted before, however, in some instances flow is well-developed at these deeper levels, but in others the gradients are quite weak.

Table 2. Summary of dynamic height anomalies (dyn m) computed at sites with repeated casts.

| Location | Period | Duration | Number | Mean s.d. 0/1500 db | Mean s.d. 0/1000 db | Mean s.d. 100/1000 db | Mean s.d. 300/1000 db | Mean s.d. 1000/1500 db |
|---------------------|------------------|----------|--------|------------------------|------------------------|--------------------------|--------------------------|---------------------------|
| 47°02'N 128°14'W | 16-17 Sept 72 | 43 hr | 18 | ----- | 1.371-0.007 | 1.039-0.004 | 0.707-0.003 | ----- |
| 49°00'N 128°00'W | 19-20 Oct 72 | 12 hr | 7 | 1.634-0.009 | 1.288-0.010 | 1.009-0.006 | 0.709-0.004 | 0.347-0.001 |
| 49°00'N 127°20'W | 20 Oct 72 | 12 hr | 7 | 1.645-0.009 | 1.290-0.007 | 1.030-0.004 | 0.732-0.003 | 0.355-0.002 |

The dynamic height anomalies at the three sites have been plotted as a function of time in figures 10 and 11. Although the data series are too short to yield conclusive results (Haurwitz, 1954), there appears to be qualitative evidence for the existence of semidiurnal internal waves. In the 0/1000-db and 0/1500-db anomalies, the high and low values are separated by about 6 hr; in the 100/1000-db and 300/1000-db anomalies, however, this pattern is much less clear. Estimates of the amplitudes of physical properties at various levels and the property gradients suggested that the maximum wave amplitudes occurred at about 50 m. Figure 12 shows the variation in depth of the 8-°C and 32.6-°/oo surfaces for the series shown in figure 11; the patterns are much like those evident in the 0/1000-db and 0/1500-db anomalies, and maximum amplitudes of about 8 m are indicated. If one considers a long internal wave influenced by the earth's rotation, propagating seaward from the continental shelf break (see, e.g., Defant, 1961) in a density medium approximated by two layers, then crests or troughs at the more seaward site (49°N, 128°W) should occur about 8 hr later than those at the inshore site (49°N, 127°20'W). The observed mean time difference was about 5 hr. Thus considering the many uncertainties and assumptions in such estimates, the generation of internal tide waves at the shelf break and their seaward propagation in this locality seems plausible.

5.3 Comparison of Anomalies and Flow - September and October 1972

Figure 13 presents a comparison of the observed dynamic height anomalies in September and in October 1972 at approximately the same sites along the Strait of Juan de Fuca - Cobb Seamount Line. Two main features are apparent.




Figure 10. Dynamic height anomalies at $47^{\circ}02'N$, $128^{\circ}14'W$, September 16-17, 1972.




Figure 11. Dynamic height anomalies at (a) $49^{\circ}00'N, 128^{\circ}00'W$, October 19-20, 1972, and at (b) $49^{\circ}00'N, 127^{\circ}20'W$, October 20, 1972.




Figure 12. Depth of the $8 - ^{\circ}\text{C}$ and $32.6 - \text{‰}$ surfaces at (a) $49^{\circ}00'N, 128^{\circ}00'W$, October 19-20, 1972, and at (b) $49^{\circ}00'N, 127^{\circ}20'W$, October 20, 1972.




Figure 13. Dynamic height anomalies (dyn m) along the Strait of Juan de Fuca - Cobb Seamount Line, September 17-19, 1972, and October 17-18, 1972.

First, the slopes of anomaly (and thus flow) were generally similar during the two cruises at the 100/1000-db and 300/1000-db levels. On the other hand, they are quite dissimilar at the 0/1000-db level, and the differences in absolute anomaly values are relatively large. For example, the strong surface northerly flow near the continental slope in October was not present in September, but at subsurface depths flow here was northerly during both cruises. Many of the differences in slopes of the 0/1000-db anomalies during the two cruises cannot be considered reliable indicators of flow, however. During the October cruise, the slopes between stations 29 and 34 all exceed 0.023 dyn m, but in September this value is exceeded only between stations 23-34 and 20-21.

A comparison of the variability at the same sites over a month is of interest, and the deviations from the mean anomalies at approximately the same sites are presented in Table 3. If we compare these deviations with two standard deviations over periods as short as 12 hr (Table 2), we find that only two of the 0/1000-db deviations exceed the mean value of 0.016 dyn m, none of the 100/1000-db anomalies exceed the mean value of 0.009 dyn m, and one of the 300/1000-db values is greater than 0.007 dyn m. Thus we may conclude that most of the variations in dynamic height anomaly over this one-month period were no greater than the variations that could have been expected over a 12-hr period.

Table 3. Deviations (dyn m) of values from the mean dynamic height anomalies computed at approximately the same sites during 17-19 September and 17-18 October 1972.

| Station Pair | Dev. (0/1000 db) | Dev. (100/1000 db) | Dev. (300/1000 db) |
|--------------|------------------|--------------------|--------------------|
| 19-37 | 0.005 | 0.003 | 0.004 |
| 20-36 | 0.004 | 0.008 | 0 |
| 21-35 | 0.009 | 0.005 | 0.003 |
| 22-34 | 0.016 | 0.006 | 0.001 |
| (1-18)-33 | 0.003 | 0.004 | 0.002 |
| 23-32 | 0.016 | 0.003 | 0.004 |
| 24-31 | 0.018 | 0.006 | 0.001 |
| 25-30 | 0.002 | 0.007 | 0.006 |
| 26-29 | 0.017 | 0.009 | 0.008 |

6. STD STATION DATA SUMMARIES

Table 4. Abbreviations and units used to describe the STD measurements.

| | |
|--------------------|---|
| CAST ROAR 2-OC-001 | STD Station 1 made aboard the <u>OCEANO-</u> <u>GRAPHER</u> during <u>ROAR 2</u> |
| DATE | Day, month, year |
| TIME | Hours and minutes, Greenwich Mean Time (GMT) |
| LAT | Latitude, degrees, minutes, and tenths west |
| LONG | Longitude, degrees, minutes, and tenths west |
| WEATHER | Present weather conditions (see Table 5) |
| SEA STATE | Sea state conditions (see Table 6) |
| BAROMETER | Sea level atmospheric pressure, in millibars (mb) greater than 1000 mb |
| WIND DIR | Wind direction, degrees true from which the wind blows |
| SPD | Wind speed, knots |
| VISIBILITY | Visibility (see Table 7) |
| CLOUD | Cloud Type (see Table 8) |
| AMOUNT | Amount of cloud cover (see Table 9) |
| DRY | Dry bulb air temperature, °C |
| WET | Wet bulb air temperature, °C |
| DEPTH | Depth to the bottom, uncorrected meters |

Table 5. Weather condition code used to describe each set of STD measurements.

| <u>Code</u> | <u>Weather Condition</u> |
|-------------|---------------------------------------|
| 0 | Clear (no cloud) |
| 1 | Partly cloudy |
| 2 | Continuous layer(s) of cloud(s) |
| 3 | Sandstorm, duststorm, or blowing snow |
| 4 | Fog, thick dust, or haze |
| 5 | Drizzle |
| 6 | Rain |
| 7 | Snow, or rain and snow mixed |
| 8 | Shower(s) |
| 9 | Thunderstorms |

Table 6. Sea state code used to describe each set of STD measurements.

| <u>Code</u> | <u>Height (meters)</u> | <u>Description</u> |
|-------------|------------------------|--------------------|
| 0 | 0 | Calm-glassy |
| 1 | 0 - 0.1 | Calm-rippled |
| 2 | 0.1 - 0.5 | Smooth-wavelet |
| 3 | 0.5 - 1.25 | Slight |
| 4 | 1.25 - 2.5 | Moderate |
| 5 | 2.5 - 4 | Rough |
| 6 | 4 - 6 | Very Rough |
| 7 | 6 - 9 | High |
| 8 | 9 - 14 | Very High |
| 9 | >14 | Phenomenal |

Table 7. Visibility code used to describe each set of STD measurements.



| <u>Code</u> | <u>Visibility</u> |
|-------------|-------------------|
| 0 | < 50 meters |
| 1 | 50 - 200 meters |
| 2 | 200 - 500 meters |
| 3 | 500 - 1000 meters |
| 4 | 1 - 2 km |
| 5 | 2 - 4 km |
| 6 | 4 - 10 km |
| 7 | 10 - 20 km |
| 8 | 20 - 50 km |
| 9 | 50 km or more |

Table 8. Cloud type code used to describe each set of STD measurements.

| <u>Code</u> | <u>Cloud Type</u> |
|-------------|--------------------|
| 0 | Cirrus |
| 1 | Cirrocumulus |
| 2 | Cirrostratus |
| 3 | Altocumulus |
| 4 | Altostratus |
| 5 | Nimbostratus |
| 6 | Stratocumulus |
| 7 | Stratus |
| 8 | Cumulus |
| 9 | Cumulonimbus |
| X | Clouds not visible |

Table 9. Cloud amount code used to describe each set of STD measurements.


| <u>Code</u> | <u>Cloud Amount</u> |
|-------------|--------------------------------|
| 0 | 0 |
| 1 | 1/10 or less, but not zero |
| 2 | 2/10 - 3/10 |
| 3 | 4/10 |
| 4 | 5/10 |
| 5 | 6/10 |
| 6 | 7/10 - 8/10 |
| 7 | 9/10 or more, but not 10/10 |
| 8 | 10/10 |
| 9 | Sky obscured or not determined |



CAST ROAR2-OC-001 DATE 16 SEP 72 TIME 0407 GMT
LAT 41°45'N LONG 162°45'W SEA STATE 3
CLOUDS 100% DRY AIR 14.6 HGT 14.9 H
WET 14.6 HGT 14.9 H

| DEPTH (M) | TEMPERATURE (°C) | SALINITY | SIGMA-T | UVELTAU (DYN/M) |
|-----------|------------------|----------|---------|-----------------|
| 0 | 16.68 | 32.22 | 23.048 | 0.000 |
| 25 | 16.68 | 32.22 | 23.048 | 0.022 |
| 50 | 16.68 | 32.22 | 23.048 | 0.044 |
| 75 | 16.68 | 32.22 | 23.048 | 0.066 |
| 100 | 16.68 | 32.22 | 23.048 | 0.088 |
| 125 | 16.68 | 32.22 | 23.048 | 0.110 |
| 150 | 16.68 | 32.22 | 23.048 | 0.132 |
| 175 | 16.68 | 32.22 | 23.048 | 0.154 |
| 200 | 16.68 | 32.22 | 23.048 | 0.176 |
| 225 | 16.68 | 32.22 | 23.048 | 0.198 |
| 250 | 16.68 | 32.22 | 23.048 | 0.220 |
| 275 | 16.68 | 32.22 | 23.048 | 0.242 |
| 300 | 16.68 | 32.22 | 23.048 | 0.264 |
| 325 | 16.68 | 32.22 | 23.048 | 0.286 |
| 350 | 16.68 | 32.22 | 23.048 | 0.308 |
| 375 | 16.68 | 32.22 | 23.048 | 0.330 |
| 400 | 16.68 | 32.22 | 23.048 | 0.352 |
| 425 | 16.68 | 32.22 | 23.048 | 0.374 |
| 450 | 16.68 | 32.22 | 23.048 | 0.396 |
| 475 | 16.68 | 32.22 | 23.048 | 0.418 |
| 500 | 16.68 | 32.22 | 23.048 | 0.440 |
| 525 | 16.68 | 32.22 | 23.048 | 0.462 |
| 550 | 16.68 | 32.22 | 23.048 | 0.484 |
| 575 | 16.68 | 32.22 | 23.048 | 0.506 |
| 600 | 16.68 | 32.22 | 23.048 | 0.528 |
| 625 | 16.68 | 32.22 | 23.048 | 0.550 |
| 650 | 16.68 | 32.22 | 23.048 | 0.572 |
| 675 | 16.68 | 32.22 | 23.048 | 0.594 |
| 700 | 16.68 | 32.22 | 23.048 | 0.616 |
| 725 | 16.68 | 32.22 | 23.048 | 0.638 |
| 750 | 16.68 | 32.22 | 23.048 | 0.660 |
| 775 | 16.68 | 32.22 | 23.048 | 0.682 |
| 800 | 16.68 | 32.22 | 23.048 | 0.704 |
| 825 | 16.68 | 32.22 | 23.048 | 0.726 |
| 850 | 16.68 | 32.22 | 23.048 | 0.748 |
| 875 | 16.68 | 32.22 | 23.048 | 0.770 |
| 900 | 16.68 | 32.22 | 23.048 | 0.792 |
| 925 | 16.68 | 32.22 | 23.048 | 0.814 |
| 950 | 16.68 | 32.22 | 23.048 | 0.836 |
| 975 | 16.68 | 32.22 | 23.048 | 0.858 |
| 1000 | 16.68 | 32.22 | 23.048 | 0.880 |
| 1025 | 16.68 | 32.22 | 23.048 | 0.902 |
| 1050 | 16.68 | 32.22 | 23.048 | 0.924 |
| 1075 | 16.68 | 32.22 | 23.048 | 0.946 |
| 1100 | 16.68 | 32.22 | 23.048 | 0.968 |
| 1125 | 16.68 | 32.22 | 23.048 | 0.990 |
| 1150 | 16.68 | 32.22 | 23.048 | 0.101 |
| 1175 | 16.68 | 32.22 | 23.048 | 0.123 |
| 1200 | 16.68 | 32.22 | 23.048 | 0.145 |
| 1225 | 16.68 | 32.22 | 23.048 | 0.167 |
| 1250 | 16.68 | 32.22 | 23.048 | 0.189 |
| 1275 | 16.68 | 32.22 | 23.048 | 0.211 |
| 1300 | 16.68 | 32.22 | 23.048 | 0.233 |
| 1325 | 16.68 | 32.22 | 23.048 | 0.255 |
| 1350 | 16.68 | 32.22 | 23.048 | 0.277 |
| 1375 | 16.68 | 32.22 | 23.048 | 0.299 |
| 1400 | 16.68 | 32.22 | 23.048 | 0.321 |
| 1425 | 16.68 | 32.22 | 23.048 | 0.343 |
| 1450 | 16.68 | 32.22 | 23.048 | 0.365 |
| 1475 | 16.68 | 32.22 | 23.048 | 0.387 |
| 1500 | 16.68 | 32.22 | 23.048 | 0.409 |
| 1525 | 16.68 | 32.22 | 23.048 | 0.431 |
| 1550 | 16.68 | 32.22 | 23.048 | 0.453 |
| 1575 | 16.68 | 32.22 | 23.048 | 0.475 |
| 1600 | 16.68 | 32.22 | 23.048 | 0.497 |

| DEPTH (M) | TEMPERATURE (°C) | SALINITY | SIGMA-T | DELTA-T (DYN/M) |
|-----------|------------------|----------|---------|-----------------|
| 0 | 16.66 | 32.22 | 23.048 | 0.000 |
| 25 | 16.66 | 32.22 | 23.048 | 0.022 |
| 50 | 16.66 | 32.22 | 23.048 | 0.044 |
| 75 | 16.66 | 32.22 | 23.048 | 0.066 |
| 100 | 16.66 | 32.22 | 23.048 | 0.088 |
| 125 | 16.66 | 32.22 | 23.048 | 0.110 |
| 150 | 16.66 | 32.22 | 23.048 | 0.132 |
| 175 | 16.66 | 32.22 | 23.048 | 0.154 |
| 200 | 16.66 | 32.22 | 23.048 | 0.176 |
| 225 | 16.66 | 32.22 | 23.048 | 0.198 |
| 250 | 16.66 | 32.22 | 23.048 | 0.220 |
| 275 | 16.66 | 32.22 | 23.048 | 0.242 |
| 300 | 16.66 | 32.22 | 23.048 | 0.264 |
| 325 | 16.66 | 32.22 | 23.048 | 0.286 |
| 350 | 16.66 | 32.22 | 23.048 | 0.308 |
| 375 | 16.66 | 32.22 | 23.048 | 0.330 |
| 400 | 16.66 | 32.22 | 23.048 | 0.352 |
| 425 | 16.66 | 32.22 | 23.048 | 0.374 |
| 450 | 16.66 | 32.22 | 23.048 | 0.396 |
| 475 | 16.66 | 32.22 | 23.048 | 0.418 |
| 500 | 16.66 | 32.22 | 23.048 | 0.440 |
| 525 | 16.66 | 32.22 | 23.048 | 0.462 |
| 550 | 16.66 | 32.22 | 23.048 | 0.484 |
| 575 | 16.66 | 32.22 | 23.048 | 0.506 |
| 600 | 16.66 | 32.22 | 23.048 | 0.528 |
| 625 | 16.66 | 32.22 | 23.048 | 0.550 |
| 650 | 16.66 | 32.22 | 23.048 | 0.572 |
| 675 | 16.66 | 32.22 | 23.048 | 0.594 |
| 700 | 16.66 | 32.22 | 23.048 | 0.616 |
| 725 | 16.66 | 32.22 | 23.048 | 0.638 |
| 750 | 16.66 | 32.22 | 23.048 | 0.660 |
| 775 | 16.66 | 32.22 | 23.048 | 0.682 |
| 800 | 16.66 | 32.22 | 23.048 | 0.704 |
| 825 | 16.66 | 32.22 | 23.048 | 0.726 |
| 850 | 16.66 | 32.22 | 23.048 | 0.748 |
| 875 | 16.66 | 32.22 | 23.048 | 0.770 |
| 900 | 16.66 | 32.22 | 23.048 | 0.792 |
| 925 | 16.66 | 32.22 | 23.048 | 0.814 |
| 950 | 16.66 | 32.22 | 23.048 | 0.836 |
| 975 | 16.66 | 32.22 | 23.048 | 0.858 |
| 1000 | 16.66 | 32.22 | 23.048 | 0.880 |
| 1025 | 16.66 | 32.22 | 23.048 | 0.902 |
| 1050 | 16.66 | 32.22 | 23.048 | 0.924 |
| 1075 | 16.66 | 32.22 | 23.048 | 0.946 |
| 1100 | 16.66 | 32.22 | 23.048 | 0.968 |
| 1125 | 16.66 | 32.22 | 23.048 | 0.990 |
| 1150 | 16.66 | 32.22 | 23.048 | 0.101 |
| 1175 | 16.66 | 32.22 | 23.048 | 0.123 |
| 1200 | 16.66 | 32.22 | 23.048 | 0.145 |
| 1225 | 16.66 | 32.22 | 23.048 | 0.167 |
| 1250 | 16.66 | 32.22 | 23.048 | 0.189 |
| 1275 | 16.66 | 32.22 | 23.048 | 0.211 |
| 1300 | 16.66 | 32.22 | 23.048 | 0.233 |
| 1325 | 16.66 | 32.22 | 23.048 | 0.255 |
| 1350 | 16.66 | 32.22 | 23.048 | 0.277 |
| 1375 | 16.66 | 32.22 | 23.048 | 0.299 |
| 1400 | 16.66 | 32.22 | 23.048 | 0.321 |
| 1425 | 16.66 | 32.22 | 23.048 | 0.343 |
| 1450 | 16.66 | 32.22 | 23.048 | 0.365 |
| 1475 | 16.66 | 32.22 | 23.048 | 0.387 |
| 1500 | 16.66 | 32.22 | 23.048 | 0.409 |
| 1525 | 16.66 | 32.22 | 23.048 | 0.431 |
| 1550 | 16.66 | 32.22 | 23.048 | 0.453 |
| 1575 | 16.66 | 32.22 | 23.048 | 0.475 |
| 1600 | 16.66 | 32.22 | 23.048 | 0.497 |





CAST 4
SIG
S
DEPTH - METERS
22.00 23.00 24.00 25.00 26.00 27.00 28.00

CAST 3
SIG
S
DEPTH - METERS
22.00 23.00 24.00 25.00 26.00 27.00 28.00



CAST 2
SIG
S
DEPTH - METERS
22.00 23.00 24.00 25.00 26.00 27.00 28.00

DATE 16 SEP 72 TIME 0800
LAT 47 02' N LONG 120 15' W
WATER TEMP 15.2 KT 15.2
VISIBILITY 3 METER
DEPTH 2732 M

| DEPTH (M) | TEMPERATURE (°C) | SALINITY (ppt) | SIGMA-1 (dyn cm⁻³) |
|-----------|------------------|----------------|--------------------|
| 0 | 16.64 | 32.11 | 23.40 |
| 16.64 | 32.12 | 23.41 | 0.000 |
| 32.16 | 32.18 | 23.45 | 16.64 |
| 48.20 | 32.18 | 23.45 | 16.65 |
| 64.00 | 32.20 | 23.46 | 16.65 |
| 80.00 | 32.20 | 23.46 | 16.65 |
| 96.00 | 32.20 | 23.46 | 16.65 |
| 112.00 | 32.20 | 23.46 | 16.65 |
| 128.00 | 32.20 | 23.46 | 16.65 |
| 144.00 | 32.20 | 23.46 | 16.65 |
| 160.00 | 32.20 | 23.46 | 16.65 |
| 176.00 | 32.20 | 23.46 | 16.65 |
| 192.00 | 32.20 | 23.46 | 16.65 |
| 208.00 | 32.20 | 23.46 | 16.65 |
| 224.00 | 32.20 | 23.46 | 16.65 |
| 240.00 | 32.20 | 23.46 | 16.65 |
| 256.00 | 32.20 | 23.46 | 16.65 |
| 272.00 | 32.20 | 23.46 | 16.65 |
| 288.00 | 32.20 | 23.46 | 16.65 |
| 304.00 | 32.20 | 23.46 | 16.65 |
| 320.00 | 32.20 | 23.46 | 16.65 |
| 336.00 | 32.20 | 23.46 | 16.65 |
| 352.00 | 32.20 | 23.46 | 16.65 |
| 368.00 | 32.20 | 23.46 | 16.65 |
| 384.00 | 32.20 | 23.46 | 16.65 |
| 400.00 | 32.20 | 23.46 | 16.65 |
| 416.00 | 32.20 | 23.46 | 16.65 |
| 432.00 | 32.20 | 23.46 | 16.65 |
| 448.00 | 32.20 | 23.46 | 16.65 |
| 464.00 | 32.20 | 23.46 | 16.65 |
| 480.00 | 32.20 | 23.46 | 16.65 |
| 496.00 | 32.20 | 23.46 | 16.65 |
| 512.00 | 32.20 | 23.46 | 16.65 |
| 528.00 | 32.20 | 23.46 | 16.65 |
| 544.00 | 32.20 | 23.46 | 16.65 |
| 560.00 | 32.20 | 23.46 | 16.65 |
| 576.00 | 32.20 | 23.46 | 16.65 |
| 592.00 | 32.20 | 23.46 | 16.65 |
| 608.00 | 32.20 | 23.46 | 16.65 |
| 624.00 | 32.20 | 23.46 | 16.65 |
| 640.00 | 32.20 | 23.46 | 16.65 |
| 656.00 | 32.20 | 23.46 | 16.65 |
| 672.00 | 32.20 | 23.46 | 16.65 |
| 688.00 | 32.20 | 23.46 | 16.65 |
| 704.00 | 32.20 | 23.46 | 16.65 |
| 720.00 | 32.20 | 23.46 | 16.65 |
| 736.00 | 32.20 | 23.46 | 16.65 |
| 752.00 | 32.20 | 23.46 | 16.65 |
| 768.00 | 32.20 | 23.46 | 16.65 |
| 784.00 | 32.20 | 23.46 | 16.65 |
| 800.00 | 32.20 | 23.46 | 16.65 |
| 816.00 | 32.20 | 23.46 | 16.65 |
| 832.00 | 32.20 | 23.46 | 16.65 |
| 848.00 | 32.20 | 23.46 | 16.65 |
| 864.00 | 32.20 | 23.46 | 16.65 |
| 880.00 | 32.20 | 23.46 | 16.65 |
| 896.00 | 32.20 | 23.46 | 16.65 |
| 912.00 | 32.20 | 23.46 | 16.65 |
| 928.00 | 32.20 | 23.46 | 16.65 |
| 944.00 | 32.20 | 23.46 | 16.65 |
| 960.00 | 32.20 | 23.46 | 16.65 |
| 976.00 | 32.20 | 23.46 | 16.65 |
| 992.00 | 32.20 | 23.46 | 16.65 |
| 1008.00 | 32.20 | 23.46 | 16.65 |
| 1024.00 | 32.20 | 23.46 | 16.65 |
| 1040.00 | 32.20 | 23.46 | 16.65 |
| 1056.00 | 32.20 | 23.46 | 16.65 |
| 1072.00 | 32.20 | 23.46 | 16.65 |
| 1088.00 | 32.20 | 23.46 | 16.65 |
| 1104.00 | 32.20 | 23.46 | 16.65 |
| 1120.00 | 32.20 | 23.46 | 16.65 |
| 1136.00 | 32.20 | 23.46 | 16.65 |
| 1152.00 | 32.20 | 23.46 | 16.65 |
| 1168.00 | 32.20 | 23.46 | 16.65 |
| 1184.00 | 32.20 | 23.46 | 16.65 |
| 1200.00 | 32.20 | 23.46 | 16.65 |
| 1216.00 | 32.20 | 23.46 | 16.65 |
| 1232.00 | 32.20 | 23.46 | 16.65 |
| 1248.00 | 32.20 | 23.46 | 16.65 |
| 1264.00 | 32.20 | 23.46 | 16.65 |
| 1280.00 | 32.20 | 23.46 | 16.65 |
| 1296.00 | 32.20 | 23.46 | 16.65 |
| 1312.00 | 32.20 | 23.46 | 16.65 |
| 1328.00 | 32.20 | 23.46 | 16.65 |
| 1344.00 | 32.20 | 23.46 | 16.65 |
| 1360.00 | 32.20 | 23.46 | 16.65 |
| 1376.00 | 32.20 | 23.46 | 16.65 |
| 1392.00 | 32.20 | 23.46 | 16.65 |
| 1408.00 | 32.20 | 23.46 | 16.65 |
| 1424.00 | 32.20 | 23.46 | 16.65 |
| 1440.00 | 32.20 | 23.46 | 16.65 |
| 1456.00 | 32.20 | 23.46 | 16.65 |
| 1472.00 | 32.20 | 23.46 | 16.65 |
| 1488.00 | 32.20 | 23.46 | 16.65 |
| 1504.00 | 32.20 | 23.46 | 16.65 |
| 1520.00 | 32.20 | 23.46 | 16.65 |
| 1536.00 | 32.20 | 23.46 | 16.65 |
| 1552.00 | 32.20 | 23.46 | 16.65 |
| 1568.00 | 32.20 | 23.46 | 16.65 |
| 1584.00 | 32.20 | 23.46 | 16.65 |
| 1600.00 | 32.20 | 23.46 | 16.65 |




| CAST ROAR2-OC-005 | | DATE 16 SEP 72 | | TIME 1205 GMT | | DATE 16 SEP 72 | | TIME 2329 GMT | | | |
|-------------------|------------------|----------------|---------|---------------|------------------|----------------|---------|---------------|------------------|--------------|---------|
| DEPTH (M) | TEMPERATURE (°C) | SALINITY (‰) | SIGMA-T | DEPTH (M) | TEMPERATURE (°C) | SALINITY (‰) | SIGMA-T | DEPTH (M) | TEMPERATURE (°C) | SALINITY (‰) | SIGMA-T |
| 0 | 16.67 | 32.22 | 23.48 | 0 | 16.74 | 32.23 | 23.47 | 0 | 16.73 | 32.23 | 23.46 |
| 10 | 16.65 | 32.22 | 23.49 | 10 | 16.73 | 32.23 | 23.48 | 10 | 16.72 | 32.23 | 23.47 |
| 20 | 16.64 | 32.22 | 23.49 | 20 | 16.69 | 32.23 | 23.48 | 20 | 16.68 | 32.23 | 23.47 |
| 30 | 16.64 | 32.22 | 23.49 | 30 | 16.64 | 32.23 | 23.48 | 30 | 16.63 | 32.23 | 23.47 |
| 40 | 14.44 | 32.22 | 23.49 | 40 | 14.92 | 32.23 | 23.48 | 40 | 14.91 | 32.23 | 23.47 |
| 50 | 13.00 | 32.22 | 23.49 | 50 | 13.45 | 32.23 | 23.48 | 50 | 13.44 | 32.23 | 23.47 |
| 60 | 12.66 | 32.22 | 23.49 | 60 | 12.98 | 32.23 | 23.48 | 60 | 12.97 | 32.23 | 23.47 |
| 70 | 12.32 | 32.22 | 23.49 | 70 | 12.51 | 32.23 | 23.48 | 70 | 12.50 | 32.23 | 23.47 |
| 80 | 12.00 | 32.22 | 23.49 | 80 | 12.04 | 32.23 | 23.48 | 80 | 12.03 | 32.23 | 23.47 |
| 90 | 11.70 | 32.22 | 23.49 | 90 | 11.77 | 32.23 | 23.48 | 90 | 11.76 | 32.23 | 23.47 |
| 100 | 11.40 | 32.22 | 23.49 | 100 | 11.43 | 32.23 | 23.48 | 100 | 11.42 | 32.23 | 23.47 |
| 110 | 11.10 | 32.22 | 23.49 | 110 | 11.13 | 32.23 | 23.48 | 110 | 11.12 | 32.23 | 23.47 |
| 120 | 10.80 | 32.22 | 23.49 | 120 | 10.83 | 32.23 | 23.48 | 120 | 10.82 | 32.23 | 23.47 |
| 130 | 10.50 | 32.22 | 23.49 | 130 | 10.53 | 32.23 | 23.48 | 130 | 10.52 | 32.23 | 23.47 |
| 140 | 10.20 | 32.22 | 23.49 | 140 | 10.23 | 32.23 | 23.48 | 140 | 10.22 | 32.23 | 23.47 |
| 150 | 9.90 | 32.22 | 23.49 | 150 | 9.93 | 32.23 | 23.48 | 150 | 9.92 | 32.23 | 23.47 |
| 160 | 9.60 | 32.22 | 23.49 | 160 | 9.63 | 32.23 | 23.48 | 160 | 9.62 | 32.23 | 23.47 |
| 170 | 9.30 | 32.22 | 23.49 | 170 | 9.33 | 32.23 | 23.48 | 170 | 9.32 | 32.23 | 23.47 |
| 180 | 9.00 | 32.22 | 23.49 | 180 | 9.03 | 32.23 | 23.48 | 180 | 9.02 | 32.23 | 23.47 |
| 190 | 8.70 | 32.22 | 23.49 | 190 | 8.73 | 32.23 | 23.48 | 190 | 8.72 | 32.23 | 23.47 |
| 200 | 8.40 | 32.22 | 23.49 | 200 | 8.43 | 32.23 | 23.48 | 200 | 8.42 | 32.23 | 23.47 |
| 210 | 8.10 | 32.22 | 23.49 | 210 | 8.13 | 32.23 | 23.48 | 210 | 8.12 | 32.23 | 23.47 |
| 220 | 7.80 | 32.22 | 23.49 | 220 | 7.83 | 32.23 | 23.48 | 220 | 7.82 | 32.23 | 23.47 |
| 230 | 7.50 | 32.22 | 23.49 | 230 | 7.53 | 32.23 | 23.48 | 230 | 7.52 | 32.23 | 23.47 |
| 240 | 7.20 | 32.22 | 23.49 | 240 | 7.23 | 32.23 | 23.48 | 240 | 7.22 | 32.23 | 23.47 |
| 250 | 6.90 | 32.22 | 23.49 | 250 | 6.93 | 32.23 | 23.48 | 250 | 6.92 | 32.23 | 23.47 |
| 260 | 6.60 | 32.22 | 23.49 | 260 | 6.63 | 32.23 | 23.48 | 260 | 6.62 | 32.23 | 23.47 |
| 270 | 6.30 | 32.22 | 23.49 | 270 | 6.33 | 32.23 | 23.48 | 270 | 6.32 | 32.23 | 23.47 |
| 280 | 6.00 | 32.22 | 23.49 | 280 | 6.03 | 32.23 | 23.48 | 280 | 6.02 | 32.23 | 23.47 |
| 290 | 5.70 | 32.22 | 23.49 | 290 | 5.73 | 32.23 | 23.48 | 290 | 5.72 | 32.23 | 23.47 |
| 300 | 5.40 | 32.22 | 23.49 | 300 | 5.43 | 32.23 | 23.48 | 300 | 5.42 | 32.23 | 23.47 |
| 310 | 5.10 | 32.22 | 23.49 | 310 | 5.13 | 32.23 | 23.48 | 310 | 5.12 | 32.23 | 23.47 |
| 320 | 4.80 | 32.22 | 23.49 | 320 | 4.83 | 32.23 | 23.48 | 320 | 4.82 | 32.23 | 23.47 |
| 330 | 4.50 | 32.22 | 23.49 | 330 | 4.53 | 32.23 | 23.48 | 330 | 4.52 | 32.23 | 23.47 |
| 340 | 4.20 | 32.22 | 23.49 | 340 | 4.23 | 32.23 | 23.48 | 340 | 4.22 | 32.23 | 23.47 |
| 350 | 3.90 | 32.22 | 23.49 | 350 | 3.93 | 32.23 | 23.48 | 350 | 3.92 | 32.23 | 23.47 |
| 360 | 3.60 | 32.22 | 23.49 | 360 | 3.63 | 32.23 | 23.48 | 360 | 3.62 | 32.23 | 23.47 |
| 370 | 3.30 | 32.22 | 23.49 | 370 | 3.33 | 32.23 | 23.48 | 370 | 3.32 | 32.23 | 23.47 |
| 380 | 3.00 | 32.22 | 23.49 | 380 | 3.03 | 32.23 | 23.48 | 380 | 3.02 | 32.23 | 23.47 |
| 390 | 2.70 | 32.22 | 23.49 | 390 | 2.73 | 32.23 | 23.48 | 390 | 2.72 | 32.23 | 23.47 |
| 400 | 2.40 | 32.22 | 23.49 | 400 | 2.43 | 32.23 | 23.48 | 400 | 2.42 | 32.23 | 23.47 |
| 410 | 2.10 | 32.22 | 23.49 | 410 | 2.13 | 32.23 | 23.48 | 410 | 2.12 | 32.23 | 23.47 |
| 420 | 1.80 | 32.22 | 23.49 | 420 | 1.83 | 32.23 | 23.48 | 420 | 1.82 | 32.23 | 23.47 |
| 430 | 1.50 | 32.22 | 23.49 | 430 | 1.53 | 32.23 | 23.48 | 430 | 1.52 | 32.23 | 23.47 |
| 440 | 1.20 | 32.22 | 23.49 | 440 | 1.23 | 32.23 | 23.48 | 440 | 1.22 | 32.23 | 23.47 |
| 450 | 0.90 | 32.22 | 23.49 | 450 | 0.93 | 32.23 | 23.48 | 450 | 0.92 | 32.23 | 23.47 |
| 460 | 0.60 | 32.22 | 23.49 | 460 | 0.63 | 32.23 | 23.48 | 460 | 0.62 | 32.23 | 23.47 |
| 470 | 0.30 | 32.22 | 23.49 | 470 | 0.33 | 32.23 | 23.48 | 470 | 0.32 | 32.23 | 23.47 |
| 480 | 0.00 | 32.22 | 23.49 | 480 | 0.03 | 32.23 | 23.48 | 480 | 0.02 | 32.23 | 23.47 |
| 490 | -0.30 | 32.22 | 23.49 | 490 | -0.27 | 32.23 | 23.48 | 490 | -0.26 | 32.23 | 23.47 |
| 500 | -0.60 | 32.22 | 23.49 | 500 | -0.57 | 32.23 | 23.48 | 500 | -0.56 | 32.23 | 23.47 |
| 510 | -0.90 | 32.22 | 23.49 | 510 | -0.87 | 32.23 | 23.48 | 510 | -0.86 | 32.23 | 23.47 |
| 520 | -1.20 | 32.22 | 23.49 | 520 | -1.17 | 32.23 | 23.48 | 520 | -1.16 | 32.23 | 23.47 |
| 530 | -1.50 | 32.22 | 23.49 | 530 | -1.47 | 32.23 | 23.48 | 530 | -1.46 | 32.23 | 23.47 |
| 540 | -1.80 | 32.22 | 23.49 | 540 | -1.77 | 32.23 | 23.48 | 540 | -1.76 | 32.23 | 23.47 |
| 550 | -2.10 | 32.22 | 23.49 | 550 | -2.07 | 32.23 | 23.48 | 550 | -2.06 | 32.23 | 23.47 |
| 560 | -2.40 | 32.22 | 23.49 | 560 | -2.37 | 32.23 | 23.48 | 560 | -2.36 | 32.23 | 23.47 |
| 570 | -2.70 | 32.22 | 23.49 | 570 | -2.67 | 32.23 | 23.48 | 570 | -2.66 | 32.23 | 23.47 |
| 580 | -3.00 | 32.22 | 23.49 | 580 | -2.97 | 32.23 | 23.48 | 580 | -2.96 | 32.23 | 23.47 |
| 590 | -3.30 | 32.22 | 23.49 | 590 | -3.27 | 32.23 | 23.48 | 590 | -3.26 | 32.23 | 23.47 |
| 600 | -3.60 | 32.22 | 23.49 | 600 | -3.57 | 32.23 | 23.48 | 600 | -3.56 | 32.23 | 23.47 |
| 610 | -3.90 | 32.22 | 23.49 | 610 | -3.87 | 32.23 | 23.48 | 610 | -3.86 | 32.23 | 23.47 |
| 620 | -4.20 | 32.22 | 23.49 | 620 | -4.17 | 32.23 | 23.48 | 620 | -4.16 | 32.23 | 23.47 |
| 630 | -4.50 | 32.22 | 23.49 | 630 | -4.47 | 32.23 | 23.48 | 630 | -4.46 | 32.23 | 23.47 |
| 640 | -4.80 | 32.22 | 23.49 | 640 | -4.77 | 32.23 | 23.48 | 640 | -4.76 | 32.23 | 23.47 |
| 650 | -5.10 | 32.22 | 23.49 | 650 | -5.07 | 32.23 | 23.48 | 650 | -5.06 | 32.23 | 23.47 |
| 660 | -5.40 | 32.22 | 23.49 | 660 | -5.37 | 32.23 | 23.48 | 660 | -5.36 | 32.23 | 23.47 |
| 670 | -5.70 | 32.22 | 23.49 | 670 | -5.67 | 32.23 | 23.48 | 670 | -5.66 | 32.23 | 23.47 |
| 680 | -6.00 | 32.22 | 23.49 | 680 | -5.97 | 32.23 | 23.48 | 680 | -5.96 | 32.23 | 23.47 |
| 690 | -6.30 | 32.22 | 23.49 | 690 | -6.27 | 32.23 | 23.48 | 690 | -6.26 | 32.23 | 23.47 |
| 700 | -6.60 | 32.22 | 23.49 | 700 | -6.57 | 32.23 | 23.48 | 700 | -6.56 | 32.23 | 23.47 |
| 710 | -6.90 | 32.22 | 23.49 | 710 | -6.87 | 32.23 | 23.48 | 710 | -6.86 | 32.23 | 23.47 |
| 720 | -7.20 | 32.22 | 23.49 | 720 | -7.17 | 32.23 | 23.48 | 720 | -7.16 | 32.23 | 23.47 |
| 730 | -7.50 | 32.22 | 23.49 | 730 | -7.47 | 32.23 | 23.48 | 730 | -7.46 | 32.23 | 23.47 |
| 740 | -7.80 | 32.22 | 23.49 | 740 | -7.77 | 32.23 | 23.48 | 740 | -7.76 | 32.23 | 23.47 |
| 750 | -8.10 | 32.22 | 23.49 | 750 | -8.07 | 32.23 | 23.48 | 750 | -8.06 | 32.23 | 23.47 |
| 760 | -8.40 | 32.22 | 23.49 | 760 | -8.37 | 32.23 | 23.48 | 760 | -8.36 | 32.23 | 23.47 |
| 770 | -8.70 | 32.22 | 23.49 | 770 | -8.67 | 32.23 | 23.48 | 770 | -8.66 | 32.23 | 23.47 |
| 780 | -9.00 | 32.22 | 23.49 | 780 | -8.97 | 32.23 | 23.48 | 780 | -8.96 | 32.23 | 23.47 |
| 790 | -9.30 | 32.22 | 23.49 | 790 | -9.27 | 32.23 | 23.48 | 790 | -9.26 | 32.23 | 23.47 |
| 800 | -9.60 | 32.22 | 23.49 | 800 | -9.57 | 32.23 | 23.48 | 800 | -9.56 | 32.23 | 23.47 |
| 810 | -9.90 | 32.22 | 23.49 | 810 | -9.87 | 32.23 | 23.48 | 810 | -9.86 | 32.23 | 23.47 |
| 820 | -10.20 | 32.22 | 23.49 | 820 | -10.17 | 32.23 | 23.48 | 820 | -10.16 | 32.23 | 23.47 |
| 830 | -10.50 | 32.22 | 23.49 | 830 | -10.47 | 32.23 | 23.48 | 830 | -10.46 | 32.23 | 23.47 |
| 840 | -10.80 | 32.22 | 23.49 | 840 | -10.77 | 32.23 | 23.48 | 840 | -10.76 | 32.23 | 23.47 |
| 850 | -11.10 | 32.22 | 23.49 | | | | | | | | |




| DEPTH (m) | TEMPERATURE (°C) | SALINITY (PPM) | SIGMA-T | WELL A-D WELL N |
|--------------|---------------------|-------------------|---------|--------------------|
| 0 | 16.673 | 32.2 | 2.3 | 0.000 |
| 1 | 16.673 | 32.2 | 2.3 | -0.044 |
| 5 | 16.673 | 32.2 | 2.3 | -0.089 |
| 10 | 16.673 | 32.2 | 2.3 | -0.133 |
| 15 | 16.673 | 32.2 | 2.3 | -0.178 |
| 20 | 16.673 | 32.2 | 2.3 | -0.222 |
| 25 | 16.673 | 32.2 | 2.3 | -0.267 |
| 30 | 16.673 | 32.2 | 2.3 | -0.311 |
| 35 | 16.673 | 32.2 | 2.3 | -0.355 |
| 40 | 16.673 | 32.2 | 2.3 | -0.399 |
| 45 | 16.673 | 32.2 | 2.3 | -0.443 |
| 50 | 16.673 | 32.2 | 2.3 | -0.487 |
| 55 | 16.673 | 32.2 | 2.3 | -0.531 |
| 60 | 16.673 | 32.2 | 2.3 | -0.575 |
| 65 | 16.673 | 32.2 | 2.3 | -0.619 |
| 70 | 16.673 | 32.2 | 2.3 | -0.663 |
| 75 | 16.673 | 32.2 | 2.3 | -0.707 |
| 80 | 16.673 | 32.2 | 2.3 | -0.751 |
| 85 | 16.673 | 32.2 | 2.3 | -0.795 |
| 90 | 16.673 | 32.2 | 2.3 | -0.839 |
| 95 | 16.673 | 32.2 | 2.3 | -0.883 |
| 100 | 16.673 | 32.2 | 2.3 | -0.927 |
| 105 | 16.673 | 32.2 | 2.3 | -0.971 |
| 110 | 16.673 | 32.2 | 2.3 | -1.015 |
| 115 | 16.673 | 32.2 | 2.3 | -1.059 |
| 120 | 16.673 | 32.2 | 2.3 | -1.103 |
| 125 | 16.673 | 32.2 | 2.3 | -1.147 |
| 130 | 16.673 | 32.2 | 2.3 | -1.191 |
| 135 | 16.673 | 32.2 | 2.3 | -1.235 |
| 140 | 16.673 | 32.2 | 2.3 | -1.279 |
| 145 | 16.673 | 32.2 | 2.3 | -1.323 |
| 150 | 16.673 | 32.2 | 2.3 | -1.367 |
| 155 | 16.673 | 32.2 | 2.3 | -1.411 |
| 160 | 16.673 | 32.2 | 2.3 | -1.455 |
| 165 | 16.673 | 32.2 | 2.3 | -1.499 |
| 170 | 16.673 | 32.2 | 2.3 | -1.543 |
| 175 | 16.673 | 32.2 | 2.3 | -1.587 |
| 180 | 16.673 | 32.2 | 2.3 | -1.631 |
| 185 | 16.673 | 32.2 | 2.3 | -1.675 |
| 190 | 16.673 | 32.2 | 2.3 | -1.719 |
| 195 | 16.673 | 32.2 | 2.3 | -1.763 |
| 200 | 16.673 | 32.2 | 2.3 | -1.807 |
| 205 | 16.673 | 32.2 | 2.3 | -1.851 |
| 210 | 16.673 | 32.2 | 2.3 | -1.895 |
| 215 | 16.673 | 32.2 | 2.3 | -1.939 |
| 220 | 16.673 | 32.2 | 2.3 | -1.983 |
| 225 | 16.673 | 32.2 | 2.3 | -2.027 |
| 230 | 16.673 | 32.2 | 2.3 | -2.071 |
| 235 | 16.673 | 32.2 | 2.3 | -2.115 |
| 240 | 16.673 | 32.2 | 2.3 | -2.159 |
| 245 | 16.673 | 32.2 | 2.3 | -2.203 |
| 250 | 16.673 | 32.2 | 2.3 | -2.247 |
| 255 | 16.673 | 32.2 | 2.3 | -2.291 |
| 260 | 16.673 | 32.2 | 2.3 | -2.335 |
| 265 | 16.673 | 32.2 | 2.3 | -2.379 |
| 270 | 16.673 | 32.2 | 2.3 | -2.423 |
| 275 | 16.673 | 32.2 | 2.3 | -2.467 |
| 280 | 16.673 | 32.2 | 2.3 | -2.511 |
| 285 | 16.673 | 32.2 | 2.3 | -2.555 |
| 290 | 16.673 | 32.2 | 2.3 | -2.599 |
| 295 | 16.673 | 32.2 | 2.3 | -2.643 |
| 300 | 16.673 | 32.2 | 2.3 | -2.687 |
| 305 | 16.673 | 32.2 | 2.3 | -2.731 |
| 310 | 16.673 | 32.2 | 2.3 | -2.775 |
| 315 | 16.673 | 32.2 | 2.3 | -2.819 |
| 320 | 16.673 | 32.2 | 2.3 | -2.863 |
| 325 | 16.673 | 32.2 | 2.3 | -2.907 |
| 330 | 16.673 | 32.2 | 2.3 | -2.951 |
| 335 | 16.673 | 32.2 | 2.3 | -2.995 |
| 340 | 16.673 | 32.2 | 2.3 | -3.039 |
| 345 | 16.673 | 32.2 | 2.3 | -3.083 |
| 350 | 16.673 | 32.2 | 2.3 | -3.127 |
| 355 | 16.673 | 32.2 | 2.3 | -3.171 |
| 360 | 16.673 | 32.2 | 2.3 | -3.215 |
| 365 | 16.673 | 32.2 | 2.3 | -3.259 |
| 370 | 16.673 | 32.2 | 2.3 | -3.303 |
| 375 | 16.673 | 32.2 | 2.3 | -3.347 |
| 380 | 16.673 | 32.2 | 2.3 | -3.391 |
| 385 | 16.673 | 32.2 | 2.3 | -3.435 |
| 390 | 16.673 | 32.2 | 2.3 | -3.479 |
| 395 | 16.673 | 32.2 | 2.3 | -3.523 |
| 400 | 16.673 | 32.2 | 2.3 | -3.567 |
| 405 | 16.673 | 32.2 | 2.3 | -3.611 |
| 410 | 16.673 | 32.2 | 2.3 | -3.655 |
| 415 | 16.673 | 32.2 | 2.3 | -3.699 |
| 420 | 16.673 | 32.2 | 2.3 | -3.743 |
| 425 | 16.673 | 32.2 | 2.3 | -3.787 |
| 430 | 16.673 | 32.2 | 2.3 | -3.831 |
| 435 | 16.673 | 32.2 | 2.3 | -3.875 |
| 440 | 16.673 | 32.2 | 2.3 | -3.919 |
| 445 | 16.673 | 32.2 | 2.3 | -3.963 |
| 450 | 16.673 | 32.2 | 2.3 | -4.007 |
| 455 | 16.673 | 32.2 | 2.3 | -4.051 |
| 460 | 16.673 | 32.2 | 2.3 | -4.095 |
| 465 | 16.673 | 32.2 | 2.3 | -4.139 |
| 470 | 16.673 | 32.2 | 2.3 | -4.183 |
| 475 | 16.673 | 32.2 | 2.3 | -4.227 |
| 480 | 16.673 | 32.2 | 2.3 | -4.271 |
| 485 | 16.673 | 32.2 | 2.3 | -4.315 |
| 490 | 16.673 | 32.2 | 2.3 | -4.359 |
| 495 | 16.673 | 32.2 | 2.3 | -4.403 |
| 500 | 16.673 | 32.2 | 2.3 | -4.447 |
| 505 | 16.673 | 32.2 | 2.3 | -4.491 |
| 510 | 16.673 | 32.2 | 2.3 | -4.535 |
| 515 | 16.673 | 32.2 | 2.3 | -4.579 |
| 520 | 16.673 | 32.2 | 2.3 | -4.623 |
| 525 | 16.673 | 32.2 | 2.3 | -4.667 |
| 530 | 16.673 | 32.2 | 2.3 | -4.711 |
| 535 | 16.673 | 32.2 | 2.3 | -4.755 |
| 540 | 16.673 | 32.2 | 2.3 | -4.799 |
| 545 | 16.673 | 32.2 | 2.3 | -4.843 |
| 550 | 16.673 | 32.2 | 2.3 | -4.887 |
| 555 | 16.673 | 32.2 | 2.3 | -4.931 |
| 560 | 16.673 | 32.2 | 2.3 | -4.975 |
| 565 | 16.673 | 32.2 | 2.3 | -5.019 |
| 570 | 16.673 | 32.2 | 2.3 | -5.063 |
| 575 | 16.673 | 32.2 | 2.3 | -5.107 |
| 580 | 16.673 | 32.2 | 2.3 | -5.151 |
| 585 | 16.673 | 32.2 | 2.3 | -5.195 |
| 590 | 16.673 | 32.2 | 2.3 | -5.239 |
| 595 | 16.673 | 32.2 | 2.3 | -5.283 |
| 600 | 16.673 | 32.2 | 2.3 | -5.327 |
| 605 | 16.673 | 32.2 | 2.3 | -5.371 |
| 610 | 16.673 | 32.2 | 2.3 | -5.415 |
| 615 | 16.673 | 32.2 | 2.3 | -5.459 |
| 620 | 16.673 | 32.2 | 2.3 | -5.503 |
| 625 | 16.673 | 32.2 | 2.3 | -5.547 |
| 630 | 16.673 | 32.2 | 2.3 | -5.591 |
| 635 | 16.673 | 32.2 | 2.3 | -5.635 |
| 640 | 16.673 | 32.2 | 2.3 | -5.679 |
| 645 | 16.673 | 32.2 | 2.3 | -5.723 |
| 650 | 16.673 | 32.2 | 2.3 | -5.767 |
| 655 | 16.673 | 32.2 | 2.3 | -5.811 |
| 660 | 16.673 | 32.2 | 2.3 | -5.855 |
| 665 | 16.673 | 32.2 | 2.3 | -5.899 |
| 670 | 16.673 | 32.2 | 2.3 | -5.943 |
| 675 | 16.673 | 32.2 | 2.3 | -5.987 |
| 680 | 16.673 | 32.2 | 2.3 | -6.031 |
| 685 | 16.673 | 32.2 | 2.3 | -6.075 |
| 690 | 16.673 | 32.2 | 2.3 | -6.119 |
| 695 | 16.673 | 32.2 | 2.3 | -6.163 |
| 700 | 16.673 | 32.2 | 2.3 | -6.207 |
| 705 | 16.673 | 32.2 | 2.3 | -6.251 |
| 710 | 16.673 | 32.2 | 2.3 | -6.295 |
| 715 | 16.673 | 32.2 | 2.3 | -6.339 |
| 720 | 16.673 | 32.2 | 2.3 | -6.383 |
| 725 | 16.673 | 32.2 | 2.3 | -6.427 |
| 730 | 16.673 | 32.2 | 2.3 | -6.471 |
| 735 | 16.673 | 32.2 | 2.3 | -6.515 |
| 740 | 16.673 | 32.2 | 2.3 | -6.559 |
| 745 | 16.673 | 32.2 | 2.3 | -6.603 |
| 750 | 16.673 | 32.2 | 2.3 | -6.647 |
| 755 | 16.673 | 32.2 | 2.3 | -6.691 |
| 760 | 16.673 | 32.2 | 2.3 | -6.735 |
| 765 | 16.673 | 32.2 | 2.3 | -6.779 |
| 770 | 16.673 | 32.2 | 2.3 | -6.823 |
| 775 | 16.673 | 32.2 | 2.3 | -6.867 |
| 780 | 16.673 | 32.2 | 2.3 | -6.911 |
| 785 | 16.673 | 32.2 | 2.3 | -6.955 |
| 790 | 16.673 | 32.2 | 2.3 | -7.0 |



CAST ROAR2-OC-008 DATE 10/17 SEP 72 TIME 0303 GMT
 LAT 47°01'N LONG 128°16'W SEA STATE 3
 WEATHER 1 KT VISIBILITY 6 NM
 WIND DIRECTION 143° W WIND SPEED 13.0 MPH
 CLOUDS 6 AMOUNT 3 DAY 15, 1972
 DEPTH 100 FT

| DEPTH (M) | TEMPERATURE ($^{\circ}$ C) | SALINITY (PPM) | DELTAP SIGMA-T (PPM) |
|--------------|--------------------------------|-------------------|----------------------------|
| 0 | 16.69 | 32.2 | -4.9 |
| 3.75 | 16.69 | 32.2 | -4.9 |
| 7.5 | 16.70 | 32.2 | -4.9 |
| 11.25 | 16.69 | 32.2 | -4.9 |
| 15 | 16.68 | 32.2 | -4.9 |
| 18.75 | 16.67 | 32.2 | -4.9 |
| 22.5 | 16.68 | 32.2 | -4.9 |
| 26.25 | 16.67 | 32.2 | -4.9 |
| 30 | 16.68 | 32.2 | -4.9 |
| 33.75 | 16.69 | 32.2 | -4.9 |
| 37.5 | 16.69 | 32.2 | -4.9 |
| 41.25 | 16.69 | 32.2 | -4.9 |
| 45 | 16.69 | 32.2 | -4.9 |
| 48.75 | 16.69 | 32.2 | -4.9 |
| 52.5 | 16.69 | 32.2 | -4.9 |
| 56.25 | 16.69 | 32.2 | -4.9 |
| 60 | 16.69 | 32.2 | -4.9 |
| 63.75 | 16.69 | 32.2 | -4.9 |
| 67.5 | 16.69 | 32.2 | -4.9 |
| 71.25 | 16.69 | 32.2 | -4.9 |
| 75 | 16.69 | 32.2 | -4.9 |
| 78.75 | 16.69 | 32.2 | -4.9 |
| 82.5 | 16.69 | 32.2 | -4.9 |
| 86.25 | 16.69 | 32.2 | -4.9 |
| 90 | 16.69 | 32.2 | -4.9 |
| 93.75 | 16.69 | 32.2 | -4.9 |
| 97.5 | 16.69 | 32.2 | -4.9 |
| 100 | 16.69 | 32.2 | -4.9 |



CAST ROAR2-OC-010 DATE 17 SEP 72 TIME 0703 GM
LAT 47.0'N LONG 128.15'W
WIND 16 KT SPD 15 KT
BAROMETER 1013.5 Hg VISIBILITY 5
CLOUD X AMOUNT 9 DEPTH 2738 M
DEPTH TEMPERATURE SALINITY SIGMA-T DELTA-O
(M) (°C) (PPM) (σt) (δΩ m)
0 16.53 32.11 23.48 0.000
100 16.63 32.11 23.48 0.022
200 16.64 32.11 23.48 0.044
300 16.64 32.11 23.48 0.066
400 16.65 32.12 23.49 0.088
500 16.65 32.12 23.49 0.110
600 16.65 32.12 23.49 0.132
700 16.65 32.12 23.49 0.154
800 16.65 32.12 23.49 0.175
900 16.65 32.12 23.49 0.193
1000 16.65 32.12 23.49 0.210
1100 16.65 32.12 23.49 0.230
1200 16.65 32.12 23.49 0.250
1300 16.65 32.12 23.49 0.270
1400 16.65 32.12 23.49 0.290
1500 16.65 32.12 23.49 0.310
1600 16.65 32.12 23.49 0.330
1700 16.65 32.12 23.49 0.350
1800 16.65 32.12 23.49 0.370
1900 16.65 32.12 23.49 0.390
2000 16.65 32.12 23.49 0.410
2100 16.65 32.12 23.49 0.430
2200 16.65 32.12 23.49 0.450
2300 16.65 32.12 23.49 0.470
2400 16.65 32.12 23.49 0.490
2500 16.65 32.12 23.49 0.510
2600 16.65 32.12 23.49 0.530
2700 16.65 32.12 23.49 0.550
2800 16.65 32.12 23.49 0.570
2900 16.65 32.12 23.49 0.590
3000 16.65 32.12 23.49 0.610
3100 16.65 32.12 23.49 0.630
3200 16.65 32.12 23.49 0.650
3300 16.65 32.12 23.49 0.670
3400 16.65 32.12 23.49 0.690
3500 16.65 32.12 23.49 0.710
3600 16.65 32.12 23.49 0.730
3700 16.65 32.12 23.49 0.750
3800 16.65 32.12 23.49 0.770
3900 16.65 32.12 23.49 0.790
4000 16.65 32.12 23.49 0.810
4100 16.65 32.12 23.49 0.830
4200 16.65 32.12 23.49 0.850
4300 16.65 32.12 23.49 0.870
4400 16.65 32.12 23.49 0.890
4500 16.65 32.12 23.49 0.910
4600 16.65 32.12 23.49 0.930
4700 16.65 32.12 23.49 0.950
4800 16.65 32.12 23.49 0.970
4900 16.65 32.12 23.49 0.990
5000 16.65 32.12 23.49 1.010
5100 16.65 32.12 23.49 1.030
5200 16.65 32.12 23.49 1.050
5300 16.65 32.12 23.49 1.070
5400 16.65 32.12 23.49 1.090
5500 16.65 32.12 23.49 1.110
5600 16.65 32.12 23.49 1.130
5700 16.65 32.12 23.49 1.150
5800 16.65 32.12 23.49 1.170
5900 16.65 32.12 23.49 1.190
6000 16.65 32.12 23.49 1.210
6100 16.65 32.12 23.49 1.230
6200 16.65 32.12 23.49 1.250
6300 16.65 32.12 23.49 1.270
6400 16.65 32.12 23.49 1.290
6500 16.65 32.12 23.49 1.310
6600 16.65 32.12 23.49 1.330
6700 16.65 32.12 23.49 1.350
6800 16.65 32.12 23.49 1.370
6900 16.65 32.12 23.49 1.390
7000 16.65 32.12 23.49 1.410
7100 16.65 32.12 23.49 1.430
7200 16.65 32.12 23.49 1.450
7300 16.65 32.12 23.49 1.470
7400 16.65 32.12 23.49 1.490
7500 16.65 32.12 23.49 1.510
7600 16.65 32.12 23.49 1.530
7700 16.65 32.12 23.49 1.550
7800 16.65 32.12 23.49 1.570
7900 16.65 32.12 23.49 1.590
8000 16.65 32.12 23.49 1.610
8100 16.65 32.12 23.49 1.630
8200 16.65 32.12 23.49 1.650
8300 16.65 32.12 23.49 1.670
8400 16.65 32.12 23.49 1.690
8500 16.65 32.12 23.49 1.710
8600 16.65 32.12 23.49 1.730
8700 16.65 32.12 23.49 1.750
8800 16.65 32.12 23.49 1.770
8900 16.65 32.12 23.49 1.790
9000 16.65 32.12 23.49 1.810
9100 16.65 32.12 23.49 1.830
9200 16.65 32.12 23.49 1.850
9300 16.65 32.12 23.49 1.870
9400 16.65 32.12 23.49 1.890
9500 16.65 32.12 23.49 1.910
9600 16.65 32.12 23.49 1.930
9700 16.65 32.12 23.49 1.950
9800 16.65 32.12 23.49 1.970
9900 16.65 32.12 23.49 1.990
10000 16.65 32.12 23.49 2.010
10100 16.65 32.12 23.49 2.030
10200 16.65 32.12 23.49 2.050
10300 16.65 32.12 23.49 2.070
10400 16.65 32.12 23.49 2.090
10500 16.65 32.12 23.49 2.110
10600 16.65 32.12 23.49 2.130
10700 16.65 32.12 23.49 2.150
10800 16.65 32.12 23.49 2.170
10900 16.65 32.12 23.49 2.190
11000 16.65 32.12 23.49 2.210
11100 16.65 32.12 23.49 2.230
11200 16.65 32.12 23.49 2.250
11300 16.65 32.12 23.49 2.270
11400 16.65 32.12 23.49 2.290
11500 16.65 32.12 23.49 2.310
11600 16.65 32.12 23.49 2.330
11700 16.65 32.12 23.49 2.350
11800 16.65 32.12 23.49 2.370
11900 16.65 32.12 23.49 2.390
12000 16.65 32.12 23.49 2.410
12100 16.65 32.12 23.49 2.430
12200 16.65 32.12 23.49 2.450
12300 16.65 32.12 23.49 2.470
12400 16.65 32.12 23.49 2.490
12500 16.65 32.12 23.49 2.510
12600 16.65 32.12 23.49 2.530
12700 16.65 32.12 23.49 2.550
12800 16.65 32.12 23.49 2.570
12900 16.65 32.12 23.49 2.590
13000 16.65 32.12 23.49 2.610
13100 16.65 32.12 23.49 2.630
13200 16.65 32.12 23.49 2.650
13300 16.65 32.12 23.49 2.670
13400 16.65 32.12 23.49 2.690
13500 16.65 32.12 23.49 2.710
13600 16.65 32.12 23.49 2.730
13700 16.65 32.12 23.49 2.750
13800 16.65 32.12 23.49 2.770
13900 16.65 32.12 23.49 2.790
14000 16.65 32.12 23.49 2.810
14100 16.65 32.12 23.49 2.830
14200 16.65 32.12 23.49 2.850
14300 16.65 32.12 23.49 2.870
14400 16.65 32.12 23.49 2.890
14500 16.65 32.12 23.49 2.910
14600 16.65 32.12 23.49 2.930
14700 16.65 32.12 23.49 2.950
14800 16.65 32.12 23.49 2.970
14900 16.65 32.12 23.49 2.990
15000 16.65 32.12 23.49 3.010
15100 16.65 32.12 23.49 3.030
15200 16.65 32.12 23.49 3.050
15300 16.65 32.12 23.49 3.070
15400 16.65 32.12 23.49 3.090
15500 16.65 32.12 23.49 3.110
15600 16.65 32.12 23.49 3.130
15700 16.65 32.12 23.49 3.150
15800 16.65 32.12 23.49 3.170
15900 16.65 32.12 23.49 3.190
16000 16.65 32.12 23.49 3.210
16100 16.65 32.12 23.49 3.230
16200 16.65 32.12 23.49 3.250
16300 16.65 32.12 23.49 3.270
16400 16.65 32.12 23.49 3.290
16500 16.65 32.12 23.49 3.310
16600 16.65 32.12 23.49 3.330
16700 16.65 32.12 23.49 3.350
16800 16.65 32.12 23.49 3.370
16900 16.65 32.12 23.49 3.390
17000 16.65 32.12 23.49 3.410
17100 16.65 32.12 23.49 3.430
17200 16.65 32.12 23.49 3.450
17300 16.65 32.12 23.49 3.470
17400 16.65 32.12 23.49 3.490
17500 16.65 32.12 23.49 3.510
17600 16.65 32.12 23.49 3.530
17700 16.65 32.12 23.49 3.550
17800 16.65 32.12 23.49 3.570
17900 16.65 32.12 23.49 3.590
18000 16.65 32.12 23.49 3.610
18100 16.65 32.12 23.49 3.630
18200 16.65 32.12 23.49 3.650
18300 16.65 32.12 23.49 3.670
18400 16.65 32.12 23.49 3.690
18500 16.65 32.12 23.49 3.710
18600 16.65 32.12 23.49 3.730
18700 16.65 32.12 23.49 3.750
18800 16.65 32.12 23.49 3.770
18900 16.65 32.12 23.49 3.790
19000 16.65 32.12 23.49 3.810
19100 16.65 32.12 23.49 3.830
19200 16.65 32.12 23.49 3.850
19300 16.65 32.12 23.49 3.870
19400 16.65 32.12 23.49 3.890
19500 16.65 32.12 23.49 3.910
19600 16.65 32.12 23.49 3.930
19700 16.65 32.12 23.49 3.950
19800 16.65 32.12 23.49 3.970
19900 16.65 32.12 23.49 3.990
20000 16.65 32.12 23.49 4.010
20100 16.65 32.12 23.49 4.030
20200 16.65 32.12 23.49 4.050
20300 16.65 32.12 23.49 4.070
20400 16.65 32.12 23.49 4.090
20500 16.65 32.12 23.49 4.110
20600 16.65 32.12 23.49 4.130
20700 16.65 32.12 23.49 4.150
20800 16.65 32.12 23.49 4.170
20900 16.65 32.12 23.49 4.190
21000 16.65 32.12 23.49 4.210
21100 16.65 32.12 23.49 4.230
21200 16.65 32.12 23.49 4.250
21300 16.65 32.12 23.49 4.270
21400 16.65 32.12 23.49 4.290
21500 16.65 32.12 23.49 4.310
21600 16.65 32.12 23.49 4.330
21700 16.65 32.12 23.49 4.350
21800 16.65 32.12 23.49 4.370
21900 16.65 32.12 23.49 4.390
22000 16.65 32.12 23.49 4.410
22100 16.65 32.12 23.49 4.430
22200 16.65 32.12 23.49 4.450
22300 16.65 32.12 23.49 4.470
22400 16.65 32.12 23.49 4.490
22500 16.65 32.12 23.49 4.510
22600 16.65 32.12 23.49 4.530
22700 16.65 32.12 23.49 4.550
22800 16.65 32.12 23.49 4.570
22900 16.65 32.12 23.49 4.590
23000 16.65 32.12 23.49 4.610
23100 16.65 32.12 23.49 4.630
23200 16.65 32.12 23.49 4.650
23300 16.65 32.12 23.49 4.670
23400 16.65 32.12 23.49 4.690
23500 16.65 32.12 23.49 4.710
23600 16.65 32.12 23.49 4.730
23700 16.65 32.12 23.49 4.750
23800 16.65 32.12 23.49 4.770
23900 16.65 32.12 23.49 4.790
24000 16.65 32.12 23.49 4.810
24100 16.65 32.12 23.49 4.830
24200 16.65 32.12 23.49 4.850
24300 16.65 32.12 23.49 4.870
24400 16.65 32.12 23.49 4.890
24500 16.65 32.12 23.49 4.910
24600 16.65 32.12 23.49 4.930
24700 16.65 32.12 23.49 4.950
24800 16.65 32.12 23.49 4.970
24900 16.65 32.12 23.49 4.990
25000 16.65 32.12 23.49 5.010
25100 16.65 32.12 23.49 5.030
25200 16.65 32.12 23.49 5.050
25300 16.65 32.12 23.49 5.070
25400 16.65 32.12 23.49 5.090
25500 16.65 32.12 23.49 5.110
25600 16.65 32.12 23.49 5.130
25700 16.65 32.12 23.49 5.150
25800 16.65 32.12 23.49 5.170
25900 16.65 32.12 23.49 5.190
26000 16.65 32.12 23.49 5.210
26100 16.65 32.12 23.49 5.230
26200 16.65 32.12 23.49 5.250
26300 16.65 32.12 23.49 5.270
26400 16.65 32.12 23.49 5.290
26500 16.65 32.12 23.49 5.310
26600 16.65 32.12 23.49 5.330
26700 16.65 32.12 23.49 5.350
26800 16.65 32.12 23.49 5.370
26900 16.65 32.12 23.49 5.390
27000 16.65 32.12 23.49 5.410
27100 16.65 32.12 23.49 5.430
27200 16.65 32.12 23.49 5.450
27300 16.65 32.12 23.49 5.470
27400 16.65 32.12 23.49 5.490
27500 16.65 32.12 23.49 5.510
27600 16.65 32.12 23.49 5.530
27700 16.65 32.12 23.49 5.550
27800 16.65 32.12 23.49 5.570
27900 16.65 32.12 23.49 5.590
28000 16.65 32.12 23.49 5.610
28100 16.65 32.12 23.49 5.630
28200 16.65 32.12 23.49 5.650
28300 16.65 32.12 23.49 5.670
28400 16.65 32.12 23.49 5.690
28500 16.65 32.12 23.49 5.710
28600 16.65 32.12 23.49 5.730
28700 16.65 32.12 23.49 5.750
28800 16.65 32.12 23.49 5.770
28900 16.65 32.12 23.49 5.790
29000 16.65 32.12 23.49 5.810
29100 16.65 32.12 23.49 5.830
29200 16.65 32.12 23.49 5.850
29300 16.65 32.12 23.49 5.870
29400 16.65 32.12 23.49 5.890
29500 16.65 32.12 23.49 5.910
29600 16.65 32.12 23.49 5.930
29700 16.65 32.12 23.49 5.950
29800 16.65 32.12 23.49 5.970
29900 16.65 32.12 23.49 5.990
30000 16.65 32.12 23.49 6.010







CAST ROAR2-OC-012 DATE 17 SEP 72 TIME 1417 GMT
LAT 47.00N LONG 128.149W SEA STATE 3
BAROMETER 1012.5 Hg WIND 12.0 Kt
CLOUD X AMOUNT 9 DRY 15.3 WET 12.0
SIGMA-T 17.0
SIGMA-T 16.5
SIGMA-T 16.0
SIGMA-T 15.5
SIGMA-T 15.0
SIGMA-T 14.5
SIGMA-T 14.0
SIGMA-T 13.5
SIGMA-T 13.0
SIGMA-T 12.5
SIGMA-T 12.0
SIGMA-T 11.5
SIGMA-T 11.0
SIGMA-T 10.5
SIGMA-T 10.0
SIGMA-T 9.5
SIGMA-T 9.0
SIGMA-T 8.5
SIGMA-T 8.0
SIGMA-T 7.5
SIGMA-T 7.0
SIGMA-T 6.5
SIGMA-T 6.0
SIGMA-T 5.5
SIGMA-T 5.0
SIGMA-T 4.5
SIGMA-T 4.0
SIGMA-T 3.5
SIGMA-T 3.0
SIGMA-T 2.5
SIGMA-T 2.0
SIGMA-T 1.5
SIGMA-T 1.0
SIGMA-T 0.5
SIGMA-T 0.0

CAST ROAR2-OC-012 DATE 17 SEP 72 TIME 1417 GMT
LAT 47.02N LONG 128.149W SEA STATE 3
BAROMETER 1012.5 Hg WIND 12.0 Kt
CLOUD X AMOUNT 9 DRY 15.5 WET 11.5
SIGMA-T 17.0
SIGMA-T 16.5
SIGMA-T 16.0
SIGMA-T 15.5
SIGMA-T 15.0
SIGMA-T 14.5
SIGMA-T 14.0
SIGMA-T 13.5
SIGMA-T 13.0
SIGMA-T 12.5
SIGMA-T 12.0
SIGMA-T 11.5
SIGMA-T 11.0
SIGMA-T 10.5
SIGMA-T 10.0
SIGMA-T 9.5
SIGMA-T 9.0
SIGMA-T 8.5
SIGMA-T 8.0
SIGMA-T 7.5
SIGMA-T 7.0
SIGMA-T 6.5
SIGMA-T 6.0
SIGMA-T 5.5
SIGMA-T 5.0
SIGMA-T 4.5
SIGMA-T 4.0
SIGMA-T 3.5
SIGMA-T 3.0
SIGMA-T 2.5
SIGMA-T 2.0
SIGMA-T 1.5
SIGMA-T 1.0
SIGMA-T 0.5
SIGMA-T 0.0

CAST ROAR2-OC-011 DATE 17 SEP 72 TIME 0913 GMT
LAT 47.00N LONG 128.149W SEA STATE 3
BAROMETER 1012.5 Hg WIND 12.0 Kt
CLOUD X AMOUNT 9 DRY 15.3 WET 12.0
SIGMA-T 17.0
SIGMA-T 16.5
SIGMA-T 16.0
SIGMA-T 15.5
SIGMA-T 15.0
SIGMA-T 14.5
SIGMA-T 14.0
SIGMA-T 13.5
SIGMA-T 13.0
SIGMA-T 12.5
SIGMA-T 12.0
SIGMA-T 11.5
SIGMA-T 11.0
SIGMA-T 10.5
SIGMA-T 10.0
SIGMA-T 9.5
SIGMA-T 9.0
SIGMA-T 8.5
SIGMA-T 8.0
SIGMA-T 7.5
SIGMA-T 7.0
SIGMA-T 6.5
SIGMA-T 6.0
SIGMA-T 5.5
SIGMA-T 5.0
SIGMA-T 4.5
SIGMA-T 4.0
SIGMA-T 3.5
SIGMA-T 3.0
SIGMA-T 2.5
SIGMA-T 2.0
SIGMA-T 1.5
SIGMA-T 1.0
SIGMA-T 0.5
SIGMA-T 0.0





| CAST RDAR2-OC-013 | | DATE 17 SEP 72 | | TIME 1309 GMT | | WEATHER 1 | | SEA STATE 3 | | VISIBILITY 6 | | DEPTH 2772 M | | CAST RDAR2-OC-014 | | DATE 17 SEP 72 | | TIME 1501 GMT | | WEATHER 2 | | SEA STATE 3 | | VISIBILITY 6 | | DEPTH 2346 M | | | | | |
|-------------------|------------------|----------------|----------------|---------------|------------------|-----------|----------------|-------------|------------------|--------------|----------------|--------------|------------------|-------------------|----------------|----------------|------------------|---------------|----------------|-----------|------------------|-------------|----------------|--------------|------------------|--------------|----------------|-----------|---|-------|--------|
| BAROMETER | 101.6 | LONG | 128 15.8 W | HEATER | 1 | WIND | DIR 313 T | STATE | 3 | WIND | DIR 16 | SPD 10 KT | AMOUNT | 6 | BAROMETER | 101.6 | LONG | 128 15.4 W | HEATER | 2 | WIND | DIR 134 T | STATE | 3 | WIND | DIR 13.9 | SPD 12.3 KT | AMOUNT | 7 | DEPTH | 2346 M |
| CLOUD | 6 | AMOUNT | 6 | WEATHER | 1 | DIR | 14.8 | VISIBILITY | 6 | WEATHER | 1 | KT | AMOUNT | 7 | CLOUD | 6 | AMOUNT | 6 | WEATHER | 1 | DIR | 13.9 | VISIBILITY | 6 | WEATHER | 1 | KT | AMOUNT | 7 | DEPTH | 2346 M |
| DEPTH (M) | TEMPERATURE (°C) | SALINITY | SIGMA-T (dbar) | DEPTH (M) | TEMPERATURE (°C) | SALINITY | SIGMA-T (dbar) | DEPTH (M) | TEMPERATURE (°C) | SALINITY | SIGMA-T (dbar) | DEPTH (M) | TEMPERATURE (°C) | SALINITY | SIGMA-T (dbar) | DEPTH (M) | TEMPERATURE (°C) | SALINITY | SIGMA-T (dbar) | DEPTH (M) | TEMPERATURE (°C) | SALINITY | SIGMA-T (dbar) | DEPTH (M) | TEMPERATURE (°C) | SALINITY | SIGMA-T (dbar) | DEPTH (M) | | | |
| 0 | 16.58 | 32.23 | 23.51 | 0 | 16.58 | 32.23 | 23.51 | 0 | 16.58 | 32.23 | 23.51 | 0 | 16.58 | 32.23 | 23.51 | 0 | 16.58 | 32.23 | 23.51 | 0 | 16.58 | 32.23 | 23.51 | 0 | 16.58 | 32.23 | 23.51 | | | | |
| 100 | 6.00 | 32.00 | 22.00 | 100 | 6.00 | 32.00 | 22.00 | 100 | 6.00 | 32.00 | 22.00 | 100 | 6.00 | 32.00 | 22.00 | 100 | 6.00 | 32.00 | 22.00 | 100 | 6.00 | 32.00 | 22.00 | 100 | 6.00 | 32.00 | 22.00 | 100 | | | |
| 200 | 7.00 | 33.50 | 23.00 | 200 | 7.00 | 33.50 | 23.00 | 200 | 7.00 | 33.50 | 23.00 | 200 | 7.00 | 33.50 | 23.00 | 200 | 7.00 | 33.50 | 23.00 | 200 | 7.00 | 33.50 | 23.00 | 200 | 7.00 | 33.50 | 23.00 | 200 | | | |
| 300 | 8.00 | 34.00 | 24.00 | 300 | 8.00 | 34.00 | 24.00 | 300 | 8.00 | 34.00 | 24.00 | 300 | 8.00 | 34.00 | 24.00 | 300 | 8.00 | 34.00 | 24.00 | 300 | 8.00 | 34.00 | 24.00 | 300 | 8.00 | 34.00 | 24.00 | 300 | | | |
| 400 | 8.50 | 34.50 | 24.50 | 400 | 8.50 | 34.50 | 24.50 | 400 | 8.50 | 34.50 | 24.50 | 400 | 8.50 | 34.50 | 24.50 | 400 | 8.50 | 34.50 | 24.50 | 400 | 8.50 | 34.50 | 24.50 | 400 | 8.50 | 34.50 | 24.50 | 400 | | | |
| 500 | 9.00 | 35.00 | 25.00 | 500 | 9.00 | 35.00 | 25.00 | 500 | 9.00 | 35.00 | 25.00 | 500 | 9.00 | 35.00 | 25.00 | 500 | 9.00 | 35.00 | 25.00 | 500 | 9.00 | 35.00 | 25.00 | 500 | 9.00 | 35.00 | 25.00 | 500 | | | |
| 600 | 9.50 | 35.50 | 25.50 | 600 | 9.50 | 35.50 | 25.50 | 600 | 9.50 | 35.50 | 25.50 | 600 | 9.50 | 35.50 | 25.50 | 600 | 9.50 | 35.50 | 25.50 | 600 | 9.50 | 35.50 | 25.50 | 600 | 9.50 | 35.50 | 25.50 | 600 | | | |
| 700 | 10.00 | 36.00 | 26.00 | 700 | 10.00 | 36.00 | 26.00 | 700 | 10.00 | 36.00 | 26.00 | 700 | 10.00 | 36.00 | 26.00 | 700 | 10.00 | 36.00 | 26.00 | 700 | 10.00 | 36.00 | 26.00 | 700 | 10.00 | 36.00 | 26.00 | 700 | | | |
| 800 | 10.50 | 36.00 | 26.00 | 800 | 10.50 | 36.00 | 26.00 | 800 | 10.50 | 36.00 | 26.00 | 800 | 10.50 | 36.00 | 26.00 | 800 | 10.50 | 36.00 | 26.00 | 800 | 10.50 | 36.00 | 26.00 | 800 | 10.50 | 36.00 | 26.00 | 800 | | | |
| 900 | 11.00 | 36.00 | 26.00 | 900 | 11.00 | 36.00 | 26.00 | 900 | 11.00 | 36.00 | 26.00 | 900 | 11.00 | 36.00 | 26.00 | 900 | 11.00 | 36.00 | 26.00 | 900 | 11.00 | 36.00 | 26.00 | 900 | 11.00 | 36.00 | 26.00 | 900 | | | |
| 1000 | 11.50 | 36.00 | 26.00 | 1000 | 11.50 | 36.00 | 26.00 | 1000 | 11.50 | 36.00 | 26.00 | 1000 | 11.50 | 36.00 | 26.00 | 1000 | 11.50 | 36.00 | 26.00 | 1000 | 11.50 | 36.00 | 26.00 | 1000 | 11.50 | 36.00 | 26.00 | 1000 | | | |
| 1100 | 12.00 | 36.00 | 26.00 | 1100 | 12.00 | 36.00 | 26.00 | 1100 | 12.00 | 36.00 | 26.00 | 1100 | 12.00 | 36.00 | 26.00 | 1100 | 12.00 | 36.00 | 26.00 | 1100 | 12.00 | 36.00 | 26.00 | 1100 | 12.00 | 36.00 | 26.00 | 1100 | | | |
| 1200 | 12.50 | 36.00 | 26.00 | 1200 | 12.50 | 36.00 | 26.00 | 1200 | 12.50 | 36.00 | 26.00 | 1200 | 12.50 | 36.00 | 26.00 | 1200 | 12.50 | 36.00 | 26.00 | 1200 | 12.50 | 36.00 | 26.00 | 1200 | 12.50 | 36.00 | 26.00 | 1200 | | | |
| 1300 | 13.00 | 36.00 | 26.00 | 1300 | 13.00 | 36.00 | 26.00 | 1300 | 13.00 | 36.00 | 26.00 | 1300 | 13.00 | 36.00 | 26.00 | 1300 | 13.00 | 36.00 | 26.00 | 1300 | 13.00 | 36.00 | 26.00 | 1300 | 13.00 | 36.00 | 26.00 | 1300 | | | |
| 1400 | 13.50 | 36.00 | 26.00 | 1400 | 13.50 | 36.00 | 26.00 | 1400 | 13.50 | 36.00 | 26.00 | 1400 | 13.50 | 36.00 | 26.00 | 1400 | 13.50 | 36.00 | 26.00 | 1400 | 13.50 | 36.00 | 26.00 | 1400 | 13.50 | 36.00 | 26.00 | 1400 | | | |
| 1500 | 14.00 | 36.00 | 26.00 | 1500 | 14.00 | 36.00 | 26.00 | 1500 | 14.00 | 36.00 | 26.00 | 1500 | 14.00 | 36.00 | 26.00 | 1500 | 14.00 | 36.00 | 26.00 | 1500 | 14.00 | 36.00 | 26.00 | 1500 | 14.00 | 36.00 | 26.00 | 1500 | | | |
| 1600 | 14.50 | 36.00 | 26.00 | 1600 | 14.50 | 36.00 | 26.00 | 1600 | 14.50 | 36.00 | 26.00 | 1600 | 14.50 | 36.00 | 26.00 | 1600 | 14.50 | 36.00 | 26.00 | 1600 | 14.50 | 36.00 | 26.00 | 1600 | 14.50 | 36.00 | 26.00 | 1600 | | | |





CAST ROAR2-DC-016 DATE 17 SEP 72 TIME 1852 GMT
LAT 47°01.6'N LONG 128°15.9'W WEATHER 2 SEA STATE 3
BAROMETER 1017 WIND DIR 355 KT VISIBILITY 6
CLOUD 6 AMOUNT 7 DRY 16.3 METERS DEPTH 2731 M

CAST ROAR2-OC-015 DATE 17 SEP 72 TIME 1852 GMT
LAT 47°02.4'N LONG 128°15.9'W WEATHER 2 SEA STATE 3
BAROMETER 1017 WIND DIR 355 KT VISIBILITY 6
CLOUD 6 AMOUNT 7 DRY 16.3 METERS DEPTH 2731 M

| DEPTH (M) | TEMPERATURE (°C) | SALINITY (‰) | SIGMA-T | DEVIATION (‰) |
|-----------|------------------|--------------|---------|---------------|
| 0 | 16.59 | 32.18 | 23.49 | 0.000 |
| 5 | 16.59 | 32.18 | 23.49 | -0.022 |
| 10 | 16.59 | 32.18 | 23.49 | -0.044 |
| 15 | 16.59 | 32.18 | 23.49 | -0.066 |
| 20 | 16.59 | 32.18 | 23.49 | -0.088 |
| 25 | 16.59 | 32.18 | 23.49 | -0.110 |
| 30 | 16.59 | 32.18 | 23.49 | -0.132 |
| 35 | 16.59 | 32.18 | 23.49 | -0.154 |
| 40 | 16.59 | 32.18 | 23.49 | -0.176 |
| 45 | 16.59 | 32.18 | 23.49 | -0.198 |
| 50 | 16.59 | 32.18 | 23.49 | -0.220 |
| 55 | 16.59 | 32.18 | 23.49 | -0.242 |
| 60 | 16.59 | 32.18 | 23.49 | -0.264 |
| 65 | 16.59 | 32.18 | 23.49 | -0.286 |
| 70 | 16.59 | 32.18 | 23.49 | -0.308 |
| 75 | 16.59 | 32.18 | 23.49 | -0.330 |
| 80 | 16.59 | 32.18 | 23.49 | -0.352 |
| 85 | 16.59 | 32.18 | 23.49 | -0.374 |
| 90 | 16.59 | 32.18 | 23.49 | -0.396 |
| 95 | 16.59 | 32.18 | 23.49 | -0.418 |
| 100 | 16.59 | 32.18 | 23.49 | -0.440 |
| 105 | 16.59 | 32.18 | 23.49 | -0.462 |
| 110 | 16.59 | 32.18 | 23.49 | -0.484 |
| 115 | 16.59 | 32.18 | 23.49 | -0.506 |
| 120 | 16.59 | 32.18 | 23.49 | -0.528 |
| 125 | 16.59 | 32.18 | 23.49 | -0.550 |
| 130 | 16.59 | 32.18 | 23.49 | -0.572 |
| 135 | 16.59 | 32.18 | 23.49 | -0.594 |
| 140 | 16.59 | 32.18 | 23.49 | -0.616 |
| 145 | 16.59 | 32.18 | 23.49 | -0.638 |
| 150 | 16.59 | 32.18 | 23.49 | -0.660 |
| 155 | 16.59 | 32.18 | 23.49 | -0.682 |




| CAST ROAR2-OC-018 | | TIME 2256 GMT | | DATE 17 SEP 72 | | TIME 2303 GMT | |
|-------------------|------------------|-----------------|---------------|----------------|------------------|---------------|---------------|
| LAT 47°01.8'N | | LONG 128°15.3'W | | WEATHER 1 | | WEATHER 1 | |
| BARO 101.8 | | WIND 15 KT | | VISIBILITY 3 | | VISIBILITY 3 | |
| CLOUD 6 | | AMOUNT 7 | | DIR 12.9 | | DIR 15.3 | |
| DEPTH (m) | TEMPERATURE (°C) | SALINITY (‰) | SIGMA-T (σ₄ₐ) | DEPTH (m) | TEMPERATURE (°C) | SALINITY (‰) | SIGMA-T (σ₄ₐ) |
| 0 | 16.60 | 32.43 | 23.51 | 0 | 16.62 | 32.24 | 23.51 |
| 5 | 16.62 | 32.24 | 23.51 | 5 | 16.62 | 32.24 | 23.51 |
| 10 | 16.60 | 32.05 | 23.52 | 10 | 16.60 | 32.25 | 23.52 |
| 15 | 16.59 | 31.86 | 23.53 | 15 | 16.59 | 32.26 | 23.53 |
| 20 | 16.58 | 31.67 | 23.53 | 20 | 16.58 | 32.26 | 23.53 |
| 25 | 16.57 | 31.48 | 23.53 | 25 | 16.57 | 32.26 | 23.53 |
| 30 | 16.56 | 31.29 | 23.53 | 30 | 16.56 | 32.26 | 23.53 |
| 35 | 16.55 | 31.10 | 23.53 | 35 | 16.55 | 32.26 | 23.53 |
| 40 | 16.54 | 30.91 | 23.53 | 40 | 16.54 | 32.26 | 23.53 |
| 45 | 16.53 | 30.72 | 23.53 | 45 | 16.53 | 32.26 | 23.53 |
| 50 | 16.52 | 30.53 | 23.53 | 50 | 16.52 | 32.26 | 23.53 |
| 55 | 16.51 | 30.34 | 23.53 | 55 | 16.51 | 32.26 | 23.53 |
| 60 | 16.50 | 30.15 | 23.53 | 60 | 16.50 | 32.26 | 23.53 |
| 65 | 16.49 | 29.96 | 23.53 | 65 | 16.49 | 32.26 | 23.53 |
| 70 | 16.48 | 29.77 | 23.53 | 70 | 16.48 | 32.26 | 23.53 |
| 75 | 16.47 | 29.58 | 23.53 | 75 | 16.47 | 32.26 | 23.53 |
| 80 | 16.46 | 29.39 | 23.53 | 80 | 16.46 | 32.26 | 23.53 |
| 85 | 16.45 | 29.20 | 23.53 | 85 | 16.45 | 32.26 | 23.53 |
| 90 | 16.44 | 29.01 | 23.53 | 90 | 16.44 | 32.26 | 23.53 |
| 95 | 16.43 | 28.82 | 23.53 | 95 | 16.43 | 32.26 | 23.53 |
| 100 | 16.42 | 28.63 | 23.53 | 100 | 16.42 | 32.26 | 23.53 |
| 105 | 16.41 | 28.44 | 23.53 | 105 | 16.41 | 32.26 | 23.53 |
| 110 | 16.40 | 28.25 | 23.53 | 110 | 16.40 | 32.26 | 23.53 |
| 115 | 16.39 | 28.06 | 23.53 | 115 | 16.39 | 32.26 | 23.53 |
| 120 | 16.38 | 27.87 | 23.53 | 120 | 16.38 | 32.26 | 23.53 |
| 125 | 16.37 | 27.68 | 23.53 | 125 | 16.37 | 32.26 | 23.53 |
| 130 | 16.36 | 27.49 | 23.53 | 130 | 16.36 | 32.26 | 23.53 |
| 135 | 16.35 | 27.30 | 23.53 | 135 | 16.35 | 32.26 | 23.53 |
| 140 | 16.34 | 27.11 | 23.53 | 140 | 16.34 | 32.26 | 23.53 |
| 145 | 16.33 | 26.92 | 23.53 | 145 | 16.33 | 32.26 | 23.53 |
| 150 | 16.32 | 26.73 | 23.53 | 150 | 16.32 | 32.26 | 23.53 |
| 155 | 16.31 | 26.54 | 23.53 | 155 | 16.31 | 32.26 | 23.53 |
| 160 | 16.30 | 26.35 | 23.53 | 160 | 16.30 | 32.26 | 23.53 |
| 165 | 16.29 | 26.16 | 23.53 | 165 | 16.29 | 32.26 | 23.53 |
| 170 | 16.28 | 25.97 | 23.53 | 170 | 16.28 | 32.26 | 23.53 |
| 175 | 16.27 | 25.78 | 23.53 | 175 | 16.27 | 32.26 | 23.53 |
| 180 | 16.26 | 25.59 | 23.53 | 180 | 16.26 | 32.26 | 23.53 |
| 185 | 16.25 | 25.40 | 23.53 | 185 | 16.25 | 32.26 | 23.53 |
| 190 | 16.24 | 25.21 | 23.53 | 190 | 16.24 | 32.26 | 23.53 |
| 195 | 16.23 | 25.02 | 23.53 | 195 | 16.23 | 32.26 | 23.53 |
| 200 | 16.22 | 24.83 | 23.53 | 200 | 16.22 | 32.26 | 23.53 |
| 205 | 16.21 | 24.64 | 23.53 | 205 | 16.21 | 32.26 | 23.53 |
| 210 | 16.20 | 24.45 | 23.53 | 210 | 16.20 | 32.26 | 23.53 |
| 215 | 16.19 | 24.26 | 23.53 | 215 | 16.19 | 32.26 | 23.53 |
| 220 | 16.18 | 24.07 | 23.53 | 220 | 16.18 | 32.26 | 23.53 |
| 225 | 16.17 | 23.88 | 23.53 | 225 | 16.17 | 32.26 | 23.53 |
| 230 | 16.16 | 23.69 | 23.53 | 230 | 16.16 | 32.26 | 23.53 |
| 235 | 16.15 | 23.50 | 23.53 | 235 | 16.15 | 32.26 | 23.53 |
| 240 | 16.14 | 23.31 | 23.53 | 240 | 16.14 | 32.26 | 23.53 |
| 245 | 16.13 | 23.12 | 23.53 | 245 | 16.13 | 32.26 | 23.53 |
| 250 | 16.12 | 22.93 | 23.53 | 250 | 16.12 | 32.26 | 23.53 |
| 255 | 16.11 | 22.74 | 23.53 | 255 | 16.11 | 32.26 | 23.53 |
| 260 | 16.10 | 22.55 | 23.53 | 260 | 16.10 | 32.26 | 23.53 |
| 265 | 16.09 | 22.36 | 23.53 | 265 | 16.09 | 32.26 | 23.53 |
| 270 | 16.08 | 22.17 | 23.53 | 270 | 16.08 | 32.26 | 23.53 |
| 275 | 16.07 | 21.98 | 23.53 | 275 | 16.07 | 32.26 | 23.53 |
| 280 | 16.06 | 21.79 | 23.53 | 280 | 16.06 | 32.26 | 23.53 |
| 285 | 16.05 | 21.60 | 23.53 | 285 | 16.05 | 32.26 | 23.53 |
| 290 | 16.04 | 21.41 | 23.53 | 290 | 16.04 | 32.26 | 23.53 |
| 295 | 16.03 | 21.22 | 23.53 | 295 | 16.03 | 32.26 | 23.53 |
| 300 | 16.02 | 21.03 | 23.53 | 300 | 16.02 | 32.26 | 23.53 |
| 305 | 16.01 | 20.84 | 23.53 | 305 | 16.01 | 32.26 | 23.53 |
| 310 | 16.00 | 20.65 | 23.53 | 310 | 16.00 | 32.26 | 23.53 |
| 315 | 15.99 | 20.46 | 23.53 | 315 | 15.99 | 32.26 | 23.53 |
| 320 | 15.98 | 20.27 | 23.53 | 320 | 15.98 | 32.26 | 23.53 |
| 325 | 15.97 | 20.08 | 23.53 | 325 | 15.97 | 32.26 | 23.53 |
| 330 | 15.96 | 19.89 | 23.53 | 330 | 15.96 | 32.26 | 23.53 |
| 335 | 15.95 | 19.70 | 23.53 | 335 | 15.95 | 32.26 | 23.53 |
| 340 | 15.94 | 19.51 | 23.53 | 340 | 15.94 | 32.26 | 23.53 |
| 345 | 15.93 | 19.32 | 23.53 | 345 | 15.93 | 32.26 | 23.53 |
| 350 | 15.92 | 19.13 | 23.53 | 350 | 15.92 | 32.26 | 23.53 |
| 355 | 15.91 | 18.94 | 23.53 | 355 | 15.91 | 32.26 | 23.53 |
| 360 | 15.90 | 18.75 | 23.53 | 360 | 15.90 | 32.26 | 23.53 |
| 365 | 15.89 | 18.56 | 23.53 | 365 | 15.89 | 32.26 | 23.53 |
| 370 | 15.88 | 18.37 | 23.53 | 370 | 15.88 | 32.26 | 23.53 |
| 375 | 15.87 | 18.18 | 23.53 | 375 | 15.87 | 32.26 | 23.53 |
| 380 | 15.86 | 17.99 | 23.53 | 380 | 15.86 | 32.26 | 23.53 |
| 385 | 15.85 | 17.80 | 23.53 | 385 | 15.85 | 32.26 | 23.53 |
| 390 | 15.84 | 17.61 | 23.53 | 390 | 15.84 | 32.26 | 23.53 |
| 395 | 15.83 | 17.42 | 23.53 | 395 | 15.83 | 32.26 | 23.53 |
| 400 | 15.82 | 17.23 | 23.53 | 400 | 15.82 | 32.26 | 23.53 |
| 405 | 15.81 | 17.04 | 23.53 | 405 | 15.81 | 32.26 | 23.53 |
| 410 | 15.80 | 16.85 | 23.53 | 410 | 15.80 | 32.26 | 23.53 |
| 415 | 15.79 | 16.66 | 23.53 | 415 | 15.79 | 32.26 | 23.53 |
| 420 | 15.78 | 16.47 | 23.53 | 420 | 15.78 | 32.26 | 23.53 |
| 425 | 15.77 | 16.28 | 23.53 | 425 | 15.77 | 32.26 | 23.53 |
| 430 | 15.76 | 16.09 | 23.53 | 430 | 15.76 | 32.26 | 23.53 |
| 435 | 15.75 | 15.90 | 23.53 | 435 | 15.75 | 32.26 | 23.53 |
| 440 | 15.74 | 15.71 | 23.53 | 440 | 15.74 | 32.26 | 23.53 |
| 445 | 15.73 | 15.52 | 23.53 | 445 | 15.73 | 32.26 | 23.53 |
| 450 | 15.72 | 15.33 | 23.53 | 450 | 15.72 | 32.26 | 23.53 |
| 455 | 15.71 | 15.14 | 23.53 | 455 | 15.71 | 32.26 | 23.53 |
| 460 | 15.70 | 14.95 | 23.53 | 460 | 15.70 | 32.26 | 23.53 |
| 465 | 15.69 | 14.76 | 23.53 | 465 | 15.69 | 32.26 | 23.53 |
| 470 | 15.68 | 14.57 | 23.53 | 470 | 15.68 | 32.26 | 23.53 |
| 475 | 15.67 | 14.38 | 23.53 | 475 | 15.67 | 32.26 | 23.53 |
| 480 | 15.66 | 14.19 | 23.53 | 480 | 15.66 | 32.26 | 23.53 |
| 485 | 15.65 | 13.99 | 23.53 | 485 | 15.65 | 32.26 | 23.53 |
| 490 | 15.64 | 13.80 | 23.53 | 490 | 15.64 | 32.26 | 23.53 |
| 495 | 15.63 | 13.61 | 23.53 | 495 | 15.63 | 32.26 | 23.53 |
| 500 | 15.62 | 13.42 | 23.53 | 500 | 15.62 | 32.26 | 23.53 |
| 505 | 15.61 | 13.23 | 23.53 | 505 | 15.61 | 32.26 | 23.53 |
| 510 | 15.60 | 13.04 | 23.53 | 510 | 15.60 | 32.26 | 23.53 |
| 515 | 15.59 | 12.85 | 23.53 | 515 | 15.59 | 32.26 | 23.53 |
| 520 | 15.58 | 12.66 | 23.53 | 520 | 15.58 | 32.26 | 23.53 |
| 525 | 15.57 | 12.47 | 23.53 | 525 | 15.57 | 32.26 | 23.53 |
| 530 | 15.56 | 12.28 | 23.53 | 530 | 15.56 | 32.26 | 23.53 |
| 535 | 15.55 | 12.09 | 23.53 | 535 | 15.55 | 32.26 | 23.53 |
| 540 | 15.54 | 11.90 | 23.53 | 540 | 15.54 | 32.26 | 23.53 |
| 545 | 15.53 | 11.71 | 23.53 | 545 | 15.53 | 32.26 | 23.53 |
| 550 | 15.52 | 11.52 | 23.53 | 550 | 15.52 | 32.26 | 23.53 |
| 555 | 15.51 | 11.33 | 23.53 | 555 | 15.51 | 32.26 | 23.53 |
| 560 | 15.50 | 11.14 | 23.53 | 560 | 15.50 | 32.26 | 23.53 |
| 565 | 15.49 | 10.95 | 23.53 | 565 | 15.49 | 32.26 | 23.53 |
| 570 | 15.48 | 10.76 | 23.53 | 570 | 15.48 | 32.26 | 23.53 |
| 575 | 15.47 | 10.57 | 23.53 | 575 | 15.47 | 32.26 | 23.53 |
| 580 | 15.46 | 10.38 | 23.53 | 580 | 15.46 | 32.26 | 23.53 |
| 585 | 15.45 | 10.19 | 23.53 | 585 | 15.45 | 32.26 | 23.53 |
| 590 | 15.44 | 9.99 | 23.53 | 590 | 15.44 | 32.26 | 23.53 |
| 595 | 15.43 | 9.80 | 23.53 | 595 | 15.43 | 32.26 | 23.53 |
| 600 | 15.42 | 9.61 | 23.53 | 600 | 15.42 | 32.26 | 23.53 |
| 605 | 15.41 | 9.42 | 23.53 | | | | |




CAST ROAR2-OC-119 DATE 18 SEP 72 TIME 0705 GMT
LAT 46°47'.5N LUNG 130°31'.W WEATHER 1
BAUMETER 14 WIND DIR 261 KT STATE 1
CLOUD 0 AMOUNT 1 ORY 13.6 DEPTH 2776 M
SIG 1009 GHT
CAST ROAR2-OC-120 DATE 18 SEP 72 TIME 1009 GMT
LAT 46°47'.1N LONG 130°13'.W WEATHER 1
BAUMETER 12 WIND DIR 15.3 ORY 15.3 DEPTH 2745 M
SIG 2109 GHT

CAST ROAR2-OC-119 DATE 18 SEP 72 TIME 0705 GMT
LAT 46°47'.5N LUNG 130°31'.W WEATHER 1
BAUMETER 14 WIND DIR 261 KT STATE 1
CLOUD 0 AMOUNT 1 ORY 13.6 DEPTH 2776 M
SIG 1009 GHT



| DEPTH (M) | TEMPERATURE (°C) | SALINITY | SIGMA-T |
|-----------|------------------|----------|---------|
| 0 | 16.66 | 32.06 | 23.36 |
| 4 | 16.69 | 32.07 | 23.37 |
| 5 | 16.70 | 32.07 | 23.37 |
| 10 | 16.70 | 32.08 | 23.38 |
| 20 | 16.73 | 32.08 | 23.37 |
| 30 | 16.73 | 32.08 | 23.37 |
| 40 | 16.73 | 32.08 | 23.37 |
| 50 | 16.73 | 32.08 | 23.37 |
| 60 | 16.73 | 32.08 | 23.37 |
| 70 | 16.73 | 32.08 | 23.37 |
| 80 | 16.73 | 32.08 | 23.37 |
| 90 | 16.73 | 32.08 | 23.37 |
| 100 | 16.73 | 32.08 | 23.37 |
| 1100 | 16.73 | 32.08 | 23.37 |
| 1200 | 16.73 | 32.08 | 23.37 |
| 1300 | 16.73 | 32.08 | 23.37 |
| 1400 | 16.73 | 32.08 | 23.37 |
| 1500 | 16.73 | 32.08 | 23.37 |
| 1600 | 16.73 | 32.08 | 23.37 |



CAST 22
DATE 10 SEP 72 TIME 1722 GM
LAT 46°56'N LONG 126°45'W
WEATHER 6
VISIBILITY 3
DEPTH 11.8
HARDHEAT 0
DRY 12.0
WATER AMOUNT 4
CLOUD 3
CAST 22
SIGMA-T
SALINITY
TEMPERATURE
DEPTH - METERS




CAST 21
DATE 16 SEP 72 TIME 1347 GM
LAT 46°54.9'N LONG 129°19'W
WEATHER 6
VISIBILITY 3
DEPTH 2780 M
HARDHEAT 0
DRY 13.0
WATER AMOUNT 9
CLOUD 1
CAST 21
SIGMA-T
SALINITY
TEMPERATURE
DEPTH (M)





CAST ROAR2-OC-023 DATE 18 SEP 72 TIME 2446 GMT
LAT 47°2'N LONG 122°30'W SHED 1991
BLOW 6 AMOUNT 14 DRY 157 DEPTH 2772
CLOUD 6

| DEPTH (M) | TEMPERATURE (°C) | SALINITY (PPT) | SIGMA-T (DETA-T (DYN M)) |
|-----------|------------------|----------------|--------------------------|
| 0 | 16.7 | 32.0 | 3.3 |
| 0.3 | 16.7 | 32.0 | 0.000 |
| 1.6 | 16.7 | 32.0 | 0.23 |
| 1.9 | 16.7 | 32.0 | 0.000 |
| 3 | 16.7 | 32.0 | 0.000 |
| 4 | 16.7 | 32.0 | 0.000 |
| 5 | 16.7 | 32.0 | 0.000 |
| 6 | 16.7 | 32.0 | 0.000 |
| 7 | 16.7 | 32.0 | 0.000 |
| 8 | 16.7 | 32.0 | 0.000 |
| 9 | 16.7 | 32.0 | 0.000 |
| 10 | 16.7 | 32.0 | 0.000 |
| 11 | 16.7 | 32.0 | 0.000 |
| 12 | 16.7 | 32.0 | 0.000 |
| 13 | 16.7 | 32.0 | 0.000 |
| 14 | 16.7 | 32.0 | 0.000 |
| 15 | 16.7 | 32.0 | 0.000 |
| 16 | 16.7 | 32.0 | 0.000 |
| 17 | 16.7 | 32.0 | 0.000 |
| 18 | 16.7 | 32.0 | 0.000 |
| 19 | 16.7 | 32.0 | 0.000 |
| 20 | 16.7 | 32.0 | 0.000 |
| 21 | 16.7 | 32.0 | 0.000 |
| 22 | 16.7 | 32.0 | 0.000 |
| 23 | 16.7 | 32.0 | 0.000 |
| 24 | 16.7 | 32.0 | 0.000 |
| 25 | 16.7 | 32.0 | 0.000 |
| 26 | 16.7 | 32.0 | 0.000 |
| 27 | 16.7 | 32.0 | 0.000 |
| 28 | 16.7 | 32.0 | 0.000 |
| 29 | 16.7 | 32.0 | 0.000 |
| 30 | 16.7 | 32.0 | 0.000 |
| 31 | 16.7 | 32.0 | 0.000 |
| 32 | 16.7 | 32.0 | 0.000 |
| 33 | 16.7 | 32.0 | 0.000 |
| 34 | 16.7 | 32.0 | 0.000 |
| 35 | 16.7 | 32.0 | 0.000 |
| 36 | 16.7 | 32.0 | 0.000 |
| 37 | 16.7 | 32.0 | 0.000 |
| 38 | 16.7 | 32.0 | 0.000 |
| 39 | 16.7 | 32.0 | 0.000 |
| 40 | 16.7 | 32.0 | 0.000 |
| 41 | 16.7 | 32.0 | 0.000 |
| 42 | 16.7 | 32.0 | 0.000 |
| 43 | 16.7 | 32.0 | 0.000 |
| 44 | 16.7 | 32.0 | 0.000 |
| 45 | 16.7 | 32.0 | 0.000 |
| 46 | 16.7 | 32.0 | 0.000 |
| 47 | 16.7 | 32.0 | 0.000 |
| 48 | 16.7 | 32.0 | 0.000 |
| 49 | 16.7 | 32.0 | 0.000 |
| 50 | 16.7 | 32.0 | 0.000 |
| 51 | 16.7 | 32.0 | 0.000 |
| 52 | 16.7 | 32.0 | 0.000 |
| 53 | 16.7 | 32.0 | 0.000 |
| 54 | 16.7 | 32.0 | 0.000 |
| 55 | 16.7 | 32.0 | 0.000 |
| 56 | 16.7 | 32.0 | 0.000 |
| 57 | 16.7 | 32.0 | 0.000 |
| 58 | 16.7 | 32.0 | 0.000 |
| 59 | 16.7 | 32.0 | 0.000 |
| 60 | 16.7 | 32.0 | 0.000 |
| 61 | 16.7 | 32.0 | 0.000 |
| 62 | 16.7 | 32.0 | 0.000 |
| 63 | 16.7 | 32.0 | 0.000 |
| 64 | 16.7 | 32.0 | 0.000 |
| 65 | 16.7 | 32.0 | 0.000 |
| 66 | 16.7 | 32.0 | 0.000 |
| 67 | 16.7 | 32.0 | 0.000 |
| 68 | 16.7 | 32.0 | 0.000 |
| 69 | 16.7 | 32.0 | 0.000 |
| 70 | 16.7 | 32.0 | 0.000 |
| 71 | 16.7 | 32.0 | 0.000 |
| 72 | 16.7 | 32.0 | 0.000 |
| 73 | 16.7 | 32.0 | 0.000 |
| 74 | 16.7 | 32.0 | 0.000 |
| 75 | 16.7 | 32.0 | 0.000 |
| 76 | 16.7 | 32.0 | 0.000 |
| 77 | 16.7 | 32.0 | 0.000 |
| 78 | 16.7 | 32.0 | 0.000 |
| 79 | 16.7 | 32.0 | 0.000 |
| 80 | 16.7 | 32.0 | 0.000 |
| 81 | 16.7 | 32.0 | 0.000 |
| 82 | 16.7 | 32.0 | 0.000 |
| 83 | 16.7 | 32.0 | 0.000 |
| 84 | 16.7 | 32.0 | 0.000 |
| 85 | 16.7 | 32.0 | 0.000 |
| 86 | 16.7 | 32.0 | 0.000 |
| 87 | 16.7 | 32.0 | 0.000 |
| 88 | 16.7 | 32.0 | 0.000 |
| 89 | 16.7 | 32.0 | 0.000 |
| 90 | 16.7 | 32.0 | 0.000 |
| 91 | 16.7 | 32.0 | 0.000 |
| 92 | 16.7 | 32.0 | 0.000 |
| 93 | 16.7 | 32.0 | 0.000 |
| 94 | 16.7 | 32.0 | 0.000 |
| 95 | 16.7 | 32.0 | 0.000 |
| 96 | 16.7 | 32.0 | 0.000 |
| 97 | 16.7 | 32.0 | 0.000 |
| 98 | 16.7 | 32.0 | 0.000 |
| 99 | 16.7 | 32.0 | 0.000 |
| 100 | 16.7 | 32.0 | 0.000 |
| 101 | 16.7 | 32.0 | 0.000 |
| 102 | 16.7 | 32.0 | 0.000 |
| 103 | 16.7 | 32.0 | 0.000 |
| 104 | 16.7 | 32.0 | 0.000 |
| 105 | 16.7 | 32.0 | 0.000 |
| 106 | 16.7 | 32.0 | 0.000 |
| 107 | 16.7 | 32.0 | 0.000 |
| 108 | 16.7 | 32.0 | 0.000 |
| 109 | 16.7 | 32.0 | 0.000 |
| 110 | 16.7 | 32.0 | 0.000 |
| 111 | 16.7 | 32.0 | 0.000 |
| 112 | 16.7 | 32.0 | 0.000 |
| 113 | 16.7 | 32.0 | 0.000 |
| 114 | 16.7 | 32.0 | 0.000 |
| 115 | 16.7 | 32.0 | 0.000 |
| 116 | 16.7 | 32.0 | 0.000 |
| 117 | 16.7 | 32.0 | 0.000 |
| 118 | 16.7 | 32.0 | 0.000 |
| 119 | 16.7 | 32.0 | 0.000 |
| 120 | 16.7 | 32.0 | 0.000 |
| 121 | 16.7 | 32.0 | 0.000 |
| 122 | 16.7 | 32.0 | 0.000 |
| 123 | 16.7 | 32.0 | 0.000 |
| 124 | 16.7 | 32.0 | 0.000 |
| 125 | 16.7 | 32.0 | 0.000 |
| 126 | 16.7 | 32.0 | 0.000 |
| 127 | 16.7 | 32.0 | 0.000 |
| 128 | 16.7 | 32.0 | 0.000 |
| 129 | 16.7 | 32.0 | 0.000 |
| 130 | 16.7 | 32.0 | 0.000 |
| 131 | 16.7 | 32.0 | 0.000 |
| 132 | 16.7 | 32.0 | 0.000 |
| 133 | 16.7 | 32.0 | 0.000 |
| 134 | 16.7 | 32.0 | 0.000 |
| 135 | 16.7 | 32.0 | 0.000 |
| 136 | 16.7 | 32.0 | 0.000 |
| 137 | 16.7 | 32.0 | 0.000 |
| 138 | 16.7 | 32.0 | 0.000 |
| 139 | 16.7 | 32.0 | 0.000 |
| 140 | 16.7 | 32.0 | 0.000 |
| 141 | 16.7 | 32.0 | 0.000 |
| 142 | 16.7 | 32.0 | 0.000 |
| 143 | 16.7 | 32.0 | 0.000 |
| 144 | 16.7 | 32.0 | 0.000 |
| 145 | 16.7 | 32.0 | 0.000 |
| 146 | 16.7 | 32.0 | 0.000 |
| 147 | 16.7 | 32.0 | 0.000 |
| 148 | 16.7 | 32.0 | 0.000 |
| 149 | 16.7 | 32.0 | 0.000 |
| 150 | 16.7 | 32.0 | 0.000 |
| 151 | 16.7 | 32.0 | 0.000 |
| 152 | 16.7 | 32.0 | 0.000 |
| 153 | 16.7 | 32.0 | 0.000 |
| 154 | 16.7 | 32.0 | 0.000 |
| 155 | 16.7 | 32.0 | 0.000 |
| 156 | 16.7 | 32.0 | 0.000 |
| 157 | 16.7 | 32.0 | 0.000 |
| 158 | 16.7 | 32.0 | 0.000 |
| 159 | 16.7 | 32.0 | 0.000 |
| 160 | 16.7 | 32.0 | 0.000 |
| 161 | 16.7 | 32.0 | 0.000 |
| 162 | 16.7 | 32.0 | 0.000 |
| 163 | 16.7 | 32.0 | 0.000 |
| 164 | 16.7 | 32.0 | 0.000 |
| 165 | 16.7 | 32.0 | 0.000 |
| 166 | 16.7 | 32.0 | 0.000 |
| 167 | 16.7 | 32.0 | 0.000 |
| 168 | 16.7 | 32.0 | 0.000 |
| 169 | 16.7 | 32.0 | 0.000 |
| 170 | 16.7 | 32.0 | 0.000 |
| 171 | 16.7 | 32.0 | 0.000 |
| 172 | 16.7 | 32.0 | 0.000 |
| 173 | 16.7 | 32.0 | 0.000 |
| 174 | 16.7 | 32.0 | 0.000 |
| 175 | 16.7 | 32.0 | 0.000 |
| 176 | 16.7 | 32.0 | 0.000 |
| 177 | 16.7 | 32.0 | 0.000 |
| 178 | 16.7 | 32.0 | 0.000 |
| 179 | 16.7 | 32.0 | 0.000 |
| 180 | 16.7 | 32.0 | 0.000 |
| 181 | 16.7 | 32.0 | 0.000 |
| 182 | 16.7 | 32.0 | 0.000 |
| 183 | 16.7 | 32.0 | 0.000 |
| 184 | 16.7 | 32.0 | 0.000 |
| 185 | 16.7 | 32.0 | 0.000 |
| 186 | 16.7 | 32.0 | 0.000 |
| 187 | 16.7 | 32.0 | 0.000 |
| 188 | 16.7 | 32.0 | 0.000 |
| 189 | 16.7 | 32.0 | 0.000 |
| 190 | 16.7 | 32.0 | 0.000 |
| 191 | 16.7 | 32.0 | 0.000 |
| 192 | 16.7 | 32.0 | 0.000 |
| 193 | 16.7 | 32.0 | 0.000 |
| 194 | 16.7 | 32.0 | 0.000 |
| 195 | 16.7 | 32.0 | 0.000 |
| 196 | 16.7 | 32.0 | 0.000 |
| 197 | 16.7 | 32.0 | 0.000 |
| 198 | 16.7 | 32.0 | 0.000 |
| 199 | 16.7 | 32.0 | 0.000 |
| 200 | 16.7 | 32.0 | 0.000 |
| 201 | 16.7 | 32.0 | 0.000 |
| 202 | 16.7 | 32.0 | 0.000 |
| 203 | 16.7 | 32.0 | 0.000 |
| 204 | 16.7 | 32.0 | 0.000 |
| 205 | 16.7 | 32.0 | 0.000 |
| 206 | 16.7 | 32.0 | 0.000 |
| 207 | 16.7 | 32.0 | 0.000 |
| 208 | 16.7 | 32.0 | 0.000 |
| 209 | 16.7 | 32.0 | 0.000 |
| 210 | 16.7 | 32.0 | 0.000 |
| 211 | 16.7 | 32.0 | 0.000 |
| 212 | 16.7 | 32.0 | 0.000 |
| 213 | 16.7 | 32.0 | 0.000 |
| 214 | 16.7 | 32.0 | 0.000 |
| 215 | 16.7 | 32.0 | 0.000 |
| 216 | 16.7 | 32.0 | 0.000 |
| 217 | 16.7 | 32.0 | 0.000 |
| 218 | 16.7 | 32.0 | 0.000 |
| 219 | 16.7 | 32.0 | 0.000 |
| 220 | 16.7 | 32.0 | 0.000 |
| 221 | 16.7 | 32.0 | 0.000 |
| 222 | 16.7 | 32.0 | 0.000 |
| 223 | 16.7 | 32.0 | 0.000 |
| 224 | 16.7 | 32.0 | 0.000 |
| 225 | 16.7 | 32.0 | 0.000 |
| 226 | 16.7 | 32.0 | 0.000 |
| 227 | 16.7 | 32.0 | 0.000 |
| 228 | 16.7 | 32.0 | 0.000 |
| 229 | 16.7 | 32.0 | 0.000 |
| 230 | 16.7 | 32.0 | 0.000 |
| 231 | 16.7 | 32.0 | 0.000 |
| 232 | 16.7 | 32.0 | 0.000 |
| 233 | 16.7 | 32.0 | 0.000 |
| 234 | 16.7 | 32.0 | 0.000 |
| 235 | 16.7 | 32.0 | 0.000 |
| 236 | 16.7 | 32.0 | 0.000 |
| 237 | 16.7 | 32.0 | 0.000 |
| 238 | 16.7 | 32.0 | 0.000 |
| 239 | 16.7 | 32.0 | 0.000 |
| 240 | 16.7 | 32.0 | 0.000 |
| 241 | 16.7 | 32.0 | 0.000 |
| 242 | 16.7 | 32.0 | 0.000 |
| 243 | 16.7 | 32.0 | 0.000 |
| 244 | 16.7 | 32.0 | 0.000 |
| 245 | 16.7 | 32.0 | 0.000 |
| 246 | 16.7 | 32.0 | 0.000 |
| 247 | 16.7 | 32.0 | 0.000 |
| 248 | 16.7 | 32.0 | 0.000 |
| 249 | 16.7 | 32.0 | 0.000 |
| 250 | 16.7 | 32.0 | 0.000 |
| 251 | 16.7 | 32.0 | 0.000 |
| 252 | 16.7 | 32.0 | 0.000 |
| 253 | 16.7 | 32.0 | 0.000 |
| 254 | 16.7 | 32.0 | 0.000 |
| 255 | 16.7 | 32.0 | 0.000 |
| 256 | 16.7 | 32.0 | 0.000 |
| 257 | 16.7 | 32.0 | 0.000 |
| 258 | 16.7 | 32.0 | 0.000 |
| 259 | 16.7 | 32.0 | 0.000 |
| 260 | 16.7 | 32.0 | 0.000 |
| 261 | 16.7 | 32.0 | 0.000 |
| 262 | 16.7 | 32.0 | 0.000 |
| 263 | 16.7 | 32.0 | 0.000 |
| 264 | 16.7 | 32.0 | 0.000 |
| 265 | 16.7 | 32.0 | 0.000 |
| 266 | 16.7 | 32.0 | 0.000 |
| 267 | 16.7 | 32.0 | 0.000 |
| 268 | 16.7 | 32.0 | 0.000 |
| 269 | 16.7 | 32.0 | 0.000 |
| 270 | 16.7 | 32.0 | 0.000 |
| 271 | 16.7 | 32.0 | 0.000 |
| 272 | 16.7 | 32.0 | 0.000 |
| 273 | 16.7 | 32.0 | 0.000 |
| 274 | 16.7 | 32.0 | 0.000 |
| 27 | | | |





| CAST ROAK2-OC-026 | | DATE 19 SEP 72 TIME 0538 GMT | | TIME 0859 GMT | |
|-------------------|-------------|------------------------------|------------|---------------|---------|
| LAT | 46°47'22" | LONG | 126°23'00" | WEATHER | 1 |
| BAROMETER | 1029 | WIND | 125 Kt | SEA STATE | 3 |
| CLLOUD X | AMOUNT | DIR | 305 | VISIBILITY | 6 |
| Y | 9 | SPD | 09.5 | WT | 09.6 |
| Z | DEPTH | DRY | 10.6 | DEPTH | 1157 m |
| | | | | | |
| DEPTH | TEMPERATURE | SALINITY | SIGMA-T | DELTAD | DELTAD |
| (m) | (°C) | (ppt) | (ppt) | (dyn/m) | (dyn/m) |
| 0 | 31.00 | 31.00 | 23.00 | 0.000 | 0.000 |
| 100 | 31.50 | 31.50 | 23.50 | 0.000 | 0.000 |
| 200 | 32.00 | 32.00 | 24.00 | 0.000 | 0.000 |
| 300 | 32.50 | 32.50 | 24.50 | 0.000 | 0.000 |
| 400 | 33.00 | 33.00 | 25.00 | 0.000 | 0.000 |
| 500 | 33.50 | 33.50 | 25.50 | 0.000 | 0.000 |
| 600 | 34.00 | 34.00 | 26.00 | 0.000 | 0.000 |
| 700 | 34.50 | 34.50 | 26.50 | 0.000 | 0.000 |
| 800 | 35.00 | 35.00 | 27.00 | 0.000 | 0.000 |
| 900 | 35.50 | 35.50 | 27.50 | 0.000 | 0.000 |
| 1000 | 36.00 | 36.00 | 28.00 | 0.000 | 0.000 |
| 1100 | 36.00 | 36.00 | 28.00 | 0.000 | 0.000 |
| 1200 | 36.00 | 36.00 | 28.00 | 0.000 | 0.000 |








DATE 19 SEP 72 TIME 1225 GM
 LAT 48°14'N LONG 125°16'W MATHR 1
 DEPTH 101 M SP015 K1 VASIBILITY 2
 Q000 X ANOUNT 9 DRY 12.2 NET 12.2
 SIGMA-T 27
 DEPTH TEMPERATURE SALINITY SIGMA-T DELTA-T
 (M) (C) (PPT) (C) (PPM) (C)
 0 11.4 2 32.1 0 0.00 0.00
 2 11.4 2 24.0 0 0.17 0.17
 5 11.4 2 24.0 0 0.15 0.15
 10 10.9 2 24.0 0 0.13 0.13
 15 10.8 2 25.0 0 0.11 0.11
 20 10.8 2 25.0 0 0.10 0.10
 25 10.8 2 25.0 0 0.09 0.09
 30 10.8 2 25.0 0 0.08 0.08
 35 10.8 2 25.0 0 0.07 0.07
 40 10.8 2 25.0 0 0.06 0.06
 45 10.8 2 25.0 0 0.05 0.05
 50 10.8 2 25.0 0 0.04 0.04
 55 10.8 2 25.0 0 0.03 0.03
 60 10.8 2 25.0 0 0.02 0.02
 65 10.8 2 25.0 0 0.01 0.01
 70 10.8 2 25.0 0 0.00 0.00
 75 10.8 2 25.0 0 0.00 0.00
 80 10.8 2 25.0 0 0.00 0.00
 85 10.8 2 25.0 0 0.00 0.00
 90 10.8 2 25.0 0 0.00 0.00
 95 10.8 2 25.0 0 0.00 0.00



| CAST ROBAR-OC-028 | | DATE 17 OCT 72 | | TIME 0343 GMT | | CAST ROBAR-OC-029 | | DATE 17 OCT 72 | | TIME 0555 GMT | |
|-----------------------|-------|--------------------|----------------|---------------|---------|-----------------------|------------------|------------------|---------|---------------|-----------|
| LAT 48°2'N LONG 166°W | | CLOUD X AMOUNT 15% | | WEATHER 4 | | LAT 48°0'N LONG 125°W | | CLOUD X AMOUNT 9 | | WEATHER 4 | |
| DRY | | DRY | | VISIBILITY 3 | | DRY | | DRY | | VISIBILITY 3 | |
| DEPTH (M) | | TEMPERATURE (°C) | SALINITY (PPM) | SIGMA-T | SIGMA-S | DEPTH (M) | TEMPERATURE (°C) | SALINITY (PPM) | SIGMA-T | SIGMA-S | DEPTH (M) |
| 0 | 10.14 | 32.03 | 24.52 | 24.52 | 24.52 | 0 | 11.75 | 32.01 | 24.49 | 24.49 | 0 |
| 3 | 10.15 | 32.03 | 24.54 | 24.54 | 24.54 | 3 | 11.75 | 32.01 | 24.49 | 24.49 | 3 |
| 10 | 10.11 | 32.03 | 24.55 | 24.55 | 24.55 | 10 | 11.72 | 32.01 | 24.49 | 24.49 | 10 |
| 15 | 10.04 | 32.03 | 24.55 | 24.55 | 24.55 | 15 | 11.72 | 32.01 | 24.49 | 24.49 | 15 |
| 20 | 10.05 | 32.03 | 24.56 | 24.56 | 24.56 | 20 | 11.66 | 32.01 | 24.49 | 24.49 | 20 |
| 25 | 10.03 | 32.03 | 24.57 | 24.57 | 24.57 | 25 | 11.66 | 32.01 | 24.49 | 24.49 | 25 |
| 30 | 10.06 | 32.03 | 24.58 | 24.58 | 24.58 | 30 | 11.62 | 32.01 | 24.49 | 24.49 | 30 |
| 35 | 10.05 | 32.03 | 24.59 | 24.59 | 24.59 | 35 | 11.62 | 32.01 | 24.49 | 24.49 | 35 |
| 40 | 10.04 | 32.03 | 24.60 | 24.60 | 24.60 | 40 | 11.59 | 32.01 | 24.49 | 24.49 | 40 |
| 45 | 10.05 | 32.03 | 24.61 | 24.61 | 24.61 | 45 | 11.59 | 32.01 | 24.49 | 24.49 | 45 |
| 50 | 10.04 | 32.03 | 24.62 | 24.62 | 24.62 | 50 | 11.59 | 32.01 | 24.49 | 24.49 | 50 |
| 55 | 10.05 | 32.03 | 24.63 | 24.63 | 24.63 | 55 | 11.59 | 32.01 | 24.49 | 24.49 | 55 |
| 60 | 10.04 | 32.03 | 24.64 | 24.64 | 24.64 | 60 | 11.59 | 32.01 | 24.49 | 24.49 | 60 |
| 65 | 10.05 | 32.03 | 24.65 | 24.65 | 24.65 | 65 | 11.59 | 32.01 | 24.49 | 24.49 | 65 |
| 70 | 10.04 | 32.03 | 24.66 | 24.66 | 24.66 | 70 | 11.59 | 32.01 | 24.49 | 24.49 | 70 |
| 75 | 10.05 | 32.03 | 24.67 | 24.67 | 24.67 | 75 | 11.59 | 32.01 | 24.49 | 24.49 | 75 |
| 80 | 10.04 | 32.03 | 24.68 | 24.68 | 24.68 | 80 | 11.59 | 32.01 | 24.49 | 24.49 | 80 |
| 85 | 10.05 | 32.03 | 24.69 | 24.69 | 24.69 | 85 | 11.59 | 32.01 | 24.49 | 24.49 | 85 |
| 90 | 10.04 | 32.03 | 24.70 | 24.70 | 24.70 | 90 | 11.59 | 32.01 | 24.49 | 24.49 | 90 |
| 95 | 10.05 | 32.03 | 24.71 | 24.71 | 24.71 | 95 | 11.59 | 32.01 | 24.49 | 24.49 | 95 |
| 100 | 10.04 | 32.03 | 24.72 | 24.72 | 24.72 | 100 | 11.59 | 32.01 | 24.49 | 24.49 | 100 |
| 105 | 10.05 | 32.03 | 24.73 | 24.73 | 24.73 | 105 | 11.59 | 32.01 | 24.49 | 24.49 | 105 |
| 110 | 10.04 | 32.03 | 24.74 | 24.74 | 24.74 | 110 | 11.59 | 32.01 | 24.49 | 24.49 | 110 |
| 115 | 10.05 | 32.03 | 24.75 | 24.75 | 24.75 | 115 | 11.59 | 32.01 | 24.49 | 24.49 | 115 |
| 120 | 10.04 | 32.03 | 24.76 | 24.76 | 24.76 | 120 | 11.59 | 32.01 | 24.49 | 24.49 | 120 |
| 125 | 10.05 | 32.03 | 24.77 | 24.77 | 24.77 | 125 | 11.59 | 32.01 | 24.49 | 24.49 | 125 |
| 130 | 10.04 | 32.03 | 24.78 | 24.78 | 24.78 | 130 | 11.59 | 32.01 | 24.49 | 24.49 | 130 |
| 135 | 10.05 | 32.03 | 24.79 | 24.79 | 24.79 | 135 | 11.59 | 32.01 | 24.49 | 24.49 | 135 |
| 140 | 10.04 | 32.03 | 24.80 | 24.80 | 24.80 | 140 | 11.59 | 32.01 | 24.49 | 24.49 | 140 |
| 145 | 10.05 | 32.03 | 24.81 | 24.81 | 24.81 | 145 | 11.59 | 32.01 | 24.49 | 24.49 | 145 |
| 150 | 10.04 | 32.03 | 24.82 | 24.82 | 24.82 | 150 | 11.59 | 32.01 | 24.49 | 24.49 | 150 |
| 155 | 10.05 | 32.03 | 24.83 | 24.83 | 24.83 | 155 | 11.59 | 32.01 | 24.49 | 24.49 | 155 |
| 160 | 10.04 | 32.03 | 24.84 | 24.84 | 24.84 | 160 | 11.59 | 32.01 | 24.49 | 24.49 | 160 |
| 165 | 10.05 | 32.03 | 24.85 | 24.85 | 24.85 | 165 | 11.59 | 32.01 | 24.49 | 24.49 | 165 |
| 170 | 10.04 | 32.03 | 24.86 | 24.86 | 24.86 | 170 | 11.59 | 32.01 | 24.49 | 24.49 | 170 |
| 175 | 10.05 | 32.03 | 24.87 | 24.87 | 24.87 | 175 | 11.59 | 32.01 | 24.49 | 24.49 | 175 |
| 180 | 10.04 | 32.03 | 24.88 | 24.88 | 24.88 | 180 | 11.59 | 32.01 | 24.49 | 24.49 | 180 |
| 185 | 10.05 | 32.03 | 24.89 | 24.89 | 24.89 | 185 | 11.59 | 32.01 | 24.49 | 24.49 | 185 |
| 190 | 10.04 | 32.03 | 24.90 | 24.90 | 24.90 | 190 | 11.59 | 32.01 | 24.49 | 24.49 | 190 |
| 195 | 10.05 | 32.03 | 24.91 | 24.91 | 24.91 | 195 | 11.59 | 32.01 | 24.49 | 24.49 | 195 |
| 200 | 10.04 | 32.03 | 24.92 | 24.92 | 24.92 | 200 | 11.59 | 32.01 | 24.49 | 24.49 | 200 |



| CAST ROAR2-OC-030 | | TIME 0855 GMT | | DATE 17 OCT 72 | | TIME 1221 GMT | |
|-------------------|------------------|----------------|---------|----------------|------------------|----------------|---------|
| LAT 47 46'N | | LONG 126 22'W | | WEATHER 4 | | LAT 47 32'N | |
| BAROMETR 19 | | WIND 350 KT | | SEA STATE 1 | | LONG 127 01'W | |
| CLOUD X AMOUNT 9 | | SPU 8 KT | | VISIBILITY 6 | | WIND 350 KT | |
| DRY | | WET 9.9 | | DEPTH 2244 M | | AMOUNT 9 | |
| DEPTH (M) | TEMPERATURE (°C) | SALINITY (PPM) | SIGMA-T | DEPTH (M) | TEMPERATURE (°C) | SALINITY (PPM) | SIGMA-T |
| 0 | 13.52 | 32.12 | 24.1 | 0 | 12.81 | 32.10 | 24.21 |
| 1 | 13.52 | 32.12 | 24.1 | 1 | 12.81 | 32.10 | 24.21 |
| 2 | 13.52 | 32.12 | 24.1 | 2 | 12.82 | 32.11 | 0.019 |
| 3 | 13.52 | 32.12 | 24.1 | 3 | 12.82 | 32.11 | 0.037 |
| 4 | 13.52 | 32.12 | 24.1 | 4 | 12.82 | 32.11 | 0.056 |
| 5 | 13.52 | 32.12 | 24.1 | 5 | 12.82 | 32.11 | 0.074 |
| 6 | 13.19 | 32.11 | 24.14 | 6 | 12.73 | 32.11 | 0.092 |
| 7 | 12.43 | 32.11 | 24.31 | 7 | 12.25 | 32.11 | 0.107 |
| 8 | 12.25 | 32.11 | 24.44 | 8 | 11.93 | 32.11 | 0.121 |
| 9 | 11.79 | 32.11 | 24.53 | 9 | 11.53 | 32.11 | 0.134 |
| 10 | 11.62 | 32.11 | 24.52 | 10 | 11.35 | 32.11 | 0.147 |
| 11 | 11.38 | 32.11 | 24.52 | 11 | 11.15 | 32.11 | 0.160 |
| 12 | 10.91 | 32.11 | 24.52 | 12 | 10.85 | 32.11 | 0.173 |
| 13 | 10.43 | 32.11 | 24.52 | 13 | 10.55 | 32.11 | 0.185 |
| 14 | 9.92 | 32.11 | 24.52 | 14 | 10.25 | 32.11 | 0.199 |
| 15 | 9.34 | 32.11 | 24.52 | 15 | 9.95 | 32.11 | 0.212 |
| 16 | 8.76 | 32.11 | 24.52 | 16 | 9.65 | 32.11 | 0.225 |
| 17 | 8.18 | 32.11 | 24.52 | 17 | 9.35 | 32.11 | 0.238 |
| 18 | 7.59 | 32.11 | 24.52 | 18 | 9.05 | 32.11 | 0.251 |
| 19 | 7.01 | 32.11 | 24.52 | 19 | 8.75 | 32.11 | 0.264 |
| 20 | 6.42 | 32.11 | 24.52 | 20 | 8.45 | 32.11 | 0.277 |
| 21 | 5.93 | 32.11 | 24.52 | 21 | 8.15 | 32.11 | 0.290 |
| 22 | 5.45 | 32.11 | 24.52 | 22 | 7.85 | 32.11 | 0.303 |
| 23 | 4.96 | 32.11 | 24.52 | 23 | 7.55 | 32.11 | 0.316 |
| 24 | 4.47 | 32.11 | 24.52 | 24 | 7.25 | 32.11 | 0.329 |
| 25 | 3.99 | 32.11 | 24.52 | 25 | 6.95 | 32.11 | 0.342 |
| 26 | 3.50 | 32.11 | 24.52 | 26 | 6.65 | 32.11 | 0.355 |
| 27 | 3.02 | 32.11 | 24.52 | 27 | 6.35 | 32.11 | 0.368 |
| 28 | 2.53 | 32.11 | 24.52 | 28 | 6.05 | 32.11 | 0.381 |
| 29 | 2.05 | 32.11 | 24.52 | 29 | 5.75 | 32.11 | 0.394 |
| 30 | 1.56 | 32.11 | 24.52 | 30 | 5.45 | 32.11 | 0.407 |
| 31 | 1.08 | 32.11 | 24.52 | 31 | 5.15 | 32.11 | 0.420 |
| 32 | 0.60 | 32.11 | 24.52 | 32 | 4.85 | 32.11 | 0.433 |
| 33 | 0.12 | 32.11 | 24.52 | 33 | 4.55 | 32.11 | 0.446 |
| 34 | -0.36 | 32.11 | 24.52 | 34 | 4.25 | 32.11 | 0.459 |
| 35 | -0.84 | 32.11 | 24.52 | 35 | 3.95 | 32.11 | 0.472 |
| 36 | -1.32 | 32.11 | 24.52 | 36 | 3.65 | 32.11 | 0.485 |
| 37 | -1.80 | 32.11 | 24.52 | 37 | 3.35 | 32.11 | 0.498 |
| 38 | -2.28 | 32.11 | 24.52 | 38 | 3.05 | 32.11 | 0.511 |
| 39 | -2.76 | 32.11 | 24.52 | 39 | 2.75 | 32.11 | 0.524 |
| 40 | -3.24 | 32.11 | 24.52 | 40 | 2.45 | 32.11 | 0.537 |
| 41 | -3.72 | 32.11 | 24.52 | 41 | 2.15 | 32.11 | 0.550 |
| 42 | -4.20 | 32.11 | 24.52 | 42 | 1.85 | 32.11 | 0.563 |
| 43 | -4.68 | 32.11 | 24.52 | 43 | 1.55 | 32.11 | 0.576 |
| 44 | -5.16 | 32.11 | 24.52 | 44 | 1.25 | 32.11 | 0.589 |
| 45 | -5.64 | 32.11 | 24.52 | 45 | 0.95 | 32.11 | 0.602 |
| 46 | -6.12 | 32.11 | 24.52 | 46 | 0.65 | 32.11 | 0.615 |
| 47 | -6.60 | 32.11 | 24.52 | 47 | 0.35 | 32.11 | 0.628 |
| 48 | -7.08 | 32.11 | 24.52 | 48 | 0.05 | 32.11 | 0.641 |
| 49 | -7.56 | 32.11 | 24.52 | 49 | -0.25 | 32.11 | 0.654 |
| 50 | -8.04 | 32.11 | 24.52 | 50 | -0.55 | 32.11 | 0.667 |
| 51 | -8.52 | 32.11 | 24.52 | 51 | -0.85 | 32.11 | 0.680 |
| 52 | -9.00 | 32.11 | 24.52 | 52 | -1.15 | 32.11 | 0.693 |
| 53 | -9.48 | 32.11 | 24.52 | 53 | -1.45 | 32.11 | 0.706 |
| 54 | -9.96 | 32.11 | 24.52 | 54 | -1.75 | 32.11 | 0.719 |
| 55 | -10.44 | 32.11 | 24.52 | 55 | -2.05 | 32.11 | 0.732 |
| 56 | -10.92 | 32.11 | 24.52 | 56 | -2.35 | 32.11 | 0.745 |
| 57 | -11.40 | 32.11 | 24.52 | 57 | -2.65 | 32.11 | 0.758 |
| 58 | -11.88 | 32.11 | 24.52 | 58 | -2.95 | 32.11 | 0.771 |
| 59 | -12.36 | 32.11 | 24.52 | 59 | -3.25 | 32.11 | 0.784 |
| 60 | -12.84 | 32.11 | 24.52 | 60 | -3.55 | 32.11 | 0.797 |
| 61 | -13.32 | 32.11 | 24.52 | 61 | -3.85 | 32.11 | 0.810 |
| 62 | -13.80 | 32.11 | 24.52 | 62 | -4.15 | 32.11 | 0.823 |
| 63 | -14.28 | 32.11 | 24.52 | 63 | -4.45 | 32.11 | 0.836 |
| 64 | -14.76 | 32.11 | 24.52 | 64 | -4.75 | 32.11 | 0.849 |
| 65 | -15.24 | 32.11 | 24.52 | 65 | -5.05 | 32.11 | 0.862 |
| 66 | -15.72 | 32.11 | 24.52 | 66 | -5.35 | 32.11 | 0.875 |
| 67 | -16.20 | 32.11 | 24.52 | 67 | -5.65 | 32.11 | 0.888 |
| 68 | -16.68 | 32.11 | 24.52 | 68 | -6.05 | 32.11 | 0.901 |
| 69 | -17.16 | 32.11 | 24.52 | 69 | -6.35 | 32.11 | 0.914 |
| 70 | -17.64 | 32.11 | 24.52 | 70 | -6.65 | 32.11 | 0.927 |
| 71 | -18.12 | 32.11 | 24.52 | 71 | -7.05 | 32.11 | 0.940 |
| 72 | -18.60 | 32.11 | 24.52 | 72 | -7.35 | 32.11 | 0.953 |
| 73 | -19.08 | 32.11 | 24.52 | 73 | -7.65 | 32.11 | 0.966 |
| 74 | -19.56 | 32.11 | 24.52 | 74 | -8.05 | 32.11 | 0.979 |
| 75 | -20.04 | 32.11 | 24.52 | 75 | -8.35 | 32.11 | 0.992 |
| 76 | -20.52 | 32.11 | 24.52 | 76 | -8.65 | 32.11 | 1.005 |
| 77 | -21.00 | 32.11 | 24.52 | 77 | -9.05 | 32.11 | 1.018 |
| 78 | -21.48 | 32.11 | 24.52 | 78 | -9.35 | 32.11 | 1.031 |
| 79 | -21.96 | 32.11 | 24.52 | 79 | -9.65 | 32.11 | 1.044 |
| 80 | -22.44 | 32.11 | 24.52 | 80 | -10.05 | 32.11 | 1.057 |
| 81 | -22.92 | 32.11 | 24.52 | 81 | -10.35 | 32.11 | 1.070 |
| 82 | -23.40 | 32.11 | 24.52 | 82 | -10.65 | 32.11 | 1.083 |
| 83 | -23.88 | 32.11 | 24.52 | 83 | -11.05 | 32.11 | 1.096 |
| 84 | -24.36 | 32.11 | 24.52 | 84 | -11.35 | 32.11 | 1.109 |
| 85 | -24.84 | 32.11 | 24.52 | 85 | -11.65 | 32.11 | 1.122 |
| 86 | -25.32 | 32.11 | 24.52 | 86 | -12.05 | 32.11 | 1.135 |
| 87 | -25.80 | 32.11 | 24.52 | 87 | -12.35 | 32.11 | 1.148 |
| 88 | -26.28 | 32.11 | 24.52 | 88 | -12.65 | 32.11 | 1.161 |
| 89 | -26.76 | 32.11 | 24.52 | 89 | -13.05 | 32.11 | 1.174 |
| 90 | -27.24 | 32.11 | 24.52 | 90 | -13.35 | 32.11 | 1.187 |
| 91 | -27.72 | 32.11 | 24.52 | 91 | -13.65 | 32.11 | 1.200 |
| 92 | -28.20 | 32.11 | 24.52 | 92 | -14.05 | 32.11 | 1.213 |
| 93 | -28.68 | 32.11 | 24.52 | 93 | -14.35 | 32.11 | 1.226 |
| 94 | -29.16 | 32.11 | 24.52 | 94 | -14.65 | 32.11 | 1.239 |
| 95 | -29.64 | 32.11 | 24.52 | 95 | -15.05 | 32.11 | 1.252 |
| 96 | -30.12 | 32.11 | 24.52 | 96 | -15.35 | 32.11 | 1.265 |
| 97 | -30.60 | 32.11 | 24.52 | 97 | -15.65 | 32.11 | 1.278 |
| 98 | -31.08 | 32.11 | 24.52 | 98 | -16.05 | 32.11 | 1.291 |
| 99 | -31.56 | 32.11 | 24.52 | 99 | -16.35 | 32.11 | 1.304 |
| 100 | -32.04 | 32.11 | 24.52 | 100 | -16.65 | 32.11 | 1.317 |
| 101 | -32.52 | 32.11 | 24.52 | 101 | -17.05 | 32.11 | 1.330 |
| 102 | -33.00 | 32.11 | 24.52 | 102 | -17.35 | 32.11 | 1.343 |
| 103 | -33.48 | 32.11 | 24.52 | 103 | -17.65 | 32.11 | 1.356 |
| 104 | -33.96 | 32.11 | 24.52 | 104 | -18.05 | 32.11 | 1.369 |
| 105 | -34.44 | 32.11 | 24.52 | 105 | -18.35 | 32.11 | 1.382 |
| 106 | -34.92 | 32.11 | 24.52 | 106 | -18.65 | 32.11 | 1.395 |
| 107 | -35.40 | 32.11 | 24.52 | 107 | -19.05 | 32.11 | 1.408 |
| 108 | -35.88 | 32.11 | 24.52 | 108 | -19.35 | 32.11 | 1.421 |
| 109 | -36.36 | 32.11 | 24.52 | 109 | -19.65 | 32.11 | 1.434 |
| 110 | -36.84 | 32.11 | 24.52 | 110 | -20.05 | 32.11 | 1.447 |
| 111 | -37.32 | 32.11 | 24.52 | 111 | -20.35 | 32.11 | 1.460 |
| 112 | -37.80 | 32.11 | 24.52 | 112 | -20.65 | 32.11 | 1.473 |
| 113 | -38.28 | 32.11 | 24.52 | 113 | -21.05 | 32.11 | 1.486 |
| 114 | -38.76 | 32.11 | 24.52 | 114 | -21.35 | 32.11 | 1.499 |
| 115 | -39.24 | 32.11 | 24.52 | 115 | -21.65 | 32.11 | 1.512 |
| 116 | -39.72 | 32.11 | 24.52 | 116 | -22.05 | 32.11 | 1.525 |
| 117 | -40.20 | 32.11 | 24.52 | 117 | -22.35 | 32.11 | 1.538 |
| 118 | -40. | | | | | | |





CAST R04R2-OC-032 DATE 17 OCT 72 TIME 1559 GHT
LAT 41° 5' N LONG 126° 11' W
SHEAHER 2 SEA STATE 1
SPD 4 KTS VISIBILITY 1
CDW 6 DRY 14.9 MET 12.3 DEPTH 2600 M

| Depth (m) | Temperature (°C) | Salinity | Sigma-T (σ _T) |
|-----------|------------------|----------|---------------------------|
| 0 | 24.5 | 32.5 | 28.5 |
| 100 | 24.0 | 33.0 | 28.0 |
| 200 | 23.5 | 33.5 | 27.5 |
| 300 | 23.0 | 34.0 | 27.0 |
| 400 | 22.5 | 34.5 | 26.5 |
| 500 | 22.0 | 35.0 | 26.0 |
| 600 | 21.8 | 35.2 | 25.8 |
| 700 | 21.6 | 35.4 | 25.6 |
| 800 | 21.4 | 35.6 | 25.4 |
| 900 | 21.2 | 35.8 | 25.2 |
| 1000 | 21.0 | 36.0 | 25.0 |
| 1100 | 20.8 | 36.2 | 24.8 |
| 1200 | 20.6 | 36.4 | 24.6 |
| 1300 | 20.4 | 36.6 | 24.4 |
| 1400 | 20.2 | 36.8 | 24.2 |
| 1500 | 20.0 | 37.0 | 24.0 |
| 1600 | 20.0 | 37.0 | 24.0 |

CAST R04R2-OC-033 DATE 17 OCT 72 TIME 1908 GHT
LAT 41° 5' N LONG 126° 11' W
WATH-R 1 SEA STATE 1
SPD 4 KTS VISIBILITY 1
CDW 6 DRY 14.9 MET 12.3 DEPTH 2600 M


| Depth (m) | Temperature (°C) | Salinity | Sigma-T (σ _T) |
|-----------|------------------|----------|---------------------------|
| 0 | 24.0 | 32.0 | 28.0 |
| 100 | 23.5 | 32.5 | 27.5 |
| 200 | 23.0 | 33.0 | 27.0 |
| 300 | 22.8 | 33.2 | 26.8 |
| 400 | 22.5 | 33.4 | 26.5 |
| 500 | 22.2 | 33.6 | 26.2 |
| 600 | 21.8 | 33.8 | 25.8 |
| 700 | 21.5 | 34.0 | 25.5 |
| 800 | 21.2 | 34.2 | 25.2 |
| 900 | 21.0 | 34.4 | 25.0 |
| 1000 | 20.8 | 34.6 | 24.8 |
| 1100 | 20.6 | 34.8 | 24.6 |
| 1200 | 20.4 | 35.0 | 24.4 |
| 1300 | 20.2 | 35.2 | 24.2 |
| 1400 | 20.0 | 35.4 | 24.0 |
| 1500 | 20.0 | 35.6 | 24.0 |
| 1600 | 20.0 | 35.8 | 24.0 |







CAST 035
ROAR 2-OC-035
DATE 18 OCT 72
TIME 0119 GHT
LAT 46° 25' N LONG 123° 35' W
CLOUD 6 SKY DRY
AMOUNT 6
DEPTH - METERS
SALINITY
TEMPERATURE

| Depth (m) | Temperature (°C) | Salinity (ppt) |
|-----------|------------------|----------------|
| 0 | 14.02 | 36.00 |
| 3 | 13.90 | 35.90 |
| 5 | 13.87 | 35.87 |
| 10 | 13.75 | 35.75 |
| 15 | 13.63 | 35.63 |
| 20 | 13.51 | 35.51 |
| 25 | 13.39 | 35.39 |
| 30 | 13.27 | 35.27 |
| 35 | 13.15 | 35.15 |
| 40 | 13.03 | 35.03 |
| 45 | 12.91 | 34.91 |
| 50 | 12.79 | 34.79 |
| 55 | 12.67 | 34.67 |
| 60 | 12.55 | 34.55 |
| 65 | 12.43 | 34.43 |
| 70 | 12.31 | 34.31 |
| 75 | 12.19 | 34.19 |
| 80 | 12.07 | 34.07 |
| 85 | 11.95 | 33.95 |
| 90 | 11.83 | 33.83 |
| 95 | 11.71 | 33.71 |
| 100 | 11.59 | 33.59 |
| 110 | 11.37 | 33.37 |
| 120 | 11.15 | 33.15 |
| 130 | 10.93 | 32.93 |
| 140 | 10.71 | 32.71 |
| 150 | 10.49 | 32.49 |
| 160 | 10.27 | 32.27 |
| 170 | 10.05 | 32.05 |
| 180 | 9.83 | 31.83 |
| 190 | 9.61 | 31.61 |
| 200 | 9.39 | 31.39 |
| 210 | 9.17 | 31.17 |
| 220 | 8.95 | 30.95 |
| 230 | 8.73 | 30.73 |
| 240 | 8.51 | 30.51 |
| 250 | 8.29 | 30.29 |
| 260 | 8.07 | 30.07 |
| 270 | 7.85 | 29.85 |
| 280 | 7.63 | 29.63 |
| 290 | 7.41 | 29.41 |
| 300 | 7.19 | 29.19 |
| 310 | 6.97 | 28.97 |
| 320 | 6.75 | 28.75 |
| 330 | 6.53 | 28.53 |
| 340 | 6.31 | 28.31 |
| 350 | 6.09 | 28.09 |
| 360 | 5.87 | 27.87 |
| 370 | 5.65 | 27.65 |
| 380 | 5.43 | 27.43 |
| 390 | 5.21 | 27.21 |
| 400 | 4.99 | 26.99 |
| 410 | 4.77 | 26.77 |
| 420 | 4.55 | 26.55 |
| 430 | 4.33 | 26.33 |
| 440 | 4.11 | 26.11 |
| 450 | 3.89 | 25.89 |
| 460 | 3.67 | 25.67 |
| 470 | 3.45 | 25.45 |
| 480 | 3.23 | 25.23 |
| 490 | 3.01 | 25.01 |
| 500 | 2.79 | 24.79 |
| 510 | 2.57 | 24.57 |
| 520 | 2.35 | 24.35 |
| 530 | 2.13 | 24.13 |
| 540 | 1.91 | 23.91 |
| 550 | 1.69 | 23.69 |
| 560 | 1.47 | 23.47 |
| 570 | 1.25 | 23.25 |
| 580 | 1.03 | 23.03 |
| 590 | 0.81 | 22.81 |
| 600 | 0.59 | 22.59 |
| 610 | 0.37 | 22.37 |
| 620 | 0.15 | 22.15 |
| 630 | -0.07 | 21.87 |
| 640 | -0.29 | 21.61 |
| 650 | -0.51 | 21.35 |
| 660 | -0.73 | 21.09 |
| 670 | -0.95 | 20.83 |
| 680 | -1.17 | 20.57 |
| 690 | -1.39 | 20.31 |
| 700 | -1.61 | 20.05 |
| 710 | -1.83 | 19.79 |
| 720 | -2.05 | 19.53 |
| 730 | -2.27 | 19.27 |
| 740 | -2.49 | 19.01 |
| 750 | -2.71 | 18.75 |
| 760 | -2.93 | 18.49 |
| 770 | -3.15 | 18.23 |
| 780 | -3.37 | 17.97 |
| 790 | -3.59 | 17.71 |
| 800 | -3.81 | 17.45 |
| 810 | -4.03 | 17.19 |
| 820 | -4.25 | 16.93 |
| 830 | -4.47 | 16.67 |
| 840 | -4.69 | 16.41 |
| 850 | -4.91 | 16.15 |
| 860 | -5.13 | 15.89 |
| 870 | -5.35 | 15.63 |
| 880 | -5.57 | 15.37 |
| 890 | -5.79 | 15.11 |
| 900 | -5.91 | 14.85 |
| 910 | -6.13 | 14.59 |
| 920 | -6.35 | 14.33 |
| 930 | -6.57 | 14.07 |
| 940 | -6.79 | 13.81 |
| 950 | -6.91 | 13.55 |
| 960 | -7.13 | 13.29 |
| 970 | -7.35 | 13.03 |
| 980 | -7.57 | 12.77 |
| 990 | -7.79 | 12.51 |
| 1000 | -7.91 | 12.25 |





CAST 034
ROAR 2-OC-034
DATE 18 OCT 72
TIME 0119 GHT
LAT 46° 22' N LONG 123° 22' W
CLOUD 6 SKY DRY
AMOUNT 6
DEPTH - METERS
SALINITY
TEMPERATURE

| Depth (m) | Temperature (°C) | Salinity (ppt) |
|-----------|------------------|----------------|
| 0 | 14.36 | 35.50 |
| 2 | 14.39 | 35.00 |
| 5 | 14.42 | 34.90 |
| 10 | 14.45 | 34.80 |
| 15 | 14.48 | 34.70 |
| 20 | 14.51 | 34.60 |
| 25 | 14.54 | 34.50 |
| 30 | 14.57 | 34.40 |
| 35 | 14.60 | 34.30 |
| 40 | 14.63 | 34.20 |
| 45 | 14.66 | 34.10 |
| 50 | 14.69 | 34.00 |
| 55 | 14.72 | 33.90 |
| 60 | 14.75 | 33.80 |
| 65 | 14.78 | 33.70 |
| 70 | 14.81 | 33.60 |
| 75 | 14.84 | 33.50 |
| 80 | 14.87 | 33.40 |
| 85 | 14.90 | 33.30 |
| 90 | 14.93 | 33.20 |
| 95 | 14.96 | 33.10 |
| 100 | 14.99 | 33.00 |
| 110 | 15.02 | 32.90 |
| 120 | 15.05 | 32.80 |
| 130 | 15.08 | 32.70 |
| 140 | 15.11 | 32.60 |
| 150 | 15.14 | 32.50 |
| 160 | 15.17 | 32.40 |
| 170 | 15.20 | 32.30 |
| 180 | 15.23 | 32.20 |
| 190 | 15.26 | 32.10 |
| 200 | 15.29 | 32.00 |
| 210 | 15.32 | 31.90 |
| 220 | 15.35 | 31.80 |
| 230 | 15.38 | 31.70 |
| 240 | 15.41 | 31.60 |
| 250 | 15.44 | 31.50 |
| 260 | 15.47 | 31.40 |
| 270 | 15.50 | 31.30 |
| 280 | 15.53 | 31.20 |
| 290 | 15.56 | 31.10 |
| 300 | 15.59 | 31.00 |
| 310 | 15.62 | 30.90 |
| 320 | 15.65 | 30.80 |
| 330 | 15.68 | 30.70 |
| 340 | 15.71 | 30.60 |
| 350 | 15.74 | 30.50 |
| 360 | 15.77 | 30.40 |
| 370 | 15.80 | 30.30 |
| 380 | 15.83 | 30.20 |
| 390 | 15.86 | 30.10 |
| 400 | 15.89 | 30.00 |
| 410 | 15.92 | 29.90 |
| 420 | 15.95 | 29.80 |
| 430 | 15.98 | 29.70 |
| 440 | 16.01 | 29.60 |
| 450 | 16.04 | 29.50 |
| 460 | 16.07 | 29.40 |
| 470 | 16.10 | 29.30 |
| 480 | 16.13 | 29.20 |
| 490 | 16.16 | 29.10 |
| 500 | 16.19 | 29.00 |
| 510 | 16.22 | 28.90 |
| 520 | 16.25 | 28.80 |
| 530 | 16.28 | 28.70 |
| 540 | 16.31 | 28.60 |
| 550 | 16.34 | 28.50 |
| 560 | 16.37 | 28.40 |
| 570 | 16.40 | 28.30 |
| 580 | 16.43 | 28.20 |
| 590 | 16.46 | 28.10 |
| 600 | 16.49 | 28.00 |
| 610 | 16.52 | 27.90 |
| 620 | 16.55 | 27.80 |
| 630 | 16.58 | 27.70 |
| 640 | 16.61 | 27.60 |
| 650 | 16.64 | 27.50 |
| 660 | 16.67 | 27.40 |
| 670 | 16.70 | 27.30 |
| 680 | 16.73 | 27.20 |
| 690 | 16.76 | 27.10 |
| 700 | 16.79 | 27.00 |
| 710 | 16.82 | 26.90 |
| 720 | 16.85 | 26.80 |
| 730 | 16.88 | 26.70 |
| 740 | 16.91 | 26.60 |
| 750 | 16.94 | 26.50 |
| 760 | 16.97 | 26.40 |
| 770 | 17.00 | 26.30 |
| 780 | 17.03 | 26.20 |
| 790 | 17.06 | 26.10 |
| 800 | 17.09 | 26.00 |
| 810 | 17.12 | 25.90 |
| 820 | 17.15 | 25.80 |
| 830 | 17.18 | 25.70 |
| 840 | 17.21 | 25.60 |
| 850 | 17.24 | 25.50 |
| 860 | 17.27 | 25.40 |
| 870 | 17.30 | 25.30 |
| 880 | 17.33 | 25.20 |
| 890 | 17.36 | 25.10 |
| 900 | 17.39 | 25.00 |
| 910 | 17.42 | 24.90 |
| 920 | 17.45 | 24.80 |
| 930 | 17.48 | 24.70 |
| 940 | 17.51 | 24.60 |
| 950 | 17.54 | 24.50 |
| 960 | 17.57 | 24.40 |
| 970 | 17.60 | 24.30 |
| 980 | 17.63 | 24.20 |
| 990 | 17.66 | 24.10 |
| 1000 | 17.69 | 24.00 |




| CAST | ROAR2-OC-037 | TIME | 0743 GM |
|---------------|--------------|---------------------|-------------|
| LAT | 46° 46' N | DATE | 18 OCT 72 |
| LONG | 130° 33' W | WEATHER | 1 SEA STATE |
| BARO DEX | 1024.7 | SPD | 8 KT |
| CLOUD | 9 | WIND | 12.0 |
| AMOUNT | 130.8 | NET | 12.0 |
| DEPTH (ft) | 0 | TEMPERATURE (°C) | 24.4 |
| | 10 | | 24.3 |
| | 20 | | 24.2 |
| | 30 | | 24.1 |
| | 40 | | 24.0 |
| | 50 | | 23.9 |
| | 60 | | 23.8 |
| | 70 | | 23.7 |
| | 80 | | 23.6 |
| | 90 | | 23.5 |
| | 100 | | 23.4 |
| | 110 | | 23.3 |
| | 120 | | 23.2 |
| | 130 | | 23.1 |
| | 140 | | 23.0 |
| | 150 | | 22.9 |
| | 160 | | 22.8 |
| | 170 | | 22.7 |
| | 180 | | 22.6 |
| | 190 | | 22.5 |
| | 200 | | 22.5 |
| | 210 | | 22.4 |
| | 220 | | 22.3 |
| | 230 | | 22.2 |
| | 240 | | 22.1 |
| | 250 | | 22.0 |
| | 260 | | 21.9 |
| | 270 | | 21.8 |
| | 280 | | 21.7 |
| | 290 | | 21.6 |
| | 300 | | 21.5 |
| | 310 | | 21.4 |
| | 320 | | 21.3 |
| | 330 | | 21.2 |
| | 340 | | 21.1 |
| | 350 | | 21.0 |
| | 360 | | 20.9 |
| | 370 | | 20.8 |
| | 380 | | 20.7 |
| | 390 | | 20.6 |
| | 400 | | 20.5 |
| | 410 | | 20.4 |
| | 420 | | 20.3 |
| | 430 | | 20.2 |
| | 440 | | 20.1 |
| | 450 | | 20.0 |
| | 460 | | 19.9 |
| | 470 | | 19.8 |
| | 480 | | 19.7 |
| | 490 | | 19.6 |
| | 500 | | 19.5 |
| | 510 | | 19.4 |
| | 520 | | 19.3 |
| | 530 | | 19.2 |
| | 540 | | 19.1 |
| | 550 | | 19.0 |
| | 560 | | 18.9 |
| | 570 | | 18.8 |
| | 580 | | 18.7 |
| | 590 | | 18.6 |
| | 600 | | 18.5 |
| | 610 | | 18.4 |
| | 620 | | 18.3 |
| | 630 | | 18.2 |
| | 640 | | 18.1 |
| | 650 | | 18.0 |
| | 660 | | 17.9 |
| | 670 | | 17.8 |
| | 680 | | 17.7 |
| | 690 | | 17.6 |
| | 700 | | 17.5 |
| | 710 | | 17.4 |
| | 720 | | 17.3 |
| | 730 | | 17.2 |
| | 740 | | 17.1 |
| | 750 | | 17.0 |
| | 760 | | 16.9 |
| | 770 | | 16.8 |
| | 780 | | 16.7 |
| | 790 | | 16.6 |
| | 800 | | 16.5 |
| | 810 | | 16.4 |
| | 820 | | 16.3 |
| | 830 | | 16.2 |
| | 840 | | 16.1 |
| | 850 | | 16.0 |
| | 860 | | 15.9 |
| | 870 | | 15.8 |
| | 880 | | 15.7 |
| | 890 | | 15.6 |
| | 900 | | 15.5 |
| | 910 | | 15.4 |
| | 920 | | 15.3 |
| | 930 | | 15.2 |
| | 940 | | 15.1 |
| | 950 | | 15.0 |
| | 960 | | 14.9 |
| | 970 | | 14.8 |
| | 980 | | 14.7 |
| | 990 | | 14.6 |
| | 1000 | | 14.5 |
| | 1010 | | 14.4 |
| | 1020 | | 14.3 |
| | 1030 | | 14.2 |
| | 1040 | | 14.1 |
| | 1050 | | 14.0 |
| | 1060 | | 13.9 |
| | 1070 | | 13.8 |
| | 1080 | | 13.7 |
| | 1090 | | 13.6 |
| | 1100 | | 13.5 |
| | 1110 | | 13.4 |
| | 1120 | | 13.3 |
| | 1130 | | 13.2 |
| | 1140 | | 13.1 |
| | 1150 | | 13.0 |
| | 1160 | | 12.9 |
| | 1170 | | 12.8 |
| | 1180 | | 12.7 |
| | 1190 | | 12.6 |
| | 1200 | | 12.5 |
| | 1210 | | 12.4 |
| | 1220 | | 12.3 |
| | 1230 | | 12.2 |
| | 1240 | | 12.1 |
| | 1250 | | 12.0 |
| | 1260 | | 11.9 |
| | 1270 | | 11.8 |
| | 1280 | | 11.7 |
| | 1290 | | 11.6 |
| | 1300 | | 11.5 |
| | 1310 | | 11.4 |
| | 1320 | | 11.3 |
| | 1330 | | 11.2 |
| | 1340 | | 11.1 |
| | 1350 | | 11.0 |
| | 1360 | | 10.9 |
| | 1370 | | 10.8 |
| | 1380 | | 10.7 |
| | 1390 | | 10.6 |
| | 1400 | | 10.5 |
| | 1410 | | 10.4 |
| | 1420 | | 10.3 |
| | 1430 | | 10.2 |
| | 1440 | | 10.1 |
| | 1450 | | 10.0 |
| | 1460 | | 9.9 |
| | 1470 | | 9.8 |
| | 1480 | | 9.7 |
| | 1490 | | 9.6 |
| | 1500 | | 9.5 |
| | 1510 | | 9.4 |
| | 1520 | | 9.3 |
| | 1530 | | 9.2 |
| | 1540 | | 9.1 |
| | 1550 | | 9.0 |
| | 1560 | | 8.9 |
| | 1570 | | 8.8 |
| | 1580 | | 8.7 |
| | 1590 | | 8.6 |
| | 1600 | | 8.5 |
| | 1610 | | 8.4 |
| | 1620 | | 8.3 |
| | 1630 | | 8.2 |
| | 1640 | | 8.1 |
| | 1650 | | 8.0 |
| | 1660 | | 7.9 |
| | 1670 | | 7.8 |
| | 1680 | | 7.7 |
| | 1690 | | 7.6 |
| | 1700 | | 7.5 |
| | 1710 | | 7.4 |
| | 1720 | | 7.3 |
| | 1730 | | 7.2 |
| | 1740 | | 7.1 |
| | 1750 | | 7.0 |
| | 1760 | | 6.9 |
| | 1770 | | 6.8 |
| | 1780 | | 6.7 |
| | 1790 | | 6.6 |
| | 1800 | | 6.5 |
| | 1810 | | 6.4 |
| | 1820 | | 6.3 |
| | 1830 | | 6.2 |
| | 1840 | | 6.1 |
| | 1850 | | 6.0 |
| | 1860 | | 5.9 |
| | 1870 | | 5.8 |
| | 1880 | | 5.7 |
| | 1890 | | 5.6 |
| | 1900 | | 5.5 |
| | 1910 | | 5.4 |
| | 1920 | | 5.3 |
| | 1930 | | 5.2 |
| | 1940 | | 5.1 |
| | 1950 | | 5.0 |
| | 1960 | | 4.9 |
| | 1970 | | 4.8 |
| | 1980 | | 4.7 |
| | 1990 | | 4.6 |
| | 2000 | | 4.5 |
| | 2010 | | 4.4 |
| | 2020 | | 4.3 |
| | 2030 | | 4.2 |
| | 2040 | | 4.1 |
| | 2050 | | 4.0 |
| | 2060 | | 3.9 |
| | 2070 | | 3.8 |
| | 2080 | | 3.7 |
| | 2090 | | 3.6 |
| | 2100 | | 3.5 |
| | 2110 | | 3.4 |
| | 2120 | | 3.3 |
| | 2130 | | 3.2 |
| | 2140 | | 3.1 |
| | 2150 | | 3.0 |
| | 2160 | | 2.9 |
| | 2170 | | 2.8 |
| | 2180 | | 2.7 |
| | 2190 | | 2.6 |
| | 2200 | | 2.5 |
| | 2210 | | 2.4 |
| | 2220 | | 2.3 |
| | 2230 | | 2.2 |
| | 2240 | | 2.1 |
| | 2250 | | 2.0 |
| | 2260 | | 1.9 |
| | 2270 | | 1.8 |
| | 2280 | | 1.7 |
| | 2290 | | 1.6 |
| | 2300 | | 1.5 |
| | 2310 | | 1.4 |
| | 2320 | | 1.3 |
| | 2330 | | 1.2 |
| | 2340 | | 1.1 |
| | 2350 | | 1.0 |
| | 2360 | | 0.9 |
| | 2370 | | 0.8 |
| | 2380 | | 0.7 |
| | 2390 | | 0.6 |
| | 2400 | | 0.5 |
| | 2410 | | 0.4 |
| | 2420 | | 0.3 |
| | 2430 | | 0.2 |
| | 2440 | | 0.1 |
| | 2450 | | 0.0 |


| DEPTH (cm) | TEMPERATURE (°C) | SALINITY (ppt) | SIGMA-T | DELTAW (dW/m) |
|---------------|---------------------|-------------------|---------|------------------|
| 0-15 | 14.667 | 32.4 | 4.6 | 0.000 |
| 15-30 | 14.665 | 32.4 | 4.6 | .019 |
| 30-45 | 14.665 | 32.4 | 4.6 | .038 |
| 45-60 | 14.664 | 32.4 | 4.6 | .057 |
| 60-75 | 14.664 | 32.4 | 4.6 | .076 |
| 75-90 | 14.664 | 32.4 | 4.6 | .095 |
| 90-105 | 14.664 | 32.4 | 4.6 | .114 |
| 105-120 | 14.664 | 32.4 | 4.6 | .133 |
| 120-135 | 14.664 | 32.4 | 4.6 | .153 |
| 135-150 | 14.664 | 32.4 | 4.6 | .172 |
| 150-165 | 14.664 | 32.4 | 4.6 | .191 |
| 165-180 | 14.664 | 32.4 | 4.6 | .210 |
| 180-195 | 14.664 | 32.4 | 4.6 | .230 |
| 195-210 | 14.664 | 32.4 | 4.6 | .250 |
| 210-225 | 14.664 | 32.4 | 4.6 | .270 |
| 225-240 | 14.664 | 32.4 | 4.6 | .290 |
| 240-255 | 14.664 | 32.4 | 4.6 | .310 |
| 255-270 | 14.664 | 32.4 | 4.6 | .330 |
| 270-285 | 14.664 | 32.4 | 4.6 | .350 |
| 285-300 | 14.664 | 32.4 | 4.6 | .370 |
| 300-315 | 14.664 | 32.4 | 4.6 | .390 |
| 315-330 | 14.664 | 32.4 | 4.6 | .410 |
| 330-345 | 14.664 | 32.4 | 4.6 | .430 |
| 345-360 | 14.664 | 32.4 | 4.6 | .450 |
| 360-375 | 14.664 | 32.4 | 4.6 | .470 |
| 375-390 | 14.664 | 32.4 | 4.6 | .490 |
| 390-405 | 14.664 | 32.4 | 4.6 | .510 |
| 405-420 | 14.664 | 32.4 | 4.6 | .530 |
| 420-435 | 14.664 | 32.4 | 4.6 | .550 |
| 435-450 | 14.664 | 32.4 | 4.6 | .570 |
| 450-465 | 14.664 | 32.4 | 4.6 | .590 |
| 465-480 | 14.664 | 32.4 | 4.6 | .610 |
| 480-495 | 14.664 | 32.4 | 4.6 | .630 |
| 495-510 | 14.664 | 32.4 | 4.6 | .650 |
| 510-525 | 14.664 | 32.4 | 4.6 | .670 |
| 525-540 | 14.664 | 32.4 | 4.6 | .690 |
| 540-555 | 14.664 | 32.4 | 4.6 | .710 |
| 555-570 | 14.664 | 32.4 | 4.6 | .730 |
| 570-585 | 14.664 | 32.4 | 4.6 | .750 |
| 585-600 | 14.664 | 32.4 | 4.6 | .770 |
| 600-615 | 14.664 | 32.4 | 4.6 | .790 |
| 615-630 | 14.664 | 32.4 | 4.6 | .810 |
| 630-645 | 14.664 | 32.4 | 4.6 | .830 |
| 645-660 | 14.664 | 32.4 | 4.6 | .850 |
| 660-675 | 14.664 | 32.4 | 4.6 | .870 |
| 675-690 | 14.664 | 32.4 | 4.6 | .890 |
| 690-705 | 14.664 | 32.4 | 4.6 | .910 |
| 705-720 | 14.664 | 32.4 | 4.6 | .930 |
| 720-735 | 14.664 | 32.4 | 4.6 | .950 |
| 735-750 | 14.664 | 32.4 | 4.6 | .970 |
| 750-765 | 14.664 | 32.4 | 4.6 | .990 |
| 765-780 | 14.664 | 32.4 | 4.6 | 1.010 |
| 780-795 | 14.664 | 32.4 | 4.6 | 1.030 |
| 795-810 | 14.664 | 32.4 | 4.6 | 1.050 |
| 810-825 | 14.664 | 32.4 | 4.6 | 1.070 |
| 825-840 | 14.664 | 32.4 | 4.6 | 1.090 |
| 840-855 | 14.664 | 32.4 | 4.6 | 1.110 |
| 855-870 | 14.664 | 32.4 | 4.6 | 1.130 |
| 870-885 | 14.664 | 32.4 | 4.6 | 1.150 |
| 885-900 | 14.664 | 32.4 | 4.6 | 1.170 |
| 900-915 | 14.664 | 32.4 | 4.6 | 1.190 |
| 915-930 | 14.664 | 32.4 | 4.6 | 1.210 |
| 930-945 | 14.664 | 32.4 | 4.6 | 1.230 |
| 945-960 | 14.664 | 32.4 | 4.6 | 1.250 |
| 960-975 | 14.664 | 32.4 | 4.6 | 1.270 |
| 975-990 | 14.664 | 32.4 | 4.6 | 1.290 |
| 990-1000 | 14.664 | 32.4 | 4.6 | 1.310 |




| DEPTH (M) | TEMPERATURE (C) | SALINITY (PPM) | SIGMA-T | DEPTH (M) | TEMPERATURE (C) | SALINITY (PPM) | SIGMA-T |
|-----------|-----------------|----------------|---------|-----------|-----------------|----------------|---------|
| 0 | 4.0 | 32.30 | 32.30 | 0 | 4.0 | 32.30 | 32.30 |
| 100 | 4.0 | 32.30 | 32.30 | 100 | 4.0 | 32.30 | 32.30 |
| 200 | 6.0 | 32.30 | 32.30 | 200 | 6.0 | 32.30 | 32.30 |
| 300 | 7.0 | 32.30 | 32.30 | 300 | 7.0 | 32.30 | 32.30 |
| 400 | 7.5 | 32.30 | 32.30 | 400 | 7.5 | 32.30 | 32.30 |
| 500 | 8.0 | 32.30 | 32.30 | 500 | 8.0 | 32.30 | 32.30 |
| 600 | 8.5 | 32.30 | 32.30 | 600 | 8.5 | 32.30 | 32.30 |
| 700 | 9.0 | 32.30 | 32.30 | 700 | 9.0 | 32.30 | 32.30 |
| 800 | 9.5 | 32.30 | 32.30 | 800 | 9.5 | 32.30 | 32.30 |
| 900 | 10.0 | 32.30 | 32.30 | 900 | 10.0 | 32.30 | 32.30 |
| 1000 | 10.5 | 32.30 | 32.30 | 1000 | 10.5 | 32.30 | 32.30 |
| 1100 | 11.0 | 32.30 | 32.30 | 1100 | 11.0 | 32.30 | 32.30 |
| 1200 | 11.5 | 32.30 | 32.30 | 1200 | 11.5 | 32.30 | 32.30 |
| 1300 | 12.0 | 32.30 | 32.30 | 1300 | 12.0 | 32.30 | 32.30 |
| 1400 | 12.5 | 32.30 | 32.30 | 1400 | 12.5 | 32.30 | 32.30 |
| 1500 | 13.0 | 32.30 | 32.30 | 1500 | 13.0 | 32.30 | 32.30 |
| 1600 | 13.5 | 32.30 | 32.30 | 1600 | 13.5 | 32.30 | 32.30 |



CAST R04R2-OC-041 DATE 18 OCT 72 TIME 1041 GM
 LAT 40°45' N LONG 110°35' W
 CLOUD 1 SKY 3 WIND 0 DRY 12.6
 GROWTH 295 H CLOUD 4 AMOUNT 4
 DEPTH 1600 M
 SIG
 S104R-1
 CAST 041
 SIG
 S104R-1




CAST R04R2-OC-040 DATE 18 OCT 72 TIME 1454 GM
 LAT 40°45' N LONG 110°40' W
 CLOUD 1 SKY 3 WIND 0 DRY 12.0
 GROWTH 295 H CLOUD 4 AMOUNT 4
 DEPTH 1600 M
 SIG
 S104R-1
 CAST 040
 SIG
 S104R-1
 29.00 24.00 25.00 26.00 27.00 28.00
 29.00 24.00 25.00 26.00 27.00 28.00




CAST NOAR2-OC-043 DATE 18 OCT 72 TIME 2202 GHT
LAT 48°32'N LONG 136°32'W
WEATHER 100% CLOUDY
WIND 15 KTS
SPD 15.1 KTS
WAVES 1.5 M
DEPTH 12.4 M
AUXILIARY 4 DRY 14.5 M
WATER 13.5 M
AIR 14.5 M
SIGMA-T
TEMPERATURE (°C)
SALINITY (PPM)
SIGMA-T (DYN/M²)

| DEPTH (M) | TEMPERATURE (°C) | SALINITY (PPM) | SIGMA-T (DYN/M²) |
|-----------|------------------|----------------|------------------|
| 0 | 35.4 | 32.56 | 24.35 |
| 100 | 34.5 | 32.52 | 24.35 |
| 200 | 34.5 | 32.52 | 24.35 |
| 300 | 34.5 | 32.52 | 24.35 |
| 400 | 34.5 | 32.52 | 24.35 |
| 500 | 34.5 | 32.52 | 24.35 |
| 600 | 34.5 | 32.52 | 24.35 |
| 700 | 34.5 | 32.52 | 24.35 |
| 800 | 34.5 | 32.52 | 24.35 |
| 900 | 34.5 | 32.52 | 24.35 |
| 1000 | 34.5 | 32.52 | 24.35 |
| 1100 | 34.5 | 32.52 | 24.35 |
| 1200 | 34.5 | 32.52 | 24.35 |
| 1300 | 34.5 | 32.52 | 24.35 |
| 1400 | 34.5 | 32.52 | 24.35 |
| 1500 | 34.5 | 32.52 | 24.35 |
| 1600 | 34.5 | 32.52 | 24.35 |




CAST NOAR2-OC-042 DATE 18 OCT 72 TIME 2202 GHT
LAT 48°32'N LONG 136°32'W
WEATHER 100% CLOUDY
WIND 15 KTS
SPD 15.1 M
WAVES 1.5 M
DEPTH 12.4 M
AUXILIARY 4 DRY 14.5 M
WATER 13.5 M
AIR 14.5 M
SIGMA-T
TEMPERATURE (°C)
SALINITY (PPM)
SIGMA-T (DYN/M²)

| DEPTH (M) | TEMPERATURE (°C) | SALINITY (PPM) | SIGMA-T (DYN/M²) |
|-----------|------------------|----------------|------------------|
| 0 | 35.4 | 32.56 | 24.35 |
| 100 | 34.5 | 32.52 | 24.35 |
| 200 | 34.5 | 32.52 | 24.35 |
| 300 | 34.5 | 32.52 | 24.35 |
| 400 | 34.5 | 32.52 | 24.35 |
| 500 | 34.5 | 32.52 | 24.35 |
| 600 | 34.5 | 32.52 | 24.35 |
| 700 | 34.5 | 32.52 | 24.35 |
| 800 | 34.5 | 32.52 | 24.35 |
| 900 | 34.5 | 32.52 | 24.35 |
| 1000 | 34.5 | 32.52 | 24.35 |
| 1100 | 34.5 | 32.52 | 24.35 |
| 1200 | 34.5 | 32.52 | 24.35 |
| 1300 | 34.5 | 32.52 | 24.35 |
| 1400 | 34.5 | 32.52 | 24.35 |
| 1500 | 34.5 | 32.52 | 24.35 |
| 1600 | 34.5 | 32.52 | 24.35 |



| CAST ROAR2-OC-045 DATE 19 OCT 72 TIME 0515 GMT | | | | | |
|--|------------------|----------------|---------|------------------|--|
| LAT 48 58.5N LONG 130 34.8W WEATHER 1 SEA STATE 1 | | | | | |
| BAROMETER 23 WIND 129 55 SW SPD 06 KT VISIBILITY 6 | | | | | |
| CLOUD X AMOUNT 9 GRY DEPTH 2400 M | | | | | |
| DEPTH (M) | TEMPERATURE (°C) | SALINITY (PPT) | SIGMA-T | DELTA-D (DYN HM) | TIME 0843 GMT |
| 0 | 13.0 | 35.0 | 28.0 | 0.000 | DATE 19 OCT 72 TIME 0843 GMT |
| 100 | 3.0 | 32.0 | 24.0 | 0.01 | LAT 48 59.1N LONG 130 35.5W WEATHER 1 SEA STATE 1 |
| 200 | 8.0 | 33.0 | 25.0 | 0.02 | BAROMETER 22 WIND 129 55 SW SPD 06 KT VISIBILITY 6 |
| 300 | 10.0 | 33.0 | 25.5 | 0.03 | CLOUD X AMOUNT 9 GRY DEPTH 2500 M |
| 400 | 11.0 | 33.5 | 26.0 | 0.04 | |
| 500 | 12.0 | 34.0 | 26.5 | 0.05 | |
| 600 | 13.0 | 34.5 | 27.0 | 0.06 | |
| 700 | 14.0 | 35.0 | 27.5 | 0.07 | |
| 800 | 14.5 | 35.0 | 27.8 | 0.08 | |
| 900 | 14.8 | 35.0 | 28.0 | 0.09 | |
| 1000 | 15.0 | 35.0 | 28.2 | 0.10 | |
| 1100 | 15.2 | 35.0 | 28.4 | 0.11 | |
| 1200 | 15.4 | 35.0 | 28.6 | 0.12 | |
| 1300 | 15.6 | 35.0 | 28.8 | 0.13 | |
| 1400 | 15.8 | 35.0 | 29.0 | 0.14 | |
| 1500 | 16.0 | 35.0 | 29.2 | 0.15 | |
| 1600 | 16.2 | 35.0 | 29.4 | 0.16 | |




CAST ROARK-OC-046 DATE 19 OCT 72 TIME 1201 GMT
LAT 48°29'.8N LONG 128°59'.0W
SEAS STATE 1
WEATHER 1
DEPTH 13.0 M

| DEPTH (M) | TEMPERATURE (°C) | SALINITY (PPM) | SIGMA-T (DYN CM⁻²) |
|-----------|------------------|----------------|--------------------|
| 0 | 11.74 | 32.06 | 24.38 |
| .5 | 11.75 | 32.06 | 24.38 |
| 1.0 | 11.75 | 32.06 | 24.38 |
| 1.5 | 11.51 | 32.16 | 24.42 |
| 2.0 | 11.51 | 32.16 | 24.42 |
| 2.5 | 10.95 | 32.24 | 24.53 |
| 3.0 | 10.95 | 32.24 | 24.53 |
| 3.5 | 10.38 | 32.24 | 24.53 |
| 4.0 | 10.38 | 32.24 | 24.53 |
| 4.5 | 9.22 | 32.24 | 24.52 |
| 5.0 | 9.22 | 32.24 | 24.52 |
| 5.5 | 8.94 | 32.24 | 24.51 |
| 6.0 | 8.94 | 32.24 | 24.51 |
| 6.5 | 8.03 | 32.24 | 24.49 |
| 7.0 | 7.03 | 32.24 | 24.47 |
| 7.5 | 7.03 | 32.24 | 24.47 |
| 8.0 | 6.09 | 32.24 | 24.46 |
| 8.5 | 6.09 | 32.24 | 24.46 |
| 9.0 | 5.04 | 32.24 | 24.45 |
| 9.5 | 5.04 | 32.24 | 24.45 |
| 10.0 | 4.46 | 32.24 | 24.44 |
| 10.5 | 4.39 | 32.24 | 24.44 |
| 11.0 | 3.94 | 32.24 | 24.42 |
| 11.5 | 3.94 | 32.24 | 24.42 |
| 12.0 | 3.46 | 32.24 | 24.39 |
| 12.5 | 3.46 | 32.24 | 24.39 |
| 13.0 | 2.42 | 32.24 | 24.38 |
| 13.5 | 2.42 | 32.24 | 24.38 |
| 14.0 | 1.45 | 32.24 | 24.38 |
| 14.5 | 1.45 | 32.24 | 24.38 |
| 15.0 | 1.45 | 32.24 | 24.38 |
| 15.5 | 1.45 | 32.24 | 24.38 |
| 16.0 | 1.45 | 32.24 | 24.38 |

CAST ROAK2-OC-047 DATE 19 OCT 72 TIME 1557 GMT
LAT 49°00'.3N LONG 127°58'.2W
SEAS STATE 2
WEATHER 1
DEPTH 12.1 M

| DEPTH (M) | TEMPERATURE (°C) | SALINITY (PPM) | SIGMA-T (DYN CM⁻²) |
|-----------|------------------|----------------|--------------------|
| 0 | 11.72 | 32.10 | 24.41 |
| .5 | 11.72 | 32.11 | 24.41 |
| 1.0 | 11.72 | 32.12 | 24.41 |
| 1.5 | 11.72 | 32.12 | 24.41 |
| 2.0 | 11.53 | 32.12 | 24.41 |
| 2.5 | 11.53 | 32.12 | 24.41 |
| 3.0 | 11.53 | 32.12 | 24.41 |
| 3.5 | 11.53 | 32.12 | 24.41 |
| 4.0 | 11.53 | 32.12 | 24.41 |
| 4.5 | 11.53 | 32.12 | 24.41 |
| 5.0 | 11.53 | 32.12 | 24.41 |
| 5.5 | 11.53 | 32.12 | 24.41 |
| 6.0 | 11.53 | 32.12 | 24.41 |
| 6.5 | 11.53 | 32.12 | 24.41 |
| 7.0 | 11.53 | 32.12 | 24.41 |
| 7.5 | 11.53 | 32.12 | 24.41 |
| 8.0 | 11.53 | 32.12 | 24.41 |
| 8.5 | 11.53 | 32.12 | 24.41 |
| 9.0 | 11.53 | 32.12 | 24.41 |
| 9.5 | 11.53 | 32.12 | 24.41 |
| 10.0 | 11.53 | 32.12 | 24.41 |
| 10.5 | 11.53 | 32.12 | 24.41 |
| 11.0 | 11.53 | 32.12 | 24.41 |
| 11.5 | 11.53 | 32.12 | 24.41 |
| 12.0 | 11.53 | 32.12 | 24.41 |





CAST ROAR2-OC-049 DATE 19 OCT 72 TIME 1801 GMT
LAT 48°56'N LONG 127°55'W WEATHER 2 STATE 1
BAROMETER 1010 DRY SP0 10 WIND 180° DIR 13.0
CLOUD 7 AMOUNT 8 DRY DEPTH 2455 M

| DEPTH (M) | TEMPERATURE (C) | SALINITY (PPM) | DELTA-D (DYN/M) |
|-----------|-----------------|----------------|-----------------|
| 100 | 1.0 | 35.0 | 0.000 |
| 200 | 1.2 | 35.0 | 0.100 |
| 300 | 1.4 | 35.0 | 0.200 |
| 400 | 1.6 | 35.0 | 0.300 |
| 500 | 1.8 | 35.0 | 0.400 |
| 600 | 2.0 | 35.0 | 0.500 |
| 700 | 2.2 | 35.0 | 0.600 |
| 800 | 2.4 | 35.0 | 0.700 |
| 900 | 2.6 | 35.0 | 0.800 |
| 1000 | 2.8 | 35.0 | 0.900 |
| 1100 | 3.0 | 35.0 | 1.000 |
| 1200 | 3.2 | 35.0 | 1.100 |
| 1300 | 3.4 | 35.0 | 1.200 |
| 1400 | 3.6 | 35.0 | 1.300 |
| 1500 | 3.8 | 35.0 | 1.400 |
| 1600 | 4.0 | 35.0 | 1.500 |


CAST ROAR2-OC-048 DATE 19 OCT 72 TIME 2003 GMT
LAT 48°59'N LONG 127°56'W WEATHER 2 STATE 1
BAROMETER 1010 DRY SP0 6 WIND 180° DIR 13.1
CLOUD 7 AMOUNT 8 DRY DEPTH 2488 M

| DEPTH (M) | TEMPERATURE (C) | SALINITY (PPM) | DELTA-D (DYN/M) |
|-----------|-----------------|----------------|-----------------|
| 100 | 1.0 | 35.0 | 0.000 |
| 200 | 1.2 | 35.0 | 0.100 |
| 300 | 1.4 | 35.0 | 0.200 |
| 400 | 1.6 | 35.0 | 0.300 |
| 500 | 1.8 | 35.0 | 0.400 |
| 600 | 2.0 | 35.0 | 0.500 |
| 700 | 2.2 | 35.0 | 0.600 |
| 800 | 2.4 | 35.0 | 0.700 |
| 900 | 2.6 | 35.0 | 0.800 |
| 1000 | 2.8 | 35.0 | 0.900 |
| 1100 | 3.0 | 35.0 | 1.000 |
| 1200 | 3.2 | 35.0 | 1.100 |
| 1300 | 3.4 | 35.0 | 1.200 |
| 1400 | 3.6 | 35.0 | 1.300 |
| 1500 | 3.8 | 35.0 | 1.400 |
| 1600 | 4.0 | 35.0 | 1.500 |





CAST ROAR2-OC-051 DATE 19 OCT 7203 TIME 2203 GMT
 LAT 49°02'N LONG 128°49'E WEATHER 1
 BAROMETER 1010 KT 120 WIND 120 KT 120
 CLOUDS X AMOUNT 9 DRY 12.8 WET 12.1 DEPTH 2483 m


| DEPTH (m) | TEMPERATURE (°C) | SALINITY (‰) | DELTAD (PPM) | SIGMA-T (PPM) |
|-----------|------------------|--------------|--------------|---------------|
| 0 | 11.8 | 35.0 | 0.000 | 0.000 |
| 100 | 11.8 | 35.0 | 0.000 | 0.000 |
| 200 | 11.8 | 35.0 | 0.000 | 0.000 |
| 300 | 11.8 | 35.0 | 0.000 | 0.000 |
| 400 | 11.8 | 35.0 | 0.000 | 0.000 |
| 500 | 11.8 | 35.0 | 0.000 | 0.000 |
| 600 | 11.8 | 35.0 | 0.000 | 0.000 |
| 700 | 11.8 | 35.0 | 0.000 | 0.000 |
| 800 | 11.8 | 35.0 | 0.000 | 0.000 |
| 900 | 11.8 | 35.0 | 0.000 | 0.000 |
| 1000 | 11.8 | 35.0 | 0.000 | 0.000 |
| 1100 | 11.8 | 35.0 | 0.000 | 0.000 |
| 1200 | 11.8 | 35.0 | 0.000 | 0.000 |
| 1300 | 11.8 | 35.0 | 0.000 | 0.000 |
| 1400 | 11.8 | 35.0 | 0.000 | 0.000 |
| 1500 | 11.8 | 35.0 | 0.000 | 0.000 |
| 1600 | 11.8 | 35.0 | 0.000 | 0.000 |
| 1700 | 11.8 | 35.0 | 0.000 | 0.000 |
| 1800 | 11.8 | 35.0 | 0.000 | 0.000 |
| 1900 | 11.8 | 35.0 | 0.000 | 0.000 |
| 2000 | 11.8 | 35.0 | 0.000 | 0.000 |
| 2100 | 11.8 | 35.0 | 0.000 | 0.000 |
| 2200 | 11.8 | 35.0 | 0.000 | 0.000 |
| 2300 | 11.8 | 35.0 | 0.000 | 0.000 |
| 2400 | 11.8 | 35.0 | 0.000 | 0.000 |
| 2500 | 11.8 | 35.0 | 0.000 | 0.000 |
| 2600 | 11.8 | 35.0 | 0.000 | 0.000 |
| 2700 | 11.8 | 35.0 | 0.000 | 0.000 |
| 2800 | 11.8 | 35.0 | 0.000 | 0.000 |
| 2900 | 11.8 | 35.0 | 0.000 | 0.000 |
| 3000 | 11.8 | 35.0 | 0.000 | 0.000 |
| 3100 | 11.8 | 35.0 | 0.000 | 0.000 |
| 3200 | 11.8 | 35.0 | 0.000 | 0.000 |
| 3300 | 11.8 | 35.0 | 0.000 | 0.000 |
| 3400 | 11.8 | 35.0 | 0.000 | 0.000 |
| 3500 | 11.8 | 35.0 | 0.000 | 0.000 |
| 3600 | 11.8 | 35.0 | 0.000 | 0.000 |
| 3700 | 11.8 | 35.0 | 0.000 | 0.000 |
| 3800 | 11.8 | 35.0 | 0.000 | 0.000 |
| 3900 | 11.8 | 35.0 | 0.000 | 0.000 |
| 4000 | 11.8 | 35.0 | 0.000 | 0.000 |
| 4100 | 11.8 | 35.0 | 0.000 | 0.000 |
| 4200 | 11.8 | 35.0 | 0.000 | 0.000 |
| 4300 | 11.8 | 35.0 | 0.000 | 0.000 |
| 4400 | 11.8 | 35.0 | 0.000 | 0.000 |
| 4500 | 11.8 | 35.0 | 0.000 | 0.000 |
| 4600 | 11.8 | 35.0 | 0.000 | 0.000 |
| 4700 | 11.8 | 35.0 | 0.000 | 0.000 |
| 4800 | 11.8 | 35.0 | 0.000 | 0.000 |
| 4900 | 11.8 | 35.0 | 0.000 | 0.000 |
| 5000 | 11.8 | 35.0 | 0.000 | 0.000 |
| 5100 | 11.8 | 35.0 | 0.000 | 0.000 |
| 5200 | 11.8 | 35.0 | 0.000 | 0.000 |
| 5300 | 11.8 | 35.0 | 0.000 | 0.000 |
| 5400 | 11.8 | 35.0 | 0.000 | 0.000 |
| 5500 | 11.8 | 35.0 | 0.000 | 0.000 |
| 5600 | 11.8 | 35.0 | 0.000 | 0.000 |
| 5700 | 11.8 | 35.0 | 0.000 | 0.000 |
| 5800 | 11.8 | 35.0 | 0.000 | 0.000 |
| 5900 | 11.8 | 35.0 | 0.000 | 0.000 |
| 6000 | 11.8 | 35.0 | 0.000 | 0.000 |
| 6100 | 11.8 | 35.0 | 0.000 | 0.000 |
| 6200 | 11.8 | 35.0 | 0.000 | 0.000 |
| 6300 | 11.8 | 35.0 | 0.000 | 0.000 |
| 6400 | 11.8 | 35.0 | 0.000 | 0.000 |
| 6500 | 11.8 | 35.0 | 0.000 | 0.000 |
| 6600 | 11.8 | 35.0 | 0.000 | 0.000 |
| 6700 | 11.8 | 35.0 | 0.000 | 0.000 |
| 6800 | 11.8 | 35.0 | 0.000 | 0.000 |
| 6900 | 11.8 | 35.0 | 0.000 | 0.000 |
| 7000 | 11.8 | 35.0 | 0.000 | 0.000 |
| 7100 | 11.8 | 35.0 | 0.000 | 0.000 |
| 7200 | 11.8 | 35.0 | 0.000 | 0.000 |
| 7300 | 11.8 | 35.0 | 0.000 | 0.000 |
| 7400 | 11.8 | 35.0 | 0.000 | 0.000 |
| 7500 | 11.8 | 35.0 | 0.000 | 0.000 |
| 7600 | 11.8 | 35.0 | 0.000 | 0.000 |
| 7700 | 11.8 | 35.0 | 0.000 | 0.000 |
| 7800 | 11.8 | 35.0 | 0.000 | 0.000 |
| 7900 | 11.8 | 35.0 | 0.000 | 0.000 |
| 8000 | 11.8 | 35.0 | 0.000 | 0.000 |
| 8100 | 11.8 | 35.0 | 0.000 | 0.000 |
| 8200 | 11.8 | 35.0 | 0.000 | 0.000 |
| 8300 | 11.8 | 35.0 | 0.000 | 0.000 |
| 8400 | 11.8 | 35.0 | 0.000 | 0.000 |
| 8500 | 11.8 | 35.0 | 0.000 | 0.000 |
| 8600 | 11.8 | 35.0 | 0.000 | 0.000 |
| 8700 | 11.8 | 35.0 | 0.000 | 0.000 |
| 8800 | 11.8 | 35.0 | 0.000 | 0.000 |
| 8900 | 11.8 | 35.0 | 0.000 | 0.000 |
| 9000 | 11.8 | 35.0 | 0.000 | 0.000 |
| 9100 | 11.8 | 35.0 | 0.000 | 0.000 |
| 9200 | 11.8 | 35.0 | 0.000 | 0.000 |
| 9300 | 11.8 | 35.0 | 0.000 | 0.000 |
| 9400 | 11.8 | 35.0 | 0.000 | 0.000 |
| 9500 | 11.8 | 35.0 | 0.000 | 0.000 |
| 9600 | 11.8 | 35.0 | 0.000 | 0.000 |
| 9700 | 11.8 | 35.0 | 0.000 | 0.000 |
| 9800 | 11.8 | 35.0 | 0.000 | 0.000 |
| 9900 | 11.8 | 35.0 | 0.000 | 0.000 |
| 10000 | 11.8 | 35.0 | 0.000 | 0.000 |




| CAST 30AR2-OC-053 | | | | | | | | | |
|-------------------|-----------------|----------------|----------|------------------|-----------|-----------------|----------------|---------|------------------|
| LAT | LONG | DATE | TIME | WATER | SALINITY | TEMPERATURE | SIGMA-T | DEPTH | TIME |
| 43 01.0N | 128 01.0E | 01/27/72 | 00:20:27 | WT 8 KT | 35.00 | 11.00 | 26.00 | 0 | 00:20:27 |
| BAROMETER | DIR | SPD | WIND | VISIBILITY | | | | | |
| CLD/DRY X AMOUNT | AMOUNT | 12.5 | DRY | DEPTH | 2435 M | | | | |
| DEPTH (M) | TEMPERATURE (C) | SALINITY (PPM) | SIGMA-T | DETAILED (FTN H) | DEPTH (M) | TEMPERATURE (C) | SALINITY (PPM) | SIGMA-T | DETAILED (FTN H) |
| 0 | 14.94 | 34.96 | 24.00 | 0.000 | 0 | 11.99 | 32.00 | 24.39 | 0.000 |
| 4 | 14.92 | 34.94 | 24.00 | 0.000 | 4 | 11.96 | 32.00 | 24.39 | 0.000 |
| 8 | 14.93 | 34.97 | 24.00 | 0.019 | 8 | 11.97 | 32.00 | 24.39 | 0.019 |
| 12 | 14.91 | 34.97 | 24.00 | 0.019 | 12 | 11.97 | 32.00 | 24.39 | 0.019 |
| 16 | 14.96 | 34.92 | 24.00 | 0.053 | 16 | 11.97 | 32.00 | 24.39 | 0.053 |
| 20 | 14.92 | 34.96 | 24.00 | 0.053 | 20 | 11.97 | 32.00 | 24.39 | 0.053 |
| 24 | 14.92 | 34.96 | 24.00 | 0.053 | 24 | 11.97 | 32.00 | 24.39 | 0.053 |
| 28 | 14.92 | 34.96 | 24.00 | 0.053 | 28 | 11.97 | 32.00 | 24.39 | 0.053 |
| 32 | 14.92 | 34.96 | 24.00 | 0.053 | 32 | 11.97 | 32.00 | 24.39 | 0.053 |
| 36 | 14.92 | 34.96 | 24.00 | 0.053 | 36 | 11.97 | 32.00 | 24.39 | 0.053 |
| 40 | 14.92 | 34.96 | 24.00 | 0.053 | 40 | 11.97 | 32.00 | 24.39 | 0.053 |
| 44 | 14.92 | 34.96 | 24.00 | 0.053 | 44 | 11.97 | 32.00 | 24.39 | 0.053 |
| 48 | 14.92 | 34.96 | 24.00 | 0.053 | 48 | 11.97 | 32.00 | 24.39 | 0.053 |
| 52 | 14.92 | 34.96 | 24.00 | 0.053 | 52 | 11.97 | 32.00 | 24.39 | 0.053 |
| 56 | 14.92 | 34.96 | 24.00 | 0.053 | 56 | 11.97 | 32.00 | 24.39 | 0.053 |
| 60 | 14.92 | 34.96 | 24.00 | 0.053 | 60 | 11.97 | 32.00 | 24.39 | 0.053 |
| 64 | 14.92 | 34.96 | 24.00 | 0.053 | 64 | 11.97 | 32.00 | 24.39 | 0.053 |
| 68 | 14.92 | 34.96 | 24.00 | 0.053 | 68 | 11.97 | 32.00 | 24.39 | 0.053 |
| 72 | 14.92 | 34.96 | 24.00 | 0.053 | 72 | 11.97 | 32.00 | 24.39 | 0.053 |
| 76 | 14.92 | 34.96 | 24.00 | 0.053 | 76 | 11.97 | 32.00 | 24.39 | 0.053 |
| 80 | 14.92 | 34.96 | 24.00 | 0.053 | 80 | 11.97 | 32.00 | 24.39 | 0.053 |
| 84 | 14.92 | 34.96 | 24.00 | 0.053 | 84 | 11.97 | 32.00 | 24.39 | 0.053 |
| 88 | 14.92 | 34.96 | 24.00 | 0.053 | 88 | 11.97 | 32.00 | 24.39 | 0.053 |
| 92 | 14.92 | 34.96 | 24.00 | 0.053 | 92 | 11.97 | 32.00 | 24.39 | 0.053 |
| 96 | 14.92 | 34.96 | 24.00 | 0.053 | 96 | 11.97 | 32.00 | 24.39 | 0.053 |
| 100 | 14.92 | 34.96 | 24.00 | 0.053 | 100 | 11.97 | 32.00 | 24.39 | 0.053 |
| 104 | 14.92 | 34.96 | 24.00 | 0.053 | 104 | 11.97 | 32.00 | 24.39 | 0.053 |
| 108 | 14.92 | 34.96 | 24.00 | 0.053 | 108 | 11.97 | 32.00 | 24.39 | 0.053 |
| 112 | 14.92 | 34.96 | 24.00 | 0.053 | 112 | 11.97 | 32.00 | 24.39 | 0.053 |
| 116 | 14.92 | 34.96 | 24.00 | 0.053 | 116 | 11.97 | 32.00 | 24.39 | 0.053 |
| 120 | 14.92 | 34.96 | 24.00 | 0.053 | 120 | 11.97 | 32.00 | 24.39 | 0.053 |
| 124 | 14.92 | 34.96 | 24.00 | 0.053 | 124 | 11.97 | 32.00 | 24.39 | 0.053 |
| 128 | 14.92 | 34.96 | 24.00 | 0.053 | 128 | 11.97 | 32.00 | 24.39 | 0.053 |
| 132 | 14.92 | 34.96 | 24.00 | 0.053 | 132 | 11.97 | 32.00 | 24.39 | 0.053 |
| 136 | 14.92 | 34.96 | 24.00 | 0.053 | 136 | 11.97 | 32.00 | 24.39 | 0.053 |
| 140 | 14.92 | 34.96 | 24.00 | 0.053 | 140 | 11.97 | 32.00 | 24.39 | 0.053 |
| 144 | 14.92 | 34.96 | 24.00 | 0.053 | 144 | 11.97 | 32.00 | 24.39 | 0.053 |
| 148 | 14.92 | 34.96 | 24.00 | 0.053 | 148 | 11.97 | 32.00 | 24.39 | 0.053 |
| 152 | 14.92 | 34.96 | 24.00 | 0.053 | 152 | 11.97 | 32.00 | 24.39 | 0.053 |
| 156 | 14.92 | 34.96 | 24.00 | 0.053 | 156 | 11.97 | 32.00 | 24.39 | 0.053 |
| 160 | 14.92 | 34.96 | 24.00 | 0.053 | 160 | 11.97 | 32.00 | 24.39 | 0.053 |




| DEPTH (M) | TEMPERATURE (°C) | SALINITY (PPM) | SIGMA-T | SIGMA-0 |
|-----------|------------------|----------------|---------|---------|
| 0 | 10.39 | 31.98 | 31.98 | 31.98 |
| 100 | 10.50 | 31.99 | 31.99 | 31.99 |
| 200 | 10.45 | 32.00 | 32.00 | 32.00 |
| 300 | 10.32 | 32.02 | 32.02 | 32.02 |
| 400 | 10.15 | 32.05 | 32.05 | 32.05 |
| 500 | 9.97 | 32.07 | 32.07 | 32.07 |
| 600 | 9.76 | 32.09 | 32.09 | 32.09 |
| 700 | 9.55 | 32.11 | 32.11 | 32.11 |
| 800 | 9.35 | 32.13 | 32.13 | 32.13 |
| 900 | 9.15 | 32.15 | 32.15 | 32.15 |
| 1000 | 8.95 | 32.17 | 32.17 | 32.17 |
| 1100 | 8.75 | 32.19 | 32.19 | 32.19 |
| 1200 | 8.55 | 32.21 | 32.21 | 32.21 |
| 1300 | 8.35 | 32.23 | 32.23 | 32.23 |
| 1400 | 8.15 | 32.25 | 32.25 | 32.25 |
| 1500 | 7.95 | 32.27 | 32.27 | 32.27 |
| 1600 | 7.75 | 32.29 | 32.29 | 32.29 |
| 1700 | 7.55 | 32.31 | 32.31 | 32.31 |
| 1800 | 7.35 | 32.33 | 32.33 | 32.33 |
| 1900 | 7.15 | 32.35 | 32.35 | 32.35 |
| 2000 | 6.95 | 32.37 | 32.37 | 32.37 |
| 2100 | 6.75 | 32.39 | 32.39 | 32.39 |
| 2200 | 6.55 | 32.41 | 32.41 | 32.41 |
| 2300 | 6.35 | 32.43 | 32.43 | 32.43 |
| 2400 | 6.15 | 32.45 | 32.45 | 32.45 |
| 2500 | 5.95 | 32.47 | 32.47 | 32.47 |
| 2600 | 5.75 | 32.49 | 32.49 | 32.49 |
| 2700 | 5.55 | 32.51 | 32.51 | 32.51 |
| 2800 | 5.35 | 32.53 | 32.53 | 32.53 |
| 2900 | 5.15 | 32.55 | 32.55 | 32.55 |
| 3000 | 4.95 | 32.57 | 32.57 | 32.57 |
| 3100 | 4.75 | 32.59 | 32.59 | 32.59 |
| 3200 | 4.55 | 32.61 | 32.61 | 32.61 |
| 3300 | 4.35 | 32.63 | 32.63 | 32.63 |
| 3400 | 4.15 | 32.65 | 32.65 | 32.65 |
| 3500 | 3.95 | 32.67 | 32.67 | 32.67 |
| 3600 | 3.75 | 32.69 | 32.69 | 32.69 |
| 3700 | 3.55 | 32.71 | 32.71 | 32.71 |
| 3800 | 3.35 | 32.73 | 32.73 | 32.73 |
| 3900 | 3.15 | 32.75 | 32.75 | 32.75 |
| 4000 | 2.95 | 32.77 | 32.77 | 32.77 |
| 4100 | 2.75 | 32.79 | 32.79 | 32.79 |
| 4200 | 2.55 | 32.81 | 32.81 | 32.81 |
| 4300 | 2.35 | 32.83 | 32.83 | 32.83 |
| 4400 | 2.15 | 32.85 | 32.85 | 32.85 |
| 4500 | 1.95 | 32.87 | 32.87 | 32.87 |
| 4600 | 1.75 | 32.89 | 32.89 | 32.89 |
| 4700 | 1.55 | 32.91 | 32.91 | 32.91 |
| 4800 | 1.35 | 32.93 | 32.93 | 32.93 |
| 4900 | 1.15 | 32.95 | 32.95 | 32.95 |
| 5000 | 0.95 | 32.97 | 32.97 | 32.97 |
| 5100 | 0.75 | 32.99 | 32.99 | 32.99 |
| 5200 | 0.55 | 33.01 | 33.01 | 33.01 |
| 5300 | 0.35 | 33.03 | 33.03 | 33.03 |
| 5400 | 0.15 | 33.05 | 33.05 | 33.05 |
| 5500 | -0.05 | 33.07 | 33.07 | 33.07 |
| 5600 | -0.25 | 33.09 | 33.09 | 33.09 |
| 5700 | -0.45 | 33.11 | 33.11 | 33.11 |
| 5800 | -0.65 | 33.13 | 33.13 | 33.13 |
| 5900 | -0.85 | 33.15 | 33.15 | 33.15 |
| 6000 | -1.05 | 33.17 | 33.17 | 33.17 |
| 6100 | -1.25 | 33.19 | 33.19 | 33.19 |
| 6200 | -1.45 | 33.21 | 33.21 | 33.21 |
| 6300 | -1.65 | 33.23 | 33.23 | 33.23 |
| 6400 | -1.85 | 33.25 | 33.25 | 33.25 |
| 6500 | -2.05 | 33.27 | 33.27 | 33.27 |
| 6600 | -2.25 | 33.29 | 33.29 | 33.29 |
| 6700 | -2.45 | 33.31 | 33.31 | 33.31 |
| 6800 | -2.65 | 33.33 | 33.33 | 33.33 |
| 6900 | -2.85 | 33.35 | 33.35 | 33.35 |
| 7000 | -3.05 | 33.37 | 33.37 | 33.37 |
| 7100 | -3.25 | 33.39 | 33.39 | 33.39 |
| 7200 | -3.45 | 33.41 | 33.41 | 33.41 |
| 7300 | -3.65 | 33.43 | 33.43 | 33.43 |
| 7400 | -3.85 | 33.45 | 33.45 | 33.45 |
| 7500 | -4.05 | 33.47 | 33.47 | 33.47 |
| 7600 | -4.25 | 33.49 | 33.49 | 33.49 |
| 7700 | -4.45 | 33.51 | 33.51 | 33.51 |
| 7800 | -4.65 | 33.53 | 33.53 | 33.53 |
| 7900 | -4.85 | 33.55 | 33.55 | 33.55 |
| 8000 | -5.05 | 33.57 | 33.57 | 33.57 |
| 8100 | -5.25 | 33.59 | 33.59 | 33.59 |
| 8200 | -5.45 | 33.61 | 33.61 | 33.61 |
| 8300 | -5.65 | 33.63 | 33.63 | 33.63 |
| 8400 | -5.85 | 33.65 | 33.65 | 33.65 |
| 8500 | -6.05 | 33.67 | 33.67 | 33.67 |
| 8600 | -6.25 | 33.69 | 33.69 | 33.69 |
| 8700 | -6.45 | 33.71 | 33.71 | 33.71 |
| 8800 | -6.65 | 33.73 | 33.73 | 33.73 |
| 8900 | -6.85 | 33.75 | 33.75 | 33.75 |
| 9000 | -7.05 | 33.77 | 33.77 | 33.77 |
| 9100 | -7.25 | 33.79 | 33.79 | 33.79 |
| 9200 | -7.45 | 33.81 | 33.81 | 33.81 |
| 9300 | -7.65 | 33.83 | 33.83 | 33.83 |
| 9400 | -7.85 | 33.85 | 33.85 | 33.85 |
| 9500 | -8.05 | 33.87 | 33.87 | 33.87 |
| 9600 | -8.25 | 33.89 | 33.89 | 33.89 |
| 9700 | -8.45 | 33.91 | 33.91 | 33.91 |
| 9800 | -8.65 | 33.93 | 33.93 | 33.93 |
| 9900 | -8.85 | 33.95 | 33.95 | 33.95 |
| 10000 | -9.05 | 33.97 | 33.97 | 33.97 |
| 10100 | -9.25 | 33.99 | 33.99 | 33.99 |
| 10200 | -9.45 | 34.01 | 34.01 | 34.01 |
| 10300 | -9.65 | 34.03 | 34.03 | 34.03 |
| 10400 | -9.85 | 34.05 | 34.05 | 34.05 |
| 10500 | -10.05 | 34.07 | 34.07 | 34.07 |
| 10600 | -10.25 | 34.09 | 34.09 | 34.09 |
| 10700 | -10.45 | 34.11 | 34.11 | 34.11 |
| 10800 | -10.65 | 34.13 | 34.13 | 34.13 |
| 10900 | -10.85 | 34.15 | 34.15 | 34.15 |
| 11000 | -11.05 | 34.17 | 34.17 | 34.17 |
| 11100 | -11.25 | 34.19 | 34.19 | 34.19 |
| 11200 | -11.45 | 34.21 | 34.21 | 34.21 |
| 11300 | -11.65 | 34.23 | 34.23 | 34.23 |
| 11400 | -11.85 | 34.25 | 34.25 | 34.25 |
| 11500 | -12.05 | 34.27 | 34.27 | 34.27 |
| 11600 | -12.25 | 34.29 | 34.29 | 34.29 |
| 11700 | -12.45 | 34.31 | 34.31 | 34.31 |
| 11800 | -12.65 | 34.33 | 34.33 | 34.33 |
| 11900 | -12.85 | 34.35 | 34.35 | 34.35 |
| 12000 | -13.05 | 34.37 | 34.37 | 34.37 |
| 12100 | -13.25 | 34.39 | 34.39 | 34.39 |
| 12200 | -13.45 | 34.41 | 34.41 | 34.41 |
| 12300 | -13.65 | 34.43 | 34.43 | 34.43 |
| 12400 | -13.85 | 34.45 | 34.45 | 34.45 |
| 12500 | -14.05 | 34.47 | 34.47 | 34.47 |
| 12600 | -14.25 | 34.49 | 34.49 | 34.49 |
| 12700 | -14.45 | 34.51 | 34.51 | 34.51 |
| 12800 | -14.65 | 34.53 | 34.53 | 34.53 |
| 12900 | -14.85 | 34.55 | 34.55 | 34.55 |
| 13000 | -15.05 | 34.57 | 34.57 | 34.57 |
| 13100 | -15.25 | 34.59 | 34.59 | 34.59 |
| 13200 | -15.45 | 34.61 | 34.61 | 34.61 |
| 13300 | -15.65 | 34.63 | 34.63 | 34.63 |
| 13400 | -15.85 | 34.65 | 34.65 | 34.65 |
| 13500 | -16.05 | 34.67 | 34.67 | 34.67 |
| 13600 | -16.25 | 34.69 | 34.69 | 34.69 |
| 13700 | -16.45 | 34.71 | 34.71 | 34.71 |
| 13800 | -16.65 | 34.73 | 34.73 | 34.73 |
| 13900 | -16.85 | 34.75 | 34.75 | 34.75 |
| 14000 | -17.05 | 34.77 | 34.77 | 34.77 |
| 14100 | -17.25 | 34.79 | 34.79 | 34.79 |
| 14200 | -17.45 | 34.81 | 34.81 | 34.81 |
| 14300 | -17.65 | 34.83 | 34.83 | 34.83 |
| 14400 | -17.85 | 34.85 | 34.85 | 34.85 |
| 14500 | -18.05 | 34.87 | 34.87 | 34.87 |
| 14600 | -18.25 | 34.89 | 34.89 | 34.89 |
| 14700 | -18.45 | 34.91 | 34.91 | 34.91 |
| 14800 | -18.65 | 34.93 | 34.93 | 34.93 |
| 14900 | -18.85 | 34.95 | 34.95 | 34.95 |
| 15000 | -19.05 | 34.97 | 34.97 | 34.97 |
| 15100 | -19.25 | 34.99 | 34.99 | 34.99 |
| 15200 | -19.45 | 35.01 | 35.01 | 35.01 |
| 15300 | -19.65 | 35.03 | 35.03 | 35.03 |
| 15400 | -19.85 | 35.05 | 35.05 | 35.05 |
| 15500 | -20.05 | 35.07 | 35.07 | 35.07 |
| 15600 | -20.25 | 35.09 | 35.09 | 35.09 |
| 15700 | -20.45 | 35.11 | 35.11 | 35.11 |
| 15800 | -20.65 | 35.13 | 35.13 | 35.13 |
| 15900 | -20.85 | 35.15 | 35.15 | 35.15 |
| 16000 | -21.05 | 35.17 | 35.17 | 35.17 |



CAST 057-OC-057 DATE 20 OCT 72 TIME 1403 GM
CAT 49 LAT 16.1N LONG 129.5W
BARO 1000 Hg WIND DRY 13.0
CLOUD X AMOUNT 9 DEPTH 13.0
SIGMA-T 0.000
DEPTH (M) TEMPERATURE (C)
0 11.5
25 11.5
50 11.5
75 11.5
100 11.5
125 11.5
150 11.5
175 11.5
200 11.5
225 11.5
250 11.5
275 11.5
300 11.5
325 11.5
350 11.5
375 11.5
400 11.5
425 11.5
450 11.5
475 11.5
500 11.5
525 11.5
550 11.5
575 11.5
600 11.5
625 11.5
650 11.5
675 11.5
700 11.5
725 11.5
750 11.5
775 11.5
800 11.5
825 11.5
850 11.5
875 11.5
900 11.5
925 11.5
950 11.5
975 11.5
1000 11.5
1025 11.5
1050 11.5
1075 11.5
1100 11.5
1125 11.5
1150 11.5
1175 11.5
1200 11.5
1225 11.5
1250 11.5
1275 11.5
1300 11.5
1325 11.5
1350 11.5
1375 11.5
1400 11.5
1425 11.5
1450 11.5
1475 11.5
1500 11.5
1525 11.5
1550 11.5
1575 11.5
1600 11.5




CAST 056-OC-056 DATE 20 OCT 72 TIME 1403 GM
CAT 49 LAT 16.1N LONG 129.5W
BARO 1000 Hg WIND DRY 13.5
CLOUD X AMOUNT 9 DEPTH 13.5
SIGMA-T 0.000
DEPTH (M) TEMPERATURE (C)
0 11.5
25 11.5
50 11.5
75 11.5
100 11.5
125 11.5
150 11.5
175 11.5
200 11.5
225 11.5
250 11.5
275 11.5
300 11.5
325 11.5
350 11.5
375 11.5
400 11.5
425 11.5
450 11.5
475 11.5
500 11.5
525 11.5
550 11.5
575 11.5
600 11.5
625 11.5
650 11.5
675 11.5
700 11.5
725 11.5
750 11.5
775 11.5
800 11.5
825 11.5
850 11.5
875 11.5
900 11.5
925 11.5
950 11.5
975 11.5
1000 11.5
1025 11.5
1050 11.5
1075 11.5
1100 11.5
1125 11.5
1150 11.5
1175 11.5
1200 11.5
1225 11.5
1250 11.5
1275 11.5
1300 11.5
1325 11.5
1350 11.5
1375 11.5
1400 11.5
1425 11.5
1450 11.5
1475 11.5
1500 11.5
1525 11.5
1550 11.5
1575 11.5
1600 11.5




CAST ROAR2-OC-059 DATE 20 OCT 72 TIME 1720 GMT
LAT 49 01.5N LONG 127 15.8W WEATHER 6
SEA STATE 2 SPC 15 KT VISIBILITY 2
DEPTH 1600 M WET DEPTH 2028 M
CLOUD 6 AMOUNT 8 DRY 1+3

| Depth (m) | Temperature (°C) | Salinity (Sigma-T) |
|-----------|------------------|--------------------|
| 0 | 23.00 | 35.00 |
| 100 | 24.50 | 35.50 |
| 200 | 25.50 | 36.00 |
| 300 | 26.00 | 36.00 |
| 400 | 26.50 | 36.00 |
| 500 | 27.00 | 36.00 |
| 600 | 27.50 | 36.00 |
| 700 | 28.00 | 36.00 |
| 800 | 28.00 | 36.00 |
| 900 | 28.00 | 36.00 |
| 1000 | 28.00 | 36.00 |
| 1100 | 28.00 | 36.00 |
| 1200 | 28.00 | 36.00 |
| 1300 | 28.00 | 36.00 |
| 1400 | 28.00 | 36.00 |
| 1500 | 28.00 | 36.00 |
| 1600 | 28.00 | 36.00 |




CAST ROAR2-OC-058 DATE 20 OCT 72 TIME 1510 GMT
LAT 49 01.2N LONG 127 19.8W WEATHER 2
SEA STATE 2 SPC 15 KT VISIBILITY 2
DEPTH 1600 M WET DEPTH 2024 M
CLOUD 6 AMOUNT 8 DRY 1+3


| Depth (m) | Temperature (°C) | Salinity (Sigma-T) |
|-----------|------------------|--------------------|
| 0 | 23.00 | 35.00 |
| 100 | 24.50 | 35.50 |
| 200 | 25.50 | 36.00 |
| 300 | 26.00 | 36.00 |
| 400 | 26.50 | 36.00 |
| 500 | 27.00 | 36.00 |
| 600 | 27.50 | 36.00 |
| 700 | 28.00 | 36.00 |
| 800 | 28.00 | 36.00 |
| 900 | 28.00 | 36.00 |
| 1000 | 28.00 | 36.00 |
| 1100 | 28.00 | 36.00 |
| 1200 | 28.00 | 36.00 |
| 1300 | 28.00 | 36.00 |
| 1400 | 28.00 | 36.00 |
| 1500 | 28.00 | 36.00 |
| 1600 | 28.00 | 36.00 |



| DEPTH (M) | TEMPERATURE (°C) | SALINITY (PPT) | SIGMA-T (DYN CM⁻²) | DETA-0 (DYN CM⁻²) |
|-----------|------------------|----------------|--------------------|-------------------|
| 0 | 12.10 | 32.10 | 24.3 | 0.000 |
| 5 | 12.09 | 32.09 | 24.3 | 0.18 |
| 10 | 12.10 | 32.09 | 24.3 | 0.36 |
| 15 | 12.06 | 32.09 | 24.3 | 0.54 |
| 20 | 12.03 | 32.09 | 24.3 | 0.72 |
| 25 | 11.99 | 32.09 | 24.3 | 0.90 |
| 30 | 11.95 | 32.09 | 24.3 | 1.08 |
| 35 | 11.91 | 32.09 | 24.3 | 1.26 |
| 40 | 11.87 | 32.09 | 24.3 | 1.44 |
| 45 | 11.83 | 32.09 | 24.3 | 1.62 |
| 50 | 11.79 | 32.09 | 24.3 | 1.80 |
| 55 | 11.75 | 32.09 | 24.3 | 1.98 |
| 60 | 11.71 | 32.09 | 24.3 | 2.16 |
| 65 | 11.67 | 32.09 | 24.3 | 2.34 |
| 70 | 11.63 | 32.09 | 24.3 | 2.52 |
| 75 | 11.59 | 32.09 | 24.3 | 2.70 |
| 80 | 11.55 | 32.09 | 24.3 | 2.88 |
| 85 | 11.51 | 32.09 | 24.3 | 3.06 |
| 90 | 11.47 | 32.09 | 24.3 | 3.24 |
| 95 | 11.43 | 32.09 | 24.3 | 3.42 |
| 100 | 11.39 | 32.09 | 24.3 | 3.60 |
| 105 | 11.35 | 32.09 | 24.3 | 3.78 |
| 110 | 11.31 | 32.09 | 24.3 | 3.96 |
| 115 | 11.27 | 32.09 | 24.3 | 4.14 |
| 120 | 11.23 | 32.09 | 24.3 | 4.32 |
| 125 | 11.19 | 32.09 | 24.3 | 4.50 |
| 130 | 11.15 | 32.09 | 24.3 | 4.68 |
| 135 | 11.11 | 32.09 | 24.3 | 4.86 |
| 140 | 11.07 | 32.09 | 24.3 | 5.04 |
| 145 | 11.03 | 32.09 | 24.3 | 5.22 |
| 150 | 10.99 | 32.09 | 24.3 | 5.40 |
| 155 | 10.95 | 32.09 | 24.3 | 5.58 |
| 160 | 10.91 | 32.09 | 24.3 | 5.76 |
| 165 | 10.87 | 32.09 | 24.3 | 5.94 |
| 170 | 10.83 | 32.09 | 24.3 | 6.12 |
| 175 | 10.79 | 32.09 | 24.3 | 6.30 |
| 180 | 10.75 | 32.09 | 24.3 | 6.48 |
| 185 | 10.71 | 32.09 | 24.3 | 6.66 |
| 190 | 10.67 | 32.09 | 24.3 | 6.84 |
| 195 | 10.63 | 32.09 | 24.3 | 7.02 |
| 200 | 10.59 | 32.09 | 24.3 | 7.20 |
| 205 | 10.55 | 32.09 | 24.3 | 7.38 |
| 210 | 10.51 | 32.09 | 24.3 | 7.56 |
| 215 | 10.47 | 32.09 | 24.3 | 7.74 |
| 220 | 10.43 | 32.09 | 24.3 | 7.92 |
| 225 | 10.39 | 32.09 | 24.3 | 8.10 |
| 230 | 10.35 | 32.09 | 24.3 | 8.28 |
| 235 | 10.31 | 32.09 | 24.3 | 8.46 |
| 240 | 10.27 | 32.09 | 24.3 | 8.64 |
| 245 | 10.23 | 32.09 | 24.3 | 8.82 |
| 250 | 10.19 | 32.09 | 24.3 | 9.00 |
| 255 | 10.15 | 32.09 | 24.3 | 9.18 |
| 260 | 10.11 | 32.09 | 24.3 | 9.36 |
| 265 | 10.07 | 32.09 | 24.3 | 9.54 |
| 270 | 10.03 | 32.09 | 24.3 | 9.72 |
| 275 | 0.99 | 32.09 | 24.3 | 9.90 |
| 280 | 0.95 | 32.09 | 24.3 | 10.08 |
| 285 | 0.91 | 32.09 | 24.3 | 10.26 |
| 290 | 0.87 | 32.09 | 24.3 | 10.44 |
| 295 | 0.83 | 32.09 | 24.3 | 10.62 |
| 300 | 0.79 | 32.09 | 24.3 | 10.80 |
| 305 | 0.75 | 32.09 | 24.3 | 10.98 |
| 310 | 0.71 | 32.09 | 24.3 | 11.16 |
| 315 | 0.67 | 32.09 | 24.3 | 11.34 |
| 320 | 0.63 | 32.09 | 24.3 | 11.52 |
| 325 | 0.59 | 32.09 | 24.3 | 11.70 |
| 330 | 0.55 | 32.09 | 24.3 | 11.88 |
| 335 | 0.51 | 32.09 | 24.3 | 12.06 |
| 340 | 0.47 | 32.09 | 24.3 | 12.24 |
| 345 | 0.43 | 32.09 | 24.3 | 12.42 |
| 350 | 0.39 | 32.09 | 24.3 | 12.60 |
| 355 | 0.35 | 32.09 | 24.3 | 12.78 |
| 360 | 0.31 | 32.09 | 24.3 | 12.96 |
| 365 | 0.27 | 32.09 | 24.3 | 13.14 |
| 370 | 0.23 | 32.09 | 24.3 | 13.32 |
| 375 | 0.19 | 32.09 | 24.3 | 13.50 |
| 380 | 0.15 | 32.09 | 24.3 | 13.68 |
| 385 | 0.11 | 32.09 | 24.3 | 13.86 |
| 390 | 0.07 | 32.09 | 24.3 | 14.04 |
| 395 | 0.03 | 32.09 | 24.3 | 14.22 |
| 400 | 0.00 | 32.09 | 24.3 | 14.40 |



| DEPTH (M) | TEMPERATURE (°C) | SALINITY (PPT) | SIGMA-T (DYN CM⁻²) | DETA-0 (DYN CM⁻²) |
|-----------|------------------|----------------|--------------------|-------------------|
| 0 | 11.54 | 32.07 | 24.4 | 0.000 |
| 5 | 11.55 | 32.07 | 24.4 | 0.18 |
| 10 | 11.54 | 32.07 | 24.4 | 0.35 |
| 15 | 11.54 | 32.07 | 24.4 | 0.52 |
| 20 | 11.54 | 32.07 | 24.4 | 0.69 |
| 25 | 10.61 | 32.19 | 24.4 | 0.87 |
| 30 | 10.54 | 32.24 | 24.4 | 1.05 |
| 35 | 9.49 | 32.47 | 24.4 | 1.23 |
| 40 | 9.49 | 32.47 | 24.4 | 1.41 |
| 45 | 9.49 | 32.47 | 24.4 | 1.59 |
| 50 | 7.53 | 32.56 | 24.4 | 1.77 |
| 55 | 7.53 | 32.56 | 24.4 | 1.95 |
| 60 | 7.53 | 32.56 | 24.4 | 2.13 |
| 65 | 7.53 | 32.56 | 24.4 | 2.31 |
| 70 | 7.53 | 32.56 | 24.4 | 2.49 |
| 75 | 7.53 | 32.56 | 24.4 | 2.67 |
| 80 | 7.53 | 32.56 | 24.4 | 2.85 |
| 85 | 7.53 | 32.56 | 24.4 | 3.03 |
| 90 | 7.53 | 32.56 | 24.4 | 3.21 |
| 95 | 7.53 | 32.56 | 24.4 | 3.39 |
| 100 | 7.53 | 32.56 | 24.4 | 3.57 |
| 105 | 7.53 | 32.56 | 24.4 | 3.75 |
| 110 | 7.53 | 32.56 | 24.4 | 3.93 |
| 115 | 7.53 | 32.56 | 24.4 | 4.11 |
| 120 | 7.53 | 32.56 | 24.4 | 4.29 |
| 125 | 7.53 | 32.56 | 24.4 | 4.47 |
| 130 | 7.53 | 32.56 | 24.4 | 4.65 |
| 135 | 7.53 | 32.56 | 24.4 | 4.83 |
| 140 | 7.53 | 32.56 | 24.4 | 5.01 |
| 145 | 7.53 | 32.56 | 24.4 | 5.19 |
| 150 | 7.53 | 32.56 | 24.4 | 5.37 |
| 155 | 7.53 | 32.56 | 24.4 | 5.55 |
| 160 | 7.53 | 32.56 | 24.4 | 5.73 |
| 165 | 7.53 | 32.56 | 24.4 | 5.91 |
| 170 | 7.53 | 32.56 | 24.4 | 6.09 |
| 175 | 7.53 | 32.56 | 24.4 | 6.27 |
| 180 | 7.53 | 32.56 | 24.4 | 6.45 |
| 185 | 7.53 | 32.56 | 24.4 | 6.63 |
| 190 | 7.53 | 32.56 | 24.4 | 6.81 |
| 195 | 7.53 | 32.56 | 24.4 | 6.99 |
| 200 | 7.53 | 32.56 | 24.4 | 7.17 |



CAST ROAR2-OC-062 DATE 21 OCT 72 TIME 0400 GMT
 LAT 49° 40' N LONG 126° 52' E WEATHER 1 VISIBILITY 2
 DEPTH 631 M WIND 0 KI
 CLOUD X AMOUNT 9
 DRY 12.5 MET 11.8 DEPH 631 H

| DEPTH (M) | TEMPERATURE (C) | SALINITY (PPT) | SIGMA (DYN CM^-3) |
|-----------|-----------------|----------------|-------------------|
| 0 | 11.50 | 32.09 | 24.44 |
| 2 | 11.49 | 32.09 | 24.44 |
| 5 | 11.49 | 32.09 | 24.44 |
| 10 | 11.53 | 32.09 | 24.44 |
| 15 | 11.46 | 32.10 | 24.47 |
| 20 | 10.63 | 32.10 | 24.65 |
| 25 | 10.63 | 32.14 | 24.71 |
| 30 | 9.79 | 32.20 | 24.76 |
| 35 | 9.72 | 32.20 | 24.77 |
| 40 | 9.12 | 32.20 | 24.82 |
| 45 | 8.45 | 32.20 | 24.87 |
| 50 | 7.95 | 32.20 | 24.92 |
| 55 | 7.65 | 32.20 | 24.97 |
| 60 | 7.45 | 32.20 | 25.02 |
| 65 | 7.30 | 32.20 | 25.07 |
| 70 | 7.20 | 32.20 | 25.12 |
| 75 | 7.10 | 32.20 | 25.17 |
| 80 | 7.00 | 32.20 | 25.22 |
| 85 | 6.90 | 32.20 | 25.27 |
| 90 | 6.80 | 32.20 | 25.32 |
| 95 | 6.70 | 32.20 | 25.37 |
| 100 | 6.60 | 32.20 | 25.42 |
| 110 | 6.50 | 32.20 | 25.47 |
| 120 | 6.40 | 32.20 | 25.52 |
| 130 | 6.30 | 32.20 | 25.57 |
| 140 | 6.20 | 32.20 | 25.62 |
| 150 | 6.10 | 32.20 | 25.67 |
| 160 | 6.00 | 32.20 | 25.72 |
| 170 | 5.90 | 32.20 | 25.77 |
| 180 | 5.80 | 32.20 | 25.82 |
| 190 | 5.70 | 32.20 | 25.87 |
| 200 | 5.60 | 32.20 | 25.92 |
| 210 | 5.50 | 32.20 | 25.97 |
| 220 | 5.40 | 32.20 | 26.02 |
| 230 | 5.30 | 32.20 | 26.07 |
| 240 | 5.20 | 32.20 | 26.12 |
| 250 | 5.10 | 32.20 | 26.17 |
| 260 | 5.00 | 32.20 | 26.22 |
| 270 | 4.90 | 32.20 | 26.27 |
| 280 | 4.80 | 32.20 | 26.32 |
| 290 | 4.70 | 32.20 | 26.37 |
| 300 | 4.60 | 32.20 | 26.42 |
| 310 | 4.50 | 32.20 | 26.47 |
| 320 | 4.40 | 32.20 | 26.52 |
| 330 | 4.30 | 32.20 | 26.57 |
| 340 | 4.20 | 32.20 | 26.62 |
| 350 | 4.10 | 32.20 | 26.67 |
| 360 | 4.00 | 32.20 | 26.72 |
| 370 | 3.90 | 32.20 | 26.77 |
| 380 | 3.80 | 32.20 | 26.82 |
| 390 | 3.70 | 32.20 | 26.87 |
| 400 | 3.60 | 32.20 | 26.92 |
| 410 | 3.50 | 32.20 | 26.97 |
| 420 | 3.40 | 32.20 | 27.02 |
| 430 | 3.30 | 32.20 | 27.07 |
| 440 | 3.20 | 32.20 | 27.12 |
| 450 | 3.10 | 32.20 | 27.17 |
| 460 | 3.00 | 32.20 | 27.22 |
| 470 | 2.90 | 32.20 | 27.27 |
| 480 | 2.80 | 32.20 | 27.32 |
| 490 | 2.70 | 32.20 | 27.37 |
| 500 | 2.60 | 32.20 | 27.42 |
| 510 | 2.50 | 32.20 | 27.47 |
| 520 | 2.40 | 32.20 | 27.52 |
| 530 | 2.30 | 32.20 | 27.57 |
| 540 | 2.20 | 32.20 | 27.62 |
| 550 | 2.10 | 32.20 | 27.67 |
| 560 | 2.00 | 32.20 | 27.72 |
| 570 | 1.90 | 32.20 | 27.77 |
| 580 | 1.80 | 32.20 | 27.82 |
| 590 | 1.70 | 32.20 | 27.87 |
| 600 | 1.60 | 32.20 | 27.92 |

7. ACKNOWLEDGMENTS

We thank James R. Holbrook for preparing the programs for computer reduction and plotting of the data. The continuous and enthusiastic support of Captain Herbert R. Lippold and the officers and crew of the NOAA Ship OCEANOGRAPHER is gratefully acknowledged.

8. REFERENCES

- Defant, A., 1961, Physical Oceanography, MacMillan, New York.
- Haurwitz, B., 1954, the occurrence of internal tides in the ocean. Arch. Met., Vienna, A7, 406-424.
- Lafond, E.C., 1951, Processing Oceanographic Data, H.O. Pub. 614, U.S. Navy Hydrographic Office, Washington, D.C.
- U.S. Department of Commerce, 1972, Tide Tables, West Coast of North and South America, Washington, D.C.
- Wooster, W.S., and B.A. Taft, 1958, On the reliability of field measurements of temperature and salinity in the ocean. Jour. Mar. Res. 17, 552-556.